OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition





1.2 Per-nucleotide consensus where previous nucleotides match the consensus



















1.3 Whole-sequence composition of each assigned read











1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGHV1−69*01_12_13
10921 sequences assigned
3768 (34.5%) exact matches, in which:
3608 unique CDR3
7 unique J
IGHV2−5*01
1710 sequences assigned
247 (14.4%) exact matches, in which:
238 unique CDR3
7 unique J
IGHV2−26*01
311 sequences assigned
83 (26.7%) exact matches, in which:
80 unique CDR3
6 unique J
IGHV2−70*01
558 sequences assigned
148 (26.5%) exact matches, in which:
138 unique CDR3
7 unique J
IGHV2−70D*04
2 sequences assigned
No exact matches.
IGHV3−7*01
12816 sequences assigned
1808 (14.1%) exact matches, in which:
1368 unique CDR3
7 unique J
IGHV3−9*01
12500 sequences assigned
2276 (18.2%) exact matches, in which:
1548 unique CDR3
7 unique J
IGHV3−11*01
5288 sequences assigned
1101 (20.8%) exact matches, in which:
835 unique CDR3
7 unique J
IGHV3−11*04
930 sequences assigned
114 (12.3%) exact matches, in which:
114 unique CDR3
6 unique J
IGHV3−13*01
856 sequences assigned
243 (28.4%) exact matches, in which:
166 unique CDR3
6 unique J
IGHV3−13*06
74 sequences assigned
2 (2.7%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−15*01
3366 sequences assigned
507 (15.1%) exact matches, in which:
358 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV3−20*04
350 sequences assigned
1 (0.3%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−20*01_02
320 sequences assigned
74 (23.1%) exact matches, in which:
49 unique CDR3
6 unique J
IGHV3−21*01
13339 sequences assigned
3265 (24.5%) exact matches, in which:
2365 unique CDR3
7 unique J
IGHV3−23*01_04
53641 sequences assigned
9005 (16.8%) exact matches, in which:
6137 unique CDR3
7 unique J
IGHV3−30−3*01
9631 sequences assigned
2921 (30.3%) exact matches, in which:
2187 unique CDR3
7 unique J
IGHV3−30*03
2151 sequences assigned
419 (19.5%) exact matches, in which:
394 unique CDR3
7 unique J
IGHV3−30*18
11613 sequences assigned
2179 (18.8%) exact matches, in which:
1555 unique CDR3
7 unique J
IGHV3−30−3*01_T288C
2250 sequences assigned
137 (6.1%) exact matches, in which:
136 unique CDR3
6 unique J
IGHV3−30*03_T288C
1625 sequences assigned
171 (10.5%) exact matches, in which:
170 unique CDR3
7 unique J
IGHV3−33*01
4397 sequences assigned
994 (22.6%) exact matches, in which:
762 unique CDR3
7 unique J
IGHV3−33*06
985 sequences assigned
33 (3.4%) exact matches, in which:
33 unique CDR3
6 unique J
IGHV3−33*08
865 sequences assigned
146 (16.9%) exact matches, in which:
137 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−35*01
1 sequences assigned
No exact matches.
IGHV3−38−3*01
9 sequences assigned
No exact matches.
IGHV3−38*03
1 sequences assigned
No exact matches.
IGHV3−43*01
573 sequences assigned
140 (24.4%) exact matches, in which:
101 unique CDR3
7 unique J
IGHV3−48*01
2522 sequences assigned
457 (18.1%) exact matches, in which:
338 unique CDR3
7 unique J
IGHV3−48*04
4635 sequences assigned
809 (17.5%) exact matches, in which:
632 unique CDR3
7 unique J
IGHV3−49*03_05
5141 sequences assigned
310 (6%) exact matches, in which:
224 unique CDR3
7 unique J
IGHV3−53*04
507 sequences assigned
161 (31.8%) exact matches, in which:
115 unique CDR3
6 unique J
IGHV3−53*05
27 sequences assigned
1 (3.7%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−53*01_02
827 sequences assigned
181 (21.9%) exact matches, in which:
139 unique CDR3
7 unique J
IGHV3−62*03
1 sequences assigned
No exact matches.
IGHV3−64*02_07
57 sequences assigned
9 (15.8%) exact matches, in which:
8 unique CDR3
3 unique J
Count
Nucleotide Difference


IGHV3−66*02
33 sequences assigned
No exact matches.
IGHV3−66*03
8 sequences assigned
1 (12.5%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−69−1*01
56 sequences assigned
No exact matches.
IGHV3−69−1*02
48 sequences assigned
5 (10.4%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−72*01
951 sequences assigned
32 (3.4%) exact matches, in which:
23 unique CDR3
5 unique J
IGHV3−73*01_02
694 sequences assigned
138 (19.9%) exact matches, in which:
98 unique CDR3
7 unique J
IGHV3−74*01
7014 sequences assigned
467 (6.7%) exact matches, in which:
333 unique CDR3
7 unique J
IGHV3−43D*03
548 sequences assigned
178 (32.5%) exact matches, in which:
122 unique CDR3
6 unique J
IGHV3−NL1*01
46 sequences assigned
No exact matches.
IGHV4−4*08
48 sequences assigned
No exact matches.
IGHV4−4*09
67 sequences assigned
No exact matches.
IGHV4−28*03
9 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV4−28*01_07
4 sequences assigned
1 (25%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV4−30−2*01
1521 sequences assigned
401 (26.4%) exact matches, in which:
322 unique CDR3
7 unique J
IGHV4−30−4*01
4593 sequences assigned
443 (9.6%) exact matches, in which:
414 unique CDR3
7 unique J
IGHV4−30−2*01_C315G
911 sequences assigned
115 (12.6%) exact matches, in which:
114 unique CDR3
7 unique J
IGHV4−30−4*01_C315G
1135 sequences assigned
75 (6.6%) exact matches, in which:
74 unique CDR3
5 unique J
IGHV4−31*03
4021 sequences assigned
753 (18.7%) exact matches, in which:
697 unique CDR3
7 unique J
IGHV4−34*01
13191 sequences assigned
4825 (36.6%) exact matches, in which:
4323 unique CDR3
7 unique J
IGHV4−34*01_T300C
3473 sequences assigned
484 (13.9%) exact matches, in which:
479 unique CDR3
7 unique J
IGHV4−38−2*02
2175 sequences assigned
416 (19.1%) exact matches, in which:
394 unique CDR3
7 unique J
IGHV4−38−2*02_A291G_C300T
331 sequences assigned
91 (27.5%) exact matches, in which:
91 unique CDR3
5 unique J
IGHV4−39*07
7924 sequences assigned
1169 (14.8%) exact matches, in which:
1068 unique CDR3
7 unique J
IGHV4−39*01_08
4424 sequences assigned
674 (15.2%) exact matches, in which:
631 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV4−59*01
10915 sequences assigned
1831 (16.8%) exact matches, in which:
1719 unique CDR3
7 unique J
IGHV4−59*12
1386 sequences assigned
139 (10%) exact matches, in which:
139 unique CDR3
7 unique J
IGHV4−59*12_C300T
816 sequences assigned
290 (35.5%) exact matches, in which:
290 unique CDR3
6 unique J
IGHV4−61*11
4624 sequences assigned
607 (13.1%) exact matches, in which:
574 unique CDR3
7 unique J
IGHV4−61*01_i04
4224 sequences assigned
280 (6.6%) exact matches, in which:
266 unique CDR3
7 unique J
IGHV4−61*11_A291G
1234 sequences assigned
109 (8.8%) exact matches, in which:
107 unique CDR3
6 unique J
IGHV4−NL1*01
567 sequences assigned
33 (5.8%) exact matches, in which:
33 unique CDR3
5 unique J
IGHV5−51*01_03
10754 sequences assigned
2470 (23%) exact matches, in which:
1810 unique CDR3
7 unique J
IGHV6−1*01
1171 sequences assigned
200 (17.1%) exact matches, in which:
190 unique CDR3
7 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA324093/Donor 155/036 S021/155_IGH/155_IGH/76/aa1a43b458dab6
##
## Germline reference file: /misc/work/jenkins/PRJNA324093/Donor 155/036 S021/155_IGH/155_IGH/76/aa1a43
##
## Novel allele file: /misc/work/jenkins/PRJNA324093/Donor 155/036 S021/155_IGH/155_IGH/76/aa1a43b458da
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 38 2 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 02_A291G_C300T: replacing with gap
```

```
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 11: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 11_A291G: replacing with gap
```