OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition



1.2 Per-nucleotide consensus where previous nucleotides match the consensus















1.3 Whole-sequence composition of each assigned read

1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles




IGHV7−4−1*02_T63C
Count
0
20
40
8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 34
CDR3 AA Length (unmutated)

2 Variation from germline, in assignments to each allele




IGHV2−5*02
2081 sequences assigned
261 (12.5%) exact matches, in which:
239 unique CDR3
6 unique J
IGHV2−26*01
255 sequences assigned
63 (24.7%) exact matches, in which:
63 unique CDR3
5 unique J
IGHV2−70*01
1629 sequences assigned
379 (23.3%) exact matches, in which:
339 unique CDR3
5 unique J
IGHV2−70D*04
10 sequences assigned
No exact matches.
IGHV3−7*01
8865 sequences assigned
533 (6%) exact matches, in which:
463 unique CDR3
6 unique J
IGHV3−7*03
10946 sequences assigned
494 (4.5%) exact matches, in which:
424 unique CDR3
6 unique J
IGHV3−9*01
6619 sequences assigned
805 (12.2%) exact matches, in which:
682 unique CDR3
6 unique J
IGHV3−11*01
1715 sequences assigned
426 (24.8%) exact matches, in which:
366 unique CDR3
6 unique J
IGHV3−11*04
467 sequences assigned
34 (7.3%) exact matches, in which:
34 unique CDR3
5 unique J
IGHV3−11*06
1248 sequences assigned
296 (23.7%) exact matches, in which:
257 unique CDR3
6 unique J
IGHV3−13*01
1329 sequences assigned
186 (14%) exact matches, in which:
151 unique CDR3
5 unique J
IGHV3−13*05
394 sequences assigned
95 (24.1%) exact matches, in which:
75 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−13*06
183 sequences assigned
3 (1.6%) exact matches, in which:
3 unique CDR3
1 unique J
IGHV3−15*01
2929 sequences assigned
600 (20.5%) exact matches, in which:
534 unique CDR3
6 unique J
IGHV3−20*04
1959 sequences assigned
225 (11.5%) exact matches, in which:
191 unique CDR3
6 unique J
IGHV3−21*01
13536 sequences assigned
2040 (15.1%) exact matches, in which:
1720 unique CDR3
6 unique J
IGHV3−23*01_04
48834 sequences assigned
3864 (7.9%) exact matches, in which:
3212 unique CDR3
6 unique J
IGHV3−30−3*01
79 sequences assigned
2 (2.5%) exact matches, in which:
2 unique CDR3
2 unique J
IGHV3−30*03
1067 sequences assigned
82 (7.7%) exact matches, in which:
81 unique CDR3
5 unique J
IGHV3−30*04
4142 sequences assigned
1112 (26.8%) exact matches, in which:
966 unique CDR3
6 unique J
IGHV3−30*18
2391 sequences assigned
493 (20.6%) exact matches, in which:
428 unique CDR3
6 unique J
IGHV3−30*04_T288C
1401 sequences assigned
71 (5.1%) exact matches, in which:
71 unique CDR3
6 unique J
IGHV3−33*01
4706 sequences assigned
742 (15.8%) exact matches, in which:
661 unique CDR3
6 unique J
IGHV3−33*06
2090 sequences assigned
601 (28.8%) exact matches, in which:
514 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−33*06_T300C_G303A
1025 sequences assigned
106 (10.3%) exact matches, in which:
106 unique CDR3
6 unique J
IGHV3−35*01
5 sequences assigned
No exact matches.
IGHV3−43*01
724 sequences assigned
78 (10.8%) exact matches, in which:
71 unique CDR3
6 unique J
IGHV3−48*02
3915 sequences assigned
522 (13.3%) exact matches, in which:
434 unique CDR3
6 unique J
IGHV3−48*03
3425 sequences assigned
641 (18.7%) exact matches, in which:
551 unique CDR3
6 unique J
IGHV3−48*03_T303G
942 sequences assigned
74 (7.9%) exact matches, in which:
74 unique CDR3
5 unique J
IGHV3−49*04
707 sequences assigned
127 (18%) exact matches, in which:
113 unique CDR3
6 unique J
IGHV3−49*03_05
303 sequences assigned
101 (33.3%) exact matches, in which:
86 unique CDR3
4 unique J
IGHV3−53*01_02
9581 sequences assigned
718 (7.5%) exact matches, in which:
627 unique CDR3
6 unique J
IGHV3−64*02_07
161 sequences assigned
17 (10.6%) exact matches, in which:
16 unique CDR3
3 unique J
IGHV3−66*01
6 sequences assigned
2 (33.3%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−66*02
107 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV3−66*03
20 sequences assigned
4 (20%) exact matches, in which:
4 unique CDR3
3 unique J
Count
Nucleotide Difference
IGHV3−69−1*01
30 sequences assigned
No exact matches.
Count
Nucleotide Difference
IGHV3−69−1*02
174 sequences assigned
No exact matches.
Count
Nucleotide Difference
IGHV3−72*01
927 sequences assigned
28 (3%) exact matches, in which:
22 unique CDR3
4 unique J
Count
Nucleotide Difference
IGHV3−73*01_02
1089 sequences assigned
222 (20.4%) exact matches, in which:
185 unique CDR3
5 unique J
Count
Nucleotide Difference
IGHV3−74*01
12480 sequences assigned
519 (4.2%) exact matches, in which:
411 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV3−43D*03
1 sequences assigned
No exact matches.
Count
Nucleotide Difference
IGHV3−43D*04_05
61 sequences assigned
No exact matches.
Count
Nucleotide Difference
IGHV3−64D*06
668 sequences assigned
152 (22.8%) exact matches, in which:
119 unique CDR3
5 unique J
Count
Nucleotide Difference
IGHV3−NL1*01
53 sequences assigned
No exact matches.
Count
Nucleotide Difference
IGHV4−4*02_03
3837 sequences assigned
646 (16.8%) exact matches, in which:
573 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV4−28*03
6 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV4−28*01_07
64 sequences assigned
1 (1.6%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV4−30−4*01
85 sequences assigned
No exact matches.
IGHV4−30−2*01
7 sequences assigned
No exact matches.
IGHV4−30−4*07
2 sequences assigned
No exact matches.
IGHV4−30−4*08
13 sequences assigned
No exact matches.
IGHV4−30−4*i02
4 sequences assigned
No exact matches.
IGHV4−31*03
3034 sequences assigned
390 (12.9%) exact matches, in which:
370 unique CDR3
6 unique J
IGHV4−31*03_C90T
3701 sequences assigned
425 (11.5%) exact matches, in which:
404 unique CDR3
6 unique J
IGHV4−34*01
10955 sequences assigned
2160 (19.7%) exact matches, in which:
1865 unique CDR3
6 unique J
IGHV4−38−2*01
4 sequences assigned
No exact matches.
IGHV4−38−2*02
6 sequences assigned
No exact matches.
IGHV4−39*07
1568 sequences assigned
5 (0.3%) exact matches, in which:
5 unique CDR3
2 unique J
Count
Nucleotide Difference


IGHV4−39*01_08
9121 sequences assigned
1550 (17%) exact matches, in which:
1379 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV4−59*01
16986 sequences assigned
1859 (10.9%) exact matches, in which:
1633 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV4−61*01_i04
3692 sequences assigned
510 (13.8%) exact matches, in which:
479 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV4−NL1*01
543 sequences assigned
1 (0.2%) exact matches, in which:
1 unique CDR3
1 unique J
Count
Nucleotide Difference
IGHV5−10−1*01_03
2884 sequences assigned
713 (24.7%) exact matches, in which:
610 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV5−51*01_03
12169 sequences assigned
1992 (16.4%) exact matches, in which:
1575 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV6−1*01
2140 sequences assigned
176 (8.2%) exact matches, in which:
164 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV7−4−1*02_T63C
4008 sequences assigned
502 (12.5%) exact matches, in which:
363 unique CDR3
6 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 068/M64 068/M64 068/M64 068/53/73b2d27c4979abb3ce5806
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 068/M64 068/M64 068/M64 068/53/73b2d27c4979ab
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 068/M64 068/M64 068/M64 068/53/73b2d27c4979abb3ce58
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 2 04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 2 04_G279C_C291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 04_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 06: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 31 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 31 03_C90T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
```