OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition















1.2 Per-nucleotide consensus where previous nucleotides match the consensus















1.3 Whole-sequence composition of each assigned read















1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles




IGHV4−NL1*01_C300T
Count
0
10
20
30
40
5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 28
CDR3 AA Length (unmutated)

2 Variation from germline, in assignments to each allele




IGHV1−69*01_12_13
12622 sequences assigned
4931 (39.1%) exact matches, in which:
4474 unique CDR3
7 unique J
IGHV1−69*04_09
9939 sequences assigned
2943 (29.6%) exact matches, in which:
2675 unique CDR3
7 unique J
IGHV2−5*02
2550 sequences assigned
784 (30.7%) exact matches, in which:
705 unique CDR3
7 unique J
IGHV2−26*01
738 sequences assigned
342 (46.3%) exact matches, in which:
329 unique CDR3
6 unique J
IGHV2−70*01
921 sequences assigned
390 (42.3%) exact matches, in which:
352 unique CDR3
6 unique J
IGHV2−70*15
1098 sequences assigned
441 (40.2%) exact matches, in which:
405 unique CDR3
7 unique J
IGHV2−70D*04
3 sequences assigned
No exact matches.
IGHV3−7*01
9790 sequences assigned
1779 (18.2%) exact matches, in which:
1553 unique CDR3
7 unique J
IGHV3−7*03
10848 sequences assigned
1665 (15.3%) exact matches, in which:
1420 unique CDR3
7 unique J
IGHV3−9*01
9501 sequences assigned
2459 (25.9%) exact matches, in which:
2076 unique CDR3
7 unique J
IGHV3−11*01
6530 sequences assigned
1236 (18.9%) exact matches, in which:
1071 unique CDR3
7 unique J
IGHV3−11*06
3370 sequences assigned
894 (26.5%) exact matches, in which:
768 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV3−13*01
1419 sequences assigned
439 (30.9%) exact matches, in which:
335 unique CDR3
7 unique J
IGHV3−13*05
541 sequences assigned
173 (32%) exact matches, in which:
137 unique CDR3
6 unique J
IGHV3−13*06
142 sequences assigned
10 (7%) exact matches, in which:
10 unique CDR3
3 unique J
IGHV3−15*01
5386 sequences assigned
1638 (30.4%) exact matches, in which:
1455 unique CDR3
7 unique J
IGHV3−20*04
155 sequences assigned
2 (1.3%) exact matches, in which:
2 unique CDR3
2 unique J
IGHV3−20*01_02
402 sequences assigned
164 (40.8%) exact matches, in which:
127 unique CDR3
5 unique J
IGHV3−21*01
16564 sequences assigned
4766 (28.8%) exact matches, in which:
3987 unique CDR3
7 unique J
IGHV3−23*01_04
48553 sequences assigned
8590 (17.7%) exact matches, in which:
7062 unique CDR3
7 unique J
IGHV3−30−3*01
24 sequences assigned
1 (4.2%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−30*03
487 sequences assigned
156 (32%) exact matches, in which:
153 unique CDR3
6 unique J
IGHV3−30*18
11239 sequences assigned
1329 (11.8%) exact matches, in which:
1138 unique CDR3
7 unique J
IGHV3−30*03_T288C
1325 sequences assigned
276 (20.8%) exact matches, in which:
273 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−33*01
8099 sequences assigned
2308 (28.5%) exact matches, in which:
2047 unique CDR3
7 unique J
IGHV3−33*08
8542 sequences assigned
2368 (27.7%) exact matches, in which:
2059 unique CDR3
7 unique J
IGHV3−33*06_G75C_T300C_G303
1675 sequences assigned
186 (11.1%) exact matches, in which:
185 unique CDR3
7 unique J
IGHV3−35*01
7 sequences assigned
2 (28.6%) exact matches, in which:
2 unique CDR3
2 unique J
IGHV3−43*01
413 sequences assigned
160 (38.7%) exact matches, in which:
125 unique CDR3
7 unique J
IGHV3−48*03
12790 sequences assigned
4342 (33.9%) exact matches, in which:
3623 unique CDR3
7 unique J
IGHV3−48*03_T303G
3118 sequences assigned
557 (17.9%) exact matches, in which:
547 unique CDR3
7 unique J
IGHV3−49*04
3012 sequences assigned
1118 (37.1%) exact matches, in which:
966 unique CDR3
7 unique J
IGHV3−53*01_02
7360 sequences assigned
2106 (28.6%) exact matches, in which:
1735 unique CDR3
7 unique J
IGHV3−62*03
1 sequences assigned
No exact matches.
IGHV3−64*01
1111 sequences assigned
322 (29%) exact matches, in which:
263 unique CDR3
7 unique J
IGHV3−66*01
4668 sequences assigned
1094 (23.4%) exact matches, in which:
924 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV3−69−1*01
5 sequences assigned
No exact matches.
IGHV3−69−1*02
19 sequences assigned
No exact matches.
IGHV3−72*01
892 sequences assigned
104 (11.7%) exact matches, in which:
91 unique CDR3
7 unique J
IGHV3−73*01_02
4943 sequences assigned
650 (13.1%) exact matches, in which:
512 unique CDR3
7 unique J
IGHV3−74*01
10097 sequences assigned
1143 (11.3%) exact matches, in which:
883 unique CDR3
7 unique J
IGHV3−74*01_A315G
2578 sequences assigned
160 (6.2%) exact matches, in which:
159 unique CDR3
7 unique J
IGHV3−43D*04_05
318 sequences assigned
131 (41.2%) exact matches, in which:
115 unique CDR3
6 unique J
IGHV3−64D*06
2817 sequences assigned
889 (31.6%) exact matches, in which:
673 unique CDR3
7 unique J
IGHV3−NL1*01
30 sequences assigned
No exact matches.
IGHV4−4*02_03
5341 sequences assigned
1551 (29%) exact matches, in which:
1411 unique CDR3
7 unique J
IGHV4−28*03
11 sequences assigned
1 (9.1%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV4−28*01_07
11 sequences assigned
9 (81.8%) exact matches, in which:
9 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV4−30−2*01
7 sequences assigned
No exact matches.
IGHV4−30−4*01
8 sequences assigned
4 (50%) exact matches, in which:
4 unique CDR3
3 unique J
IGHV4−30−4*08
11 sequences assigned
No exact matches.
IGHV4−31*03
4443 sequences assigned
1297 (29.2%) exact matches, in which:
1187 unique CDR3
7 unique J
IGHV4−34*01
12740 sequences assigned
3807 (29.9%) exact matches, in which:
3342 unique CDR3
7 unique J
IGHV4−38−2*01
3975 sequences assigned
1020 (25.7%) exact matches, in which:
911 unique CDR3
7 unique J
IGHV4−39*01_08
14333 sequences assigned
3173 (22.1%) exact matches, in which:
2729 unique CDR3
7 unique J
IGHV4−59*01
19283 sequences assigned
5522 (28.6%) exact matches, in which:
4780 unique CDR3
7 unique J
IGHV4−59*12
3086 sequences assigned
276 (8.9%) exact matches, in which:
273 unique CDR3
7 unique J
IGHV4−61*01_i04
2868 sequences assigned
784 (27.3%) exact matches, in which:
731 unique CDR3
7 unique J
IGHV4−61*01_i04_G88A_G103A
737 sequences assigned
113 (15.3%) exact matches, in which:
111 unique CDR3
6 unique J
IGHV4−61*01_i04_T288C_G291A
445 sequences assigned
127 (28.5%) exact matches, in which:
124 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV4−NL1*01
10001 sequences assigned
2600 (26%) exact matches, in which:
2282 unique CDR3
7 unique J
IGHV4−NL1*01_C300T
1411 sequences assigned
326 (23.1%) exact matches, in which:
323 unique CDR3
7 unique J
IGHV5−10−1*01_03
6607 sequences assigned
2254 (34.1%) exact matches, in which:
1948 unique CDR3
7 unique J
IGHV5−51*01_03
21390 sequences assigned
7018 (32.8%) exact matches, in which:
5568 unique CDR3
7 unique J
IGHV6−1*01
3933 sequences assigned
726 (18.5%) exact matches, in which:
637 unique CDR3
7 unique J
IGHV7−4−1*01
5 sequences assigned
No exact matches.
IGHV7−4−1*02
1 sequences assigned
No exact matches.
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 038/M64 038/M64 038/M64 038/2f/87ac4cd973be0343a
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 038/M64 038/M64 038/M64 038/2f/87ac4cd97
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 038/M64 038/M64 038/M64 038/2f/87ac4cd973be034
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV3 30 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 08: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_G75C_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
```