OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition



1.2 Per-nucleotide consensus where previous nucleotides match the consensus



1.3 Whole-sequence composition of each assigned read



1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGHV2−5*01
2323 sequences assigned
15 (0.6%) exact matches, in which:
9 unique CDR3
2 unique J
IGHV2−5*02
1888 sequences assigned
33 (1.7%) exact matches, in which:
16 unique CDR3
4 unique J
IGHV2−26*01
60 sequences assigned
2 (3.3%) exact matches, in which:
2 unique CDR3
2 unique J
IGHV2−70*01
287 sequences assigned
No exact matches.
IGHV2−70*15
620 sequences assigned
28 (4.5%) exact matches, in which:
16 unique CDR3
3 unique J
IGHV3−7*01
5490 sequences assigned
51 (0.9%) exact matches, in which:
35 unique CDR3
6 unique J
IGHV3−7*03
677 sequences assigned
24 (3.5%) exact matches, in which:
15 unique CDR3
2 unique J
IGHV3−9*01
4760 sequences assigned
24 (0.5%) exact matches, in which:
14 unique CDR3
5 unique J
IGHV3−11*01
2741 sequences assigned
102 (3.7%) exact matches, in which:
51 unique CDR3
6 unique J
IGHV3−11*04
314 sequences assigned
18 (5.7%) exact matches, in which:
16 unique CDR3
4 unique J
IGHV3−13*01
374 sequences assigned
No exact matches.
IGHV3−13*06
12 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV3−15*01
861 sequences assigned
95 (11%) exact matches, in which:
54 unique CDR3
5 unique J
IGHV3−20*04
157 sequences assigned
No exact matches.
IGHV3−21*01
3892 sequences assigned
210 (5.4%) exact matches, in which:
124 unique CDR3
7 unique J
IGHV3−23*01_04
7455 sequences assigned
28 (0.4%) exact matches, in which:
21 unique CDR3
6 unique J
IGHV3−30−3*01
4976 sequences assigned
156 (3.1%) exact matches, in which:
94 unique CDR3
6 unique J
IGHV3−30*02
4506 sequences assigned
92 (2%) exact matches, in which:
57 unique CDR3
5 unique J
IGHV3−30*03
539 sequences assigned
17 (3.2%) exact matches, in which:
17 unique CDR3
5 unique J
IGHV3−30*18
4404 sequences assigned
87 (2%) exact matches, in which:
48 unique CDR3
5 unique J
IGHV3−33*01
306 sequences assigned
53 (17.3%) exact matches, in which:
34 unique CDR3
6 unique J
IGHV3−33*06
383 sequences assigned
2 (0.5%) exact matches, in which:
2 unique CDR3
2 unique J
IGHV3−43*01
306 sequences assigned
39 (12.7%) exact matches, in which:
20 unique CDR3
1 unique J
IGHV3−43*02
2 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV3−48*01
10150 sequences assigned
5 (0%) exact matches, in which:
5 unique CDR3
2 unique J
IGHV3−48*02
4182 sequences assigned
62 (1.5%) exact matches, in which:
34 unique CDR3
5 unique J
IGHV3−48*04
288 sequences assigned
3 (1%) exact matches, in which:
3 unique CDR3
2 unique J
IGHV3−49*04
577 sequences assigned
41 (7.1%) exact matches, in which:
23 unique CDR3
4 unique J
IGHV3−53*04
120 sequences assigned
22 (18.3%) exact matches, in which:
14 unique CDR3
2 unique J
IGHV3−53*01_02
459 sequences assigned
14 (3.1%) exact matches, in which:
7 unique CDR3
2 unique J
IGHV3−64*01
418 sequences assigned
3 (0.7%) exact matches, in which:
2 unique CDR3
2 unique J
IGHV3−66*01
2042 sequences assigned
7 (0.3%) exact matches, in which:
5 unique CDR3
3 unique J
IGHV3−66*02
15 sequences assigned
No exact matches.
IGHV3−69−1*01
2 sequences assigned
No exact matches.
IGHV3−69−1*02
4 sequences assigned
No exact matches.
IGHV3−72*01
94 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV3−73*01_02
171 sequences assigned
No exact matches.
IGHV3−74*01
2884 sequences assigned
40 (1.4%) exact matches, in which:
25 unique CDR3
5 unique J
IGHV3−43D*03
209 sequences assigned
5 (2.4%) exact matches, in which:
4 unique CDR3
2 unique J
IGHV3−64D*08
2 sequences assigned
No exact matches.
IGHV3−NL1*01
3 sequences assigned
No exact matches.
IGHV4−4*02_03
1377 sequences assigned
29 (2.1%) exact matches, in which:
23 unique CDR3
4 unique J
IGHV4−28*03
8 sequences assigned
No exact matches.
IGHV4−30−4*01
1373 sequences assigned
31 (2.3%) exact matches, in which:
20 unique CDR3
5 unique J
IGHV4−30−2*01
1234 sequences assigned
12 (1%) exact matches, in which:
9 unique CDR3
3 unique J
IGHV4−31*03
454 sequences assigned
20 (4.4%) exact matches, in which:
13 unique CDR3
4 unique J
IGHV4−34*01
16075 sequences assigned
2095 (13%) exact matches, in which:
1223 unique CDR3
7 unique J
IGHV4−38−2*02
2659 sequences assigned
38 (1.4%) exact matches, in which:
25 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV4−39*07
534 sequences assigned
No exact matches.
IGHV4−39*01_08
6102 sequences assigned
112 (1.8%) exact matches, in which:
81 unique CDR3
7 unique J
IGHV4−59*01
3568 sequences assigned
78 (2.2%) exact matches, in which:
54 unique CDR3
7 unique J
IGHV4−59*12
473 sequences assigned
7 (1.5%) exact matches, in which:
6 unique CDR3
4 unique J
IGHV4−59*12_C300T
640 sequences assigned
83 (13%) exact matches, in which:
82 unique CDR3
7 unique J
IGHV4−61*02
21 sequences assigned
1 (4.8%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV4−61*01_i04
226 sequences assigned
3 (1.3%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV4−NL1*01
2479 sequences assigned
194 (7.8%) exact matches, in which:
118 unique CDR3
5 unique J
IGHV5−10−1*01_03
6 sequences assigned
1 (16.7%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV5−51*01_03
9499 sequences assigned
235 (2.5%) exact matches, in which:
116 unique CDR3
4 unique J
IGHV6−1*01
950 sequences assigned
5 (0.5%) exact matches, in which:
3 unique CDR3
2 unique J
IGHV7−4−1*02
2174 sequences assigned
2 (0.1%) exact matches, in which:
2 unique CDR3
2 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 094/M64 094/M64 094/M64 094/5a/7b81d56aad87505874bb8a
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 094/M64 094/M64 094/M64 094/5a/7b81d56aad8750
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 094/M64 094/M64 094/M64 094/5a/7b81d56aad87505874bb
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
```