# OGRDBstats Report

## Contents


**1 Novel sequence analysis** **2**

1.1 End-nucleotide composition . . . 2

1.2 Per-nucleotide consensus where previous nucleotides match the consensus . . . 2

1.3 Whole-sequence composition of each assigned read . . . 2

1.4 Final three nucleotides: frequency of each observed triplet . . . 2

1.5 CDR3 length distribution, in assignments to novel alleles . . . 3

**2 Variation from germline, in assignments to each allele** **4**

**3 Allele usage in potential haplotype anchor genes** **8**

**4 Haplotype plots** **9**

**5 Configuration settings** **10**

# 1 Novel sequence analysis

## 1.1 End-nucleotide composition







## 1.2 Per-nucleotide consensus where previous nucleotides match the consensus







## 1.3 Whole-sequence composition of each assigned read



## 1.4 Final three nucleotides: frequency of each observed triplet






### 1.5 CDR3 length distribution, in assignments to novel alleles



# 2 Variation from germline, in assignments to each allele




IGKV1−27*01
337 sequences assigned
237 (70.3%) exact matches, in which:
172 unique CDR3
5 unique J
IGKV1−39*01
1920 sequences assigned
1389 (72.3%) exact matches, in which:
960 unique CDR3
5 unique J
IGKV2−24*01
53 sequences assigned
48 (90.6%) exact matches, in which:
45 unique CDR3
5 unique J
IGKV2−28*01
566 sequences assigned
467 (82.5%) exact matches, in which:
383 unique CDR3
5 unique J
IGKV2−28*01_G202T
95 sequences assigned
86 (90.5%) exact matches, in which:
77 unique CDR3
5 unique J
IGKV2−30*01
241 sequences assigned
211 (87.6%) exact matches, in which:
186 unique CDR3
5 unique J
IGKV3−7*04
14 sequences assigned
4 (28.6%) exact matches, in which:
4 unique CDR3
4 unique J
IGKV3−11*01
1900 sequences assigned
1356 (71.4%) exact matches, in which:
1044 unique CDR3
5 unique J
IGKV3−15*01
1536 sequences assigned
1095 (71.3%) exact matches, in which:
831 unique CDR3
5 unique J
IGKV3−20*01
2019 sequences assigned
1381 (68.4%) exact matches, in which:
1058 unique CDR3
5 unique J
IGKV4−1*01
490 sequences assigned
356 (72.7%) exact matches, in which:
278 unique CDR3
5 unique J
IGKV4−1*02
433 sequences assigned
342 (79%) exact matches, in which:
268 unique CDR3
5 unique J
Count
Nucleotide Difference


IGKV5−2*01
24 sequences assigned
16 (66.7%) exact matches, in which:
16 unique CDR3
4 unique J
IGKV5−2*02
13 sequences assigned
13 (100%) exact matches, in which:
13 unique CDR3
3 unique J
IGKV3D−7*01
12 sequences assigned
7 (58.3%) exact matches, in which:
7 unique CDR3
3 unique J
IGKV1D−8*01
98 sequences assigned
74 (75.5%) exact matches, in which:
50 unique CDR3
5 unique J
IGKV3D−11*01
8 sequences assigned
4 (50%) exact matches, in which:
4 unique CDR3
3 unique J
IGKV1D−12*01
89 sequences assigned
73 (82%) exact matches, in which:
59 unique CDR3
5 unique J
IGKV1D−13*02
9 sequences assigned
7 (77.8%) exact matches, in which:
7 unique CDR3
5 unique J
IGKV3D−15*01
72 sequences assigned
58 (80.6%) exact matches, in which:
49 unique CDR3
5 unique J
IGKV1D−16*01
32 sequences assigned
24 (75%) exact matches, in which:
21 unique CDR3
4 unique J
IGKV3D−20*01
63 sequences assigned
48 (76.2%) exact matches, in which:
43 unique CDR3
5 unique J
IGKV6D−21*01
52 sequences assigned
45 (86.5%) exact matches, in which:
38 unique CDR3
5 unique J
IGKV6D−21*02
24 sequences assigned
23 (95.8%) exact matches, in which:
19 unique CDR3
5 unique J
Count
Nucleotide Difference


IGKV2D−26*03
10 sequences assigned
9 (90%) exact matches, in which:
8 unique CDR3
2 unique J
IGKV2D−29*01
136 sequences assigned
119 (87.5%) exact matches, in which:
105 unique CDR3
5 unique J
IGKV2D−30*01
19 sequences assigned
15 (78.9%) exact matches, in which:
14 unique CDR3
5 unique J
IGKV1D−33*01
813 sequences assigned
662 (81.4%) exact matches, in which:
504 unique CDR3
5 unique J
IGKV2D−40*01
63 sequences assigned
54 (85.7%) exact matches, in which:
44 unique CDR3
5 unique J
IGKV6D−41*01
1 sequences assigned
No exact matches.
IGKV1D−43*01
27 sequences assigned
24 (88.9%) exact matches, in which:
24 unique CDR3
4 unique J
Count
Nucleotide Difference

# 3 Allele usage in potential haplotype anchor genes



# 4 Haplotype plots

# 5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJEB26509/S6/S6/6_IGK/6_IGK/46/4711fed22b6adebd9b23cc76ed137b/6_
##
## Germline reference file: /misc/work/jenkins/PRJEB26509/S6/S6/6_IGK/6_IGK/46/4711fed22b6adebd9b23cc76e
##
## Novel allele file: /misc/work/jenkins/PRJEB26509/S6/S6/6_IGK/6_IGK/46/4711fed22b6adebd9b23cc76ed137b/
##
## Species: Homosapiens
##
## Chain: IGKV
##
## Segment: V
```