OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition











1.2 Per-nucleotide consensus where previous nucleotides match the consensus



1.3 Whole-sequence composition of each assigned read



1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles











2 Variation from germline, in assignments to each allele




IGHV2−5*01
342 sequences assigned
60 (17.5%) exact matches, in which:
45 unique CDR3
4 unique J
IGHV2−5*02
355 sequences assigned
20 (5.6%) exact matches, in which:
13 unique CDR3
5 unique J
IGHV2−26*01
104 sequences assigned
39 (37.5%) exact matches, in which:
32 unique CDR3
5 unique J
IGHV2−70*01
156 sequences assigned
34 (21.8%) exact matches, in which:
32 unique CDR3
5 unique J
IGHV2−70D*04
220 sequences assigned
30 (13.6%) exact matches, in which:
21 unique CDR3
4 unique J
IGHV3−7*01
7206 sequences assigned
532 (7.4%) exact matches, in which:
380 unique CDR3
6 unique J
IGHV3−7*03
3264 sequences assigned
192 (5.9%) exact matches, in which:
147 unique CDR3
5 unique J
IGHV3−9*01
2742 sequences assigned
298 (10.9%) exact matches, in which:
212 unique CDR3
6 unique J
IGHV3−11*01
1700 sequences assigned
381 (22.4%) exact matches, in which:
262 unique CDR3
5 unique J
IGHV3−11*04
576 sequences assigned
77 (13.4%) exact matches, in which:
76 unique CDR3
6 unique J
IGHV3−11*06
688 sequences assigned
133 (19.3%) exact matches, in which:
96 unique CDR3
5 unique J
IGHV3−13*01
381 sequences assigned
47 (12.3%) exact matches, in which:
34 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−13*05
30 sequences assigned
12 (40%) exact matches, in which:
10 unique CDR3
5 unique J
IGHV3−13*06
24 sequences assigned
No exact matches.
IGHV3−15*01
1852 sequences assigned
240 (13%) exact matches, in which:
169 unique CDR3
5 unique J
IGHV3−20*04
57 sequences assigned
No exact matches.
IGHV3−20*01_02
87 sequences assigned
19 (21.8%) exact matches, in which:
12 unique CDR3
4 unique J
IGHV3−21*01
7168 sequences assigned
1015 (14.2%) exact matches, in which:
698 unique CDR3
6 unique J
IGHV3−23*01_04
14751 sequences assigned
1546 (10.5%) exact matches, in which:
980 unique CDR3
6 unique J
IGHV3−23*01_04_C300T_A303G_
2641 sequences assigned
185 (7%) exact matches, in which:
173 unique CDR3
6 unique J
IGHV3−30*01
2704 sequences assigned
450 (16.6%) exact matches, in which:
319 unique CDR3
6 unique J
IGHV3−30−3*01
41 sequences assigned
No exact matches.
IGHV3−30*01_T288C
1020 sequences assigned
71 (7%) exact matches, in which:
71 unique CDR3
6 unique J
IGHV3−33*01
2050 sequences assigned
450 (22%) exact matches, in which:
318 unique CDR3
6 unique J
Count
Nucleotide Difference



IGHV3−33*06
351 sequences assigned
16 (4.6%) exact matches, in which:
16 unique CDR3
4 unique J
IGHV3−33*08
2736 sequences assigned
524 (19.2%) exact matches, in which:
381 unique CDR3
6 unique J
IGHV3−43*01
169 sequences assigned
29 (17.2%) exact matches, in which:
16 unique CDR3
3 unique J
IGHV3−48*01
2791 sequences assigned
369 (13.2%) exact matches, in which:
256 unique CDR3
6 unique J
IGHV3−48*03
1986 sequences assigned
414 (20.8%) exact matches, in which:
279 unique CDR3
6 unique J
IGHV3−48*03_T303G
820 sequences assigned
120 (14.6%) exact matches, in which:
114 unique CDR3
6 unique J
IGHV3−49*04
830 sequences assigned
63 (7.6%) exact matches, in which:
49 unique CDR3
6 unique J
IGHV3−49*03_05
518 sequences assigned
57 (11%) exact matches, in which:
44 unique CDR3
4 unique J
IGHV3−53*01_02
1641 sequences assigned
170 (10.4%) exact matches, in which:
118 unique CDR3
6 unique J
IGHV3−64*01
861 sequences assigned
91 (10.6%) exact matches, in which:
56 unique CDR3
5 unique J
IGHV3−66*01
12 sequences assigned
1 (8.3%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−66*02
6 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV3−66*03
7 sequences assigned
No exact matches.
IGHV3−69−1*01
85 sequences assigned
1 (1.2%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−69−1*02
17 sequences assigned
No exact matches.
IGHV3−72*01
506 sequences assigned
13 (2.6%) exact matches, in which:
9 unique CDR3
3 unique J
IGHV3−73*01_02
1264 sequences assigned
115 (9.1%) exact matches, in which:
80 unique CDR3
6 unique J
IGHV3−74*01
5371 sequences assigned
241 (4.5%) exact matches, in which:
175 unique CDR3
6 unique J
IGHV3−43D*04_05
95 sequences assigned
19 (20%) exact matches, in which:
13 unique CDR3
3 unique J
IGHV3−64D*06
466 sequences assigned
64 (13.7%) exact matches, in which:
31 unique CDR3
5 unique J
IGHV3−NL1*01
8 sequences assigned
No exact matches.
IGHV4−4*02_03
618 sequences assigned
110 (17.8%) exact matches, in which:
86 unique CDR3
6 unique J
IGHV4−28*03
32 sequences assigned
No exact matches.
IGHV4−28*01_07
14 sequences assigned
4 (28.6%) exact matches, in which:
1 unique CDR3
1 unique J
Count
Nucleotide Difference


IGHV4−30−4*08
4 sequences assigned
No exact matches.
IGHV4−31*01
290 sequences assigned
93 (32.1%) exact matches, in which:
75 unique CDR3
6 unique J
IGHV4−31*03
41 sequences assigned
No exact matches.
IGHV4−34*01
3219 sequences assigned
815 (25.3%) exact matches, in which:
635 unique CDR3
6 unique J
IGHV4−34*01_C288T_T300C
357 sequences assigned
115 (32.2%) exact matches, in which:
103 unique CDR3
5 unique J
IGHV4−38−2*01
1105 sequences assigned
156 (14.1%) exact matches, in which:
118 unique CDR3
6 unique J
IGHV4−39*07
544 sequences assigned
1 (0.2%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV4−39*01_08
2382 sequences assigned
374 (15.7%) exact matches, in which:
277 unique CDR3
6 unique J
IGHV4−59*01
7113 sequences assigned
969 (13.6%) exact matches, in which:
671 unique CDR3
6 unique J
IGHV4−59*12_C300T
305 sequences assigned
78 (25.6%) exact matches, in which:
75 unique CDR3
6 unique J
IGHV4−61*02
2992 sequences assigned
463 (15.5%) exact matches, in which:
334 unique CDR3
6 unique J
IGHV4−61*01_i04
1779 sequences assigned
170 (9.6%) exact matches, in which:
143 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV4−NL1*01
540 sequences assigned
75 (13.9%) exact matches, in which:
71 unique CDR3
6 unique J
IGHV5−10−1*01_03
1739 sequences assigned
269 (15.5%) exact matches, in which:
186 unique CDR3
6 unique J
IGHV5−51*01_03
4848 sequences assigned
810 (16.7%) exact matches, in which:
529 unique CDR3
6 unique J
IGHV6−1*01
1892 sequences assigned
70 (3.7%) exact matches, in which:
49 unique CDR3
5 unique J
IGHV7−4−1*01
3 sequences assigned
No exact matches.
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 019/M64 019/M64 019/M64 019/30/f2a7805074ff8e2f1
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 019/M64 019/M64 019/M64 019/30/f2a780507
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 019/M64 019/M64 019/M64 019/30/f2a7805074ff8e2
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
```