OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition















1.2 Per-nucleotide consensus where previous nucleotides match the consensus















1.3 Whole-sequence composition of each assigned read















1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles




IGHV4−59*12_C300T
Count
CDR3 AA Length (unmutated)

2 Variation from germline, in assignments to each allele





IGHV1−69*01_12_13
2032 sequences assigned
615 (30.3%) exact matches, in which:
477 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV1−69*06_14
1724 sequences assigned
362 (21%) exact matches, in which:
292 unique CDR3
5 unique J
Count
Nucleotide Difference
IGHV2−5*02
1168 sequences assigned
133 (11.4%) exact matches, in which:
90 unique CDR3
5 unique J
Count
Nucleotide Difference
IGHV2−26*01
110 sequences assigned
24 (21.8%) exact matches, in which:
19 unique CDR3
4 unique J
Count
Nucleotide Difference
IGHV2−26*02
24 sequences assigned
12 (50%) exact matches, in which:
11 unique CDR3
4 unique J
Count
Nucleotide Difference
IGHV2−70*01
163 sequences assigned
29 (17.8%) exact matches, in which:
23 unique CDR3
3 unique J
Count
Nucleotide Difference
IGHV2−70*15
451 sequences assigned
88 (19.5%) exact matches, in which:
55 unique CDR3
5 unique J
Count
Nucleotide Difference
IGHV2−70D*04
89 sequences assigned
17 (19.1%) exact matches, in which:
12 unique CDR3
3 unique J
Count
Nucleotide Difference
IGHV3−7*01
7246 sequences assigned
641 (8.8%) exact matches, in which:
482 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV3−7*03
9400 sequences assigned
506 (5.4%) exact matches, in which:
336 unique CDR3
5 unique J
Count
Nucleotide Difference
IGHV3−9*01
6910 sequences assigned
832 (12%) exact matches, in which:
484 unique CDR3
6 unique J
Count
Nucleotide Difference
IGHV3−11*01
1925 sequences assigned
321 (16.7%) exact matches, in which:
219 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−11*04
440 sequences assigned
48 (10.9%) exact matches, in which:
47 unique CDR3
5 unique J
IGHV3−11*06
39 sequences assigned
2 (5.1%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−13*01
668 sequences assigned
118 (17.7%) exact matches, in which:
72 unique CDR3
5 unique J
IGHV3−13*06
51 sequences assigned
No exact matches.
IGHV3−15*01
7339 sequences assigned
225 (3.1%) exact matches, in which:
145 unique CDR3
6 unique J
IGHV3−20*01_02
2 sequences assigned
No exact matches.
IGHV3−21*01
10768 sequences assigned
1781 (16.5%) exact matches, in which:
1075 unique CDR3
6 unique J
IGHV3−23*01_04
15676 sequences assigned
1244 (7.9%) exact matches, in which:
721 unique CDR3
6 unique J
IGHV3−23*01_04_C300T_A303G_
2901 sequences assigned
118 (4.1%) exact matches, in which:
113 unique CDR3
5 unique J
IGHV3−30−3*01
325 sequences assigned
2 (0.6%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−30*02
15267 sequences assigned
977 (6.4%) exact matches, in which:
580 unique CDR3
6 unique J
IGHV3−30*04
4644 sequences assigned
843 (18.2%) exact matches, in which:
610 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−30*18
7117 sequences assigned
863 (12.1%) exact matches, in which:
618 unique CDR3
6 unique J
IGHV3−30*02_A317G
2085 sequences assigned
270 (12.9%) exact matches, in which:
251 unique CDR3
6 unique J
IGHV3−33*01
2577 sequences assigned
300 (11.6%) exact matches, in which:
212 unique CDR3
5 unique J
IGHV3−33*06
243 sequences assigned
25 (10.3%) exact matches, in which:
24 unique CDR3
5 unique J
IGHV3−33*06_C288T
381 sequences assigned
106 (27.8%) exact matches, in which:
99 unique CDR3
5 unique J
IGHV3−35*01
4 sequences assigned
2 (50%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−43*01
459 sequences assigned
62 (13.5%) exact matches, in which:
38 unique CDR3
4 unique J
IGHV3−48*01
884 sequences assigned
58 (6.6%) exact matches, in which:
57 unique CDR3
4 unique J
IGHV3−48*02
2575 sequences assigned
453 (17.6%) exact matches, in which:
282 unique CDR3
6 unique J
IGHV3−48*03
2784 sequences assigned
354 (12.7%) exact matches, in which:
230 unique CDR3
6 unique J
IGHV3−48*03_T303G
944 sequences assigned
84 (8.9%) exact matches, in which:
82 unique CDR3
4 unique J
IGHV3−49*04
2498 sequences assigned
187 (7.5%) exact matches, in which:
110 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−53*04
719 sequences assigned
199 (27.7%) exact matches, in which:
135 unique CDR3
4 unique J
IGHV3−53*05
152 sequences assigned
1 (0.7%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−53*01_02
1532 sequences assigned
135 (8.8%) exact matches, in which:
92 unique CDR3
5 unique J
IGHV3−62*03
2 sequences assigned
No exact matches.
IGHV3−64*01
1108 sequences assigned
175 (15.8%) exact matches, in which:
110 unique CDR3
5 unique J
IGHV3−66*01
2560 sequences assigned
224 (8.8%) exact matches, in which:
163 unique CDR3
5 unique J
IGHV3−69−1*01
400 sequences assigned
No exact matches.
IGHV3−69−1*02
17 sequences assigned
No exact matches.
IGHV3−72*01
1429 sequences assigned
20 (1.4%) exact matches, in which:
15 unique CDR3
4 unique J
IGHV3−73*01_02
855 sequences assigned
159 (18.6%) exact matches, in which:
93 unique CDR3
5 unique J
IGHV3−74*01
5010 sequences assigned
280 (5.6%) exact matches, in which:
160 unique CDR3
6 unique J
IGHV3−74*01_A315G
2942 sequences assigned
82 (2.8%) exact matches, in which:
81 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV3−43D*04_05
116 sequences assigned
20 (17.2%) exact matches, in which:
11 unique CDR3
2 unique J
IGHV3−64D*06
14 sequences assigned
No exact matches.
IGHV3−64D*09
4 sequences assigned
No exact matches.
IGHV3−NL1*01
27 sequences assigned
No exact matches.
IGHV4−4*08
37 sequences assigned
No exact matches.
IGHV4−4*09
136 sequences assigned
No exact matches.
IGHV4−4*02_03
9 sequences assigned
No exact matches.
IGHV4−28*03
10 sequences assigned
No exact matches.
IGHV4−30−4*01
795 sequences assigned
117 (14.7%) exact matches, in which:
87 unique CDR3
5 unique J
IGHV4−30−2*01
475 sequences assigned
82 (17.3%) exact matches, in which:
56 unique CDR3
5 unique J
IGHV4−31*03
1833 sequences assigned
365 (19.9%) exact matches, in which:
263 unique CDR3
6 unique J
IGHV4−34*01
14903 sequences assigned
1962 (13.2%) exact matches, in which:
1335 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV4−34*01_T300C
1852 sequences assigned
161 (8.7%) exact matches, in which:
151 unique CDR3
6 unique J
IGHV4−38−2*01
1413 sequences assigned
223 (15.8%) exact matches, in which:
168 unique CDR3
6 unique J
IGHV4−39*07
758 sequences assigned
2 (0.3%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV4−39*01_08
3896 sequences assigned
447 (11.5%) exact matches, in which:
313 unique CDR3
6 unique J
IGHV4−59*01
8583 sequences assigned
1187 (13.8%) exact matches, in which:
853 unique CDR3
5 unique J
IGHV4−59*12
1059 sequences assigned
96 (9.1%) exact matches, in which:
92 unique CDR3
5 unique J
IGHV4−59*12_C300T
865 sequences assigned
267 (30.9%) exact matches, in which:
259 unique CDR3
6 unique J
IGHV4−61*11
176 sequences assigned
No exact matches.
IGHV4−61*01_i04
1997 sequences assigned
301 (15.1%) exact matches, in which:
248 unique CDR3
6 unique J
IGHV4−NL1*01
4054 sequences assigned
571 (14.1%) exact matches, in which:
398 unique CDR3
6 unique J
IGHV5−10−1*01_03
12 sequences assigned
3 (25%) exact matches, in which:
3 unique CDR3
2 unique J
IGHV5−51*01_03
8841 sequences assigned
1375 (15.6%) exact matches, in which:
694 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV6−1*01
1785 sequences assigned
145 (8.1%) exact matches, in which:
102 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV7−4−1*02
3 sequences assigned
No exact matches.
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 022/M64 022/M64 022/M64 022/e7/b0df15cd557e309e7
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 022/M64 022/M64 022/M64 022/e7/b0df15cd5
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 022/M64 022/M64 022/M64 022/e7/b0df15cd557e309
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 02_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 06: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_C288T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
```