OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition



1.2 Per-nucleotide consensus where previous nucleotides match the consensus



1.3 Whole-sequence composition of each assigned read



1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGLV2−23*03
189 sequences assigned
124 (65.6%) exact matches, in which:
118 unique CDR3
3 unique J
IGLV3−1*01
480 sequences assigned
301 (62.7%) exact matches, in which:
260 unique CDR3
3 unique J
IGLV3−9*01
26 sequences assigned
14 (53.8%) exact matches, in which:
13 unique CDR3
3 unique J
IGLV3−10*01
28 sequences assigned
22 (78.6%) exact matches, in which:
21 unique CDR3
3 unique J
IGLV3−16*01
3 sequences assigned
3 (100%) exact matches, in which:
3 unique CDR3
2 unique J
IGLV3−19*01
168 sequences assigned
97 (57.7%) exact matches, in which:
86 unique CDR3
3 unique J
IGLV3−21*02
352 sequences assigned
233 (66.2%) exact matches, in which:
211 unique CDR3
5 unique J
IGLV3−25*02
33 sequences assigned
21 (63.6%) exact matches, in which:
21 unique CDR3
3 unique J
IGLV3−25*03
30 sequences assigned
21 (70%) exact matches, in which:
21 unique CDR3
3 unique J
IGLV3−27*01
13 sequences assigned
9 (69.2%) exact matches, in which:
8 unique CDR3
3 unique J
IGLV4−60*03_c259t
1 sequences assigned
1 (100%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV4−69*01
21 sequences assigned
13 (61.9%) exact matches, in which:
13 unique CDR3
2 unique J
Count
Nucleotide Difference


IGLV5−45*02
12 sequences assigned
7 (58.3%) exact matches, in which:
7 unique CDR3
3 unique J
IGLV5−45*03
11 sequences assigned
7 (63.6%) exact matches, in which:
7 unique CDR3
3 unique J
IGLV5−52*01
1 sequences assigned
1 (100%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV6−57*01
55 sequences assigned
39 (70.9%) exact matches, in which:
38 unique CDR3
3 unique J
IGLV6−57*02
33 sequences assigned
22 (66.7%) exact matches, in which:
22 unique CDR3
5 unique J
IGLV7−43*01
30 sequences assigned
20 (66.7%) exact matches, in which:
20 unique CDR3
2 unique J
IGLV7−46*01
25 sequences assigned
16 (64%) exact matches, in which:
16 unique CDR3
3 unique J
IGLV7−46*02
5 sequences assigned
1 (20%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV8−61*01
27 sequences assigned
18 (66.7%) exact matches, in which:
16 unique CDR3
4 unique J
IGLV9−49*01
5 sequences assigned
5 (100%) exact matches, in which:
4 unique CDR3
2 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJEB26509/S15/S15/15_IGL/15_IGL/27/f3fcde4c6130febe619ff833449c3
##
## Germline reference file: /misc/work/jenkins/PRJEB26509/S15/S15/15_IGL/15_IGL/27/f3fcde4c6130febe619f
##
## Novel allele file: /misc/work/jenkins/PRJEB26509/S15/S15/15_IGL/15_IGL/27/f3fcde4c6130febe619ff83344
##
## Species: Homosapiens
##
## Chain: IGLV
##
## Segment: V
```