OGRDBstats Report

Contents

1 Novel sequence analysis **2**

1.1 End-nucleotide composition . . . 2

1.2 Per-nucleotide consensus where previous nucleotides match the consensus . . . 2

1.3 Whole-sequence composition of each assigned read . . . 2

1.4 Final three nucleotides: frequency of each observed triplet . . . 2

1.5 CDR3 length distribution, in assignments to novel alleles . . . 3

2 Variation from germline, in assignments to each allele **4**

3 Allele usage in potential haplotype anchor genes **8**

4 Haplotype plots **9**

5 Configuration settings **10**

1 Novel sequence analysis

1.1 End-nucleotide composition



1.2 Per-nucleotide consensus where previous nucleotides match the consensus



1.3 Whole-sequence composition of each assigned read



1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele

IGLV10−54*01

48 sequences assigned
43 (89.6%) exact matches, in which:
28 unique CDR3
3 unique J



IGLV1−36*01

57 sequences assigned
47 (82.5%) exact matches, in which:
31 unique CDR3
4 unique J



IGLV1−36*01_c330g

75 sequences assigned
62 (82.7%) exact matches, in which:
42 unique CDR3
3 unique J



IGLV1−40*01

1265 sequences assigned
1042 (82.4%) exact matches, in which:
665 unique CDR3
4 unique J



IGLV1−41*01

3 sequences assigned
1 (33.3%) exact matches, in which:
1 unique CDR3
1 unique J



IGLV1−44*01

997 sequences assigned
767 (76.9%) exact matches, in which:
494 unique CDR3
6 unique J



IGLV1−47*01

758 sequences assigned
619 (81.7%) exact matches, in which:
411 unique CDR3
4 unique J



IGLV1−51*01

223 sequences assigned
192 (86.1%) exact matches, in which:
149 unique CDR3
4 unique J



IGLV1−51*02

308 sequences assigned
262 (85.1%) exact matches, in which:
198 unique CDR3
4 unique J



IGLV2−8*01

489 sequences assigned
421 (86.1%) exact matches, in which:
327 unique CDR3
4 unique J



IGLV2−11*01

676 sequences assigned
590 (87.3%) exact matches, in which:
437 unique CDR3
3 unique J



IGLV2−14*01

1953 sequences assigned
1544 (79.1%) exact matches, in which:
1086 unique CDR3
4 unique J




IGLV2−18*01
42 sequences assigned
37 (88.1%) exact matches, in which:
30 unique CDR3
3 unique J
IGLV2−18*02
12 sequences assigned
9 (75%) exact matches, in which:
9 unique CDR3
3 unique J
IGLV2−23*02
448 sequences assigned
380 (84.8%) exact matches, in which:
306 unique CDR3
3 unique J
IGLV2−23*03
528 sequences assigned
466 (88.3%) exact matches, in which:
359 unique CDR3
3 unique J
IGLV3−1*01
1003 sequences assigned
810 (80.8%) exact matches, in which:
546 unique CDR3
4 unique J
IGLV3−9*01
112 sequences assigned
101 (90.2%) exact matches, in which:
86 unique CDR3
3 unique J
IGLV3−10*01
227 sequences assigned
197 (86.8%) exact matches, in which:
154 unique CDR3
3 unique J
IGLV3−12*02
1 sequences assigned
No exact matches.
IGLV3−16*01
32 sequences assigned
31 (96.9%) exact matches, in which:
24 unique CDR3
3 unique J
IGLV3−19*01
723 sequences assigned
617 (85.3%) exact matches, in which:
457 unique CDR3
4 unique J
IGLV3−21*02
915 sequences assigned
764 (83.5%) exact matches, in which:
505 unique CDR3
4 unique J
IGLV3−22*01
17 sequences assigned
17 (100%) exact matches, in which:
12 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV3−25*02
400 sequences assigned
354 (88.5%) exact matches, in which:
268 unique CDR3
5 unique J
IGLV3−25*03
397 sequences assigned
358 (90.2%) exact matches, in which:
266 unique CDR3
4 unique J
IGLV3−27*01
73 sequences assigned
59 (80.8%) exact matches, in which:
57 unique CDR3
4 unique J
IGLV4−3*01
5 sequences assigned
5 (100%) exact matches, in which:
4 unique CDR3
1 unique J
IGLV4−60*03
72 sequences assigned
67 (93.1%) exact matches, in which:
55 unique CDR3
4 unique J
IGLV4−69*01
361 sequences assigned
316 (87.5%) exact matches, in which:
238 unique CDR3
4 unique J
IGLV5−37*01
5 sequences assigned
5 (100%) exact matches, in which:
5 unique CDR3
2 unique J
IGLV5−45*02
103 sequences assigned
83 (80.6%) exact matches, in which:
47 unique CDR3
4 unique J
IGLV5−48*01
2 sequences assigned
2 (100%) exact matches, in which:
2 unique CDR3
2 unique J
IGLV5−52*01
11 sequences assigned
11 (100%) exact matches, in which:
11 unique CDR3
2 unique J
IGLV6−57*02
127 sequences assigned
114 (89.8%) exact matches, in which:
98 unique CDR3
3 unique J
IGLV6−57*03
185 sequences assigned
168 (90.8%) exact matches, in which:
131 unique CDR3
5 unique J
Count
Nucleotide Difference


IGLV7−43*01
196 sequences assigned
176 (89.8%) exact matches, in which:
130 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV7−46*01
215 sequences assigned
186 (86.5%) exact matches, in which:
148 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV7−46*04
150 sequences assigned
137 (91.3%) exact matches, in which:
106 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV8−61*01
146 sequences assigned
122 (83.6%) exact matches, in which:
91 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV9−49*01
81 sequences assigned
74 (91.4%) exact matches, in which:
59 unique CDR3
3 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJEB26509/S51/S51/51_IGL/51_IGL/54/d761de696264197c29d22c6f807d18/51_
##
## Germline reference file: /work/jenkins/PRJEB26509/S51/S51/51_IGL/51_IGL/54/d761de696264197c29d22c6f8
##
## Novel allele file: /work/jenkins/PRJEB26509/S51/S51/51_IGL/51_IGL/54/d761de696264197c29d22c6f807d18/
##
## Species: Homosapiens
##
## Chain: IGLV
##
## Segment: V
```