

OGRDBstats Report


Contents













1	Novel sequence analysis	2
1.1	CDR3 length distribution, in assignments to novel alleles	2
2	Variation from germline, in assignments to each allele	3
3	Allele usage in potential haplotype anchor genes	8
4	Haplotype plots	9
5	Configuration settings	10













1 Novel sequence analysis













1.1 CDR3 length distribution, in assignments to novel alleles






2 Variation from germline, in assignments to each allele













3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJEB58016/I13/SAMEA112188658/I13_IGH/I13_IGH/b5/dd441aeae603535b6982
##
## Germline reference file: /work/jenkins/PRJEB58016/I13/SAMEA112188658/I13_IGH/I13_IGH/b5/dd441aeae603
##
## Novel allele file: /work/jenkins/PRJEB58016/I13/SAMEA112188658/I13_IGH/I13_IGH/b5/dd441aeae603535b69
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Novel sequence(s) IGHV3 33 01_T212G IGHV3 33 08_T212G are not listed in the genotype and will be ign
##
##
## No sequences found for IGHV3 33 01_T212G(check SEQUENCE_IMGT in input file)
##
## No sequences found for IGHV3 33 08_T212G(check SEQUENCE_IMGT in input file)
```