


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	4
1.4	Final three nucleotides: frequency of each observed triplet	4
1.5	CDR3 length distribution, in assignments to novel alleles	5
2	Variation from germline, in assignments to each allele	6
3	Allele usage in potential haplotype anchor genes	14
4	Haplotype plots	15
5	Configuration settings	16

1 Novel sequence analysis


1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus




1.3 Whole-sequence composition of each assigned read




1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles



























2 Variation from germline, in assignments to each allele
















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA381394/B12_N/B12_N/3_IGH/3_IGH/af/4c6ad07cc2f45625cd322e1d5c0ed4
##
## Germline reference file: /work/jenkins/PRJNA381394/B12_N/B12_N/3_IGH/3_IGH/af/4c6ad07cc2f45625cd322e
##
## Novel allele file: /work/jenkins/PRJNA381394/B12_N/B12_N/3_IGH/3_IGH/af/4c6ad07cc2f45625cd322e1d5c0e
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
```