


OGRDBstats Report


Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	4
1.4	Final three nucleotides: frequency of each observed triplet	5
1.5	CDR3 length distribution, in assignments to novel alleles	6
2	Variation from germline, in assignments to each allele	8
3	Allele usage in potential haplotype anchor genes	15
4	Haplotype plots	16
5	Configuration settings	17


1 Novel sequence analysis


1.1 End-nucleotide composition







1.2 Per-nucleotide consensus where previous nucleotides match the consensus







1.3 Whole-sequence composition of each assigned read















1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele

































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA381394/B17_N/B17_N/7_IGH/7_IGH/c8/8b571bbc89f005504693960a0
##
## Germline reference file: /misc/work/jenkins/PRJNA381394/B17_N/B17_N/7_IGH/7_IGH/c8/8b571bbc89f005504
##
## Novel allele file: /misc/work/jenkins/PRJNA381394/B17_N/B17_N/7_IGH/7_IGH/c8/8b571bbc89f005504693960
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
```