


OGRDBstats Report









Contents









1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	6
1.3	Whole-sequence composition of each assigned read	10
1.4	Final three nucleotides: frequency of each observed triplet	14
1.5	CDR3 length distribution, in assignments to novel alleles	15
2	Variation from germline, in assignments to each allele	19
3	Allele usage in potential haplotype anchor genes	29
4	Haplotype plots	30
5	Configuration settings	31








1 Novel sequence analysis

1.1 End-nucleotide composition

































1.2 Per-nucleotide consensus where previous nucleotides match the consensus




















1.3 Whole-sequence composition of each assigned read
























1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles


























































2 Variation from germline, in assignments to each allele









































































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA381394/B19_N/B19_N/9_IGH/9_IGH/37/cb32adda68b01c044be809a0d
##
## Germline reference file: /misc/work/jenkins/PRJNA381394/B19_N/B19_N/9_IGH/9_IGH/37/cb32adda68b01c044
##
## Novel allele file: /misc/work/jenkins/PRJNA381394/B19_N/B19_N/9_IGH/9_IGH/37/cb32adda68b01c044be809a
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
```