


OGRDBstats Report









Contents






1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	10
1.5	CDR3 length distribution, in assignments to novel alleles	11
2	Variation from germline, in assignments to each allele	14
3	Allele usage in potential haplotype anchor genes	22
4	Haplotype plots	23
5	Configuration settings	24

1 Novel sequence analysis


1.1 End-nucleotide composition





















1.2 Per-nucleotide consensus where previous nucleotides match the consensus










1.3 Whole-sequence composition of each assigned read





















1.4 Final three nucleotides: frequency of each observed triplet









1.5 CDR3 length distribution, in assignments to novel alleles























































2 Variation from germline, in assignments to each allele

















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA280743/SLE6_161/SLE6_161/759/759/f9/c199f8251b013568221fefc
##
## Germline reference file: /misc/work/jenkins/PRJNA280743/SLE6_161/SLE6_161/759/759/f9/c199f8251b013568
##
## Novel allele file: /misc/work/jenkins/PRJNA280743/SLE6_161/SLE6_161/759/759/f9/c199f8251b013568221fe
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Novel sequence(s) IGHV3_53_05_T267G_C300T IGHV3_66_02_A81G_T267G IGHV3_66_02_A81G_T267G_G317A IGHV3_66_03_T175G_T267G
##
##
## No sequences found for IGHV3_53_05_T267G_C300T(check SEQUENCE_IMGT in input file)
##
## No sequences found for IGHV3_66_02_A81G_T267G(check SEQUENCE_IMGT in input file)
##
## No sequences found for IGHV3_66_02_A81G_T267G_G317A(check SEQUENCE_IMGT in input file)
##
## No sequences found for IGHV3_66_03_T175G_T267G(check SEQUENCE_IMGT in input file)
##
## No sequences found for IGHV3_66_03_T175G_T267G_G317A(check SEQUENCE_IMGT in input file)
```