


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	4
1.4	Final three nucleotides: frequency of each observed triplet	5
1.5	CDR3 length distribution, in assignments to novel alleles	5
2	Variation from germline, in assignments to each allele	7
3	Allele usage in potential haplotype anchor genes	13
4	Haplotype plots	14
5	Configuration settings	15

1 Novel sequence analysis


1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus




1.3 Whole-sequence composition of each assigned read




1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele


























3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA280743/FLU2_185/FLU2_185/768/768/98/5255b06c5dbf6946dd5230d
##
## Germline reference file: /misc/work/jenkins/PRJNA280743/FLU2_185/FLU2_185/768/768/98/5255b06c5dbf694
##
## Novel allele file: /misc/work/jenkins/PRJNA280743/FLU2_185/FLU2_185/768/768/98/5255b06c5dbf6946dd523
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Novel sequence(s) IGHV3_23_01_A317G IGHV3_23_04_A317G are not listed in the genotype and will be ign
##
##
## No sequences found for IGHV3_23_01_A317G(check SEQUENCE_IMGT in input file)
##
## No sequences found for IGHV3_23_04_A317G(check SEQUENCE_IMGT in input file)
```