


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	2
1.3	Whole-sequence composition of each assigned read	3
1.4	Final three nucleotides: frequency of each observed triplet	3
1.5	CDR3 length distribution, in assignments to novel alleles	4
2	Variation from germline, in assignments to each allele	5
3	Allele usage in potential haplotype anchor genes	11
4	Haplotype plots	12
5	Configuration settings	13

1 Novel sequence analysis


1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus







1.3 Whole-sequence composition of each assigned read




1.4 Final three nucleotides: frequency of each observed triplet



























1.5 CDR3 length distribution, in assignments to novel alleles



























2 Variation from germline, in assignments to each allele



























3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA527941/Co_C_038_1_PB/SAMN11165309_SAMN11165321/Co_C_038_1_PB
##
## Germline reference file: /misc/work/jenkins/PRJNA527941/Co_C_038_1_PB/SAMN11165309_SAMN11165321/Co_C_038_1_PB
##
## Novel allele file: /misc/work/jenkins/PRJNA527941/Co_C_038_1_PB/SAMN11165309_SAMN11165321/Co_C_038_1_PB
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 18 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 18 01_A190G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV2 5 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV2 5 02_A202G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 15 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 15 01_G147A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 02_A245G: replacing with gap
```