


OGRDBstats Report









Contents









1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	6
1.3	Whole-sequence composition of each assigned read	10
1.4	Final three nucleotides: frequency of each observed triplet	13
1.5	CDR3 length distribution, in assignments to novel alleles	15
2	Variation from germline, in assignments to each allele	18
3	Allele usage in potential haplotype anchor genes	27
4	Haplotype plots	28
5	Configuration settings	29






1 Novel sequence analysis

1.1 End-nucleotide composition































1.2 Per-nucleotide consensus where previous nucleotides match the consensus























1.3 Whole-sequence composition of each assigned read











































1.4 Final three nucleotides: frequency of each observed triplet











1.5 CDR3 length distribution, in assignments to novel alleles

































2 Variation from germline, in assignments to each allele


































































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 103/M64 103/M64 103/M64 103/18/486898f9f4eaa323c287cf
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 103/M64 103/M64 103/M64 103/18/486898f9f4eaa3
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 103/M64 103/M64 103/M64 103/18/486898f9f4eaa323c287
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291C_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV2 5 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV2 5 02_A303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 7 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 7 04_A144G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 7 04_G318A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 9 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 9 01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with
##
##
## Unexpected N in reference sequence IGHV3 11 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 11 04_G240A: replacing with gap
```


Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap

Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap

Unexpected N in reference sequence IGHV3 30 18: replacing with gap

Unexpected N in novel sequence IGHV3 30 03_T246C_T247G_A256T_G258A_T288C: replacing with gap

Unexpected N in reference sequence IGHV3 33 01: replacing with gap

Unexpected N in novel sequence IGHV3 33 01_C288T: replacing with gap

Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap

Unexpected N in reference sequence IGHV3 48 03: replacing with gap

Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap

Unexpected N in reference sequence IGHV3 53 01_02: replacing with gap

Unexpected N in novel sequence IGHV3 53 01_02_A225G_T267G_G303A_G317A: replacing with gap

Unexpected N in novel sequence IGHV3 53 05_T267G_C300T: replacing with gap

Unexpected N in reference sequence IGHV3 64D 09: replacing with gap

Unexpected N in novel sequence IGHV3 64D 09_T314C_A317G: replacing with gap

Unexpected N in reference sequence IGHV3 74 01: replacing with gap

Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap

Unexpected N in novel sequence IGHV3 74 01_T279C_A315G: replacing with gap

Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap

```

##
##
## Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 08_C136G_A138C_T163C_A164G_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_G291A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 01_A138G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A_T288C_G291A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

```