


OGRDBstats Report









Contents






1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	10
1.5	CDR3 length distribution, in assignments to novel alleles	11
2	Variation from germline, in assignments to each allele	14
3	Allele usage in potential haplotype anchor genes	22
4	Haplotype plots	23
5	Configuration settings	24

1 Novel sequence analysis


1.1 End-nucleotide composition





















1.2 Per-nucleotide consensus where previous nucleotides match the consensus

















1.3 Whole-sequence composition of each assigned read





















1.4 Final three nucleotides: frequency of each observed triplet









1.5 CDR3 length distribution, in assignments to novel alleles























































2 Variation from germline, in assignments to each allele




















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 017/M64 017/M64 017/M64 017/ef/82b74037f285481ed
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 017/M64 017/M64 017/M64 017/ef/82b74037f
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 017/M64 017/M64 017/M64 017/ef/82b74037f285481
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 9 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 9 01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with
##
##
## Unexpected N in reference sequence IGHV3 13 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 13 01_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
```

```

##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 66 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 53 05_T267G_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_C246T_G247T_T279C_C288T_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A256T_G258A_T279C_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_G245C_C288T_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_T285C_C288T_A291G_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_T196A_G207C_T228C_T285C_C288T_A291G_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 31 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 31 03_T285C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 38 2 01: replacing with gap

```

```
##
##
## Unexpected N in novel sequence IGHV4 38 2 01_C288T_A291G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 39 07_A103G_A106G_G118A_A163G_G164A_T165A_T169A_T172C_G189A_T19
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
```