


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	4
1.4	Final three nucleotides: frequency of each observed triplet	5
1.5	CDR3 length distribution, in assignments to novel alleles	5
2	Variation from germline, in assignments to each allele	7
3	Allele usage in potential haplotype anchor genes	15
4	Haplotype plots	16
5	Configuration settings	17

1 Novel sequence analysis

1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus




1.3 Whole-sequence composition of each assigned read




1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele







































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64_026/M64_026/M64_026/M64_026/9c/17e674b0fe73b95439fa361
##
## Germline reference file: /work/jenkins/PRJNA491287/M64_026/M64_026/M64_026/M64_026/9c/17e674b0fe73b95439fa361
##
## Novel allele file: /work/jenkins/PRJNA491287/M64_026/M64_026/M64_026/M64_026/9c/17e674b0fe73b95439fa361
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C288T_C300T_A303G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_34_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_34_01_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_34_01_G291A_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_34_01_C288T_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_59_12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_59_12_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_NL1_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_NL1_01_C300T: replacing with gap
```