


OGRDBstats Report







Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	7
1.5	CDR3 length distribution, in assignments to novel alleles	8
2	Variation from germline, in assignments to each allele	10
3	Allele usage in potential haplotype anchor genes	18
4	Haplotype plots	19
5	Configuration settings	20


1 Novel sequence analysis







1.1 End-nucleotide composition






1.2 Per-nucleotide consensus where previous nucleotides match the consensus







1.3 Whole-sequence composition of each assigned read











1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele













































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64_030/M64_030/M64_030/M64_030/d5/8e91230c2d2518268d9d6b
##
## Germline reference file: /work/jenkins/PRJNA491287/M64_030/M64_030/M64_030/M64_030/d5/8e91230c2d2518
##
## Novel allele file: /work/jenkins/PRJNA491287/M64_030/M64_030/M64_030/M64_030/d5/8e91230c2d2518268d9d
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_34_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_34_01_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_34_01_G291A: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_34_01_C288T_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_39_01_08: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_39_01_08_A291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_39_07: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_39_07_A237C_C288T: replacing with gap
```


Unexpected N in reference sequence IGHV4 59 01: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C285T: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 02: replacing with gap

Unexpected N in novel sequence IGHV4 61 02_A291G_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 61 02_C288T_A291G: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in reference sequence IGHV1 8 02: replacing with gap