


OGRDBstats Report









Contents









1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	11
1.5	CDR3 length distribution, in assignments to novel alleles	13
2	Variation from germline, in assignments to each allele	16
3	Allele usage in potential haplotype anchor genes	25
4	Haplotype plots	26
5	Configuration settings	27


1 Novel sequence analysis

1.1 End-nucleotide composition
































1.2 Per-nucleotide consensus where previous nucleotides match the consensus


















1.3 Whole-sequence composition of each assigned read







































1.4 Final three nucleotides: frequency of each observed triplet







1.5 CDR3 length distribution, in assignments to novel alleles























































2 Variation from germline, in assignments to each allele

























































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_035/M64_035/M64_035/c8/f81cd623e141955dc
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_035/M64_035/M64_035/c8/f81cd623e
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_035/M64_035/M64_035/c8/f81cd623e141955
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_7_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_7_03_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_9_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_9_01_T279C_T288C_C300T_T301G_A315G_A317G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_9_01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with
##
##
## Unexpected N in reference sequence IGHV3_11_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_11_04_G240A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C288T_C300T_A303G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_03_T288C: replacing with gap
```

```

##
##
## Unexpected N in reference sequence IGHV3 30 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_C288T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 01_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 04_A184G_A240G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 53 01_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 53 01_02_A225G_T267G_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_T279C_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_G245C_C300T_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 31 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 31 03_T196A_G207C_T228C_T249C_T285C_C288T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap

```


Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 39 07: replacing with gap

Unexpected N in novel sequence IGHV4 39 07_A237C: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 02: replacing with gap

Unexpected N in novel sequence IGHV4 61 11_A291G: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_A237C_C300T: replacing with gap