


OGRDBstats Report







Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	7
1.5	CDR3 length distribution, in assignments to novel alleles	8
2	Variation from germline, in assignments to each allele	10
3	Allele usage in potential haplotype anchor genes	17
4	Haplotype plots	18
5	Configuration settings	19


1 Novel sequence analysis







1.1 End-nucleotide composition







1.2 Per-nucleotide consensus where previous nucleotides match the consensus







1.3 Whole-sequence composition of each assigned read











1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles

















2 Variation from germline, in assignments to each allele









IGHV3-30*03_T288C

992 sequences assigned
91 (9.2%) exact matches, in which:
90 unique CDR3
6 unique J




IGHV3-33*01

4453 sequences assigned
694 (15.6%) exact matches, in which:
534 unique CDR3
6 unique J




IGHV3-33*06

6135 sequences assigned
523 (8.5%) exact matches, in which:
367 unique CDR3
6 unique J




IGHV3-43*01

363 sequences assigned
74 (20.4%) exact matches, in which:
44 unique CDR3
3 unique J




IGHV3-48*01

728 sequences assigned
62 (8.5%) exact matches, in which:
62 unique CDR3
5 unique J




IGHV3-48*02

2574 sequences assigned
403 (15.7%) exact matches, in which:
271 unique CDR3
6 unique J




IGHV3-48*04

305 sequences assigned
29 (9.5%) exact matches, in which:
29 unique CDR3
5 unique J




IGHV3-48*02_G289A

715 sequences assigned
179 (25%) exact matches, in which:
123 unique CDR3
5 unique J




IGHV3-49*03_05

1067 sequences assigned
157 (14.7%) exact matches, in which:
108 unique CDR3
4 unique J




IGHV3-53*05

20 sequences assigned
2 (10%) exact matches, in which:
2 unique CDR3
2 unique J




IGHV3-53*01_02













5165 sequences assigned
611 (11.8%) exact matches, in which:
442 unique CDR3
6 unique J
























IGHV3-53*01_02_A225G_T267G_

1100 sequences assigned
97 (8.8%) exact matches, in which:
95 unique CDR3
6 unique J










3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_039/M64_039/M64_039/f7/74053d9a9f5d4d91d
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_039/M64_039/M64_039/f7/74053d9a9
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_039/M64_039/M64_039/f7/74053d9a9f5d4d9
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_3_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_3_01_T288C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_3_01_T288C_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_48_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_48_02_G289A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_53_01_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_53_01_02_A225G_T267G_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_74_01: replacing with gap
```


Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap

Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap

Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 31 03: replacing with gap

Unexpected N in novel sequence IGHV4 31 03_T228C_A237C_T249C_T285C_G291A_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 31 03_T196A_G207C_T228C_T249C_T285C_C288T: replacing with gap

Unexpected N in reference sequence IGHV4 34 01: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap