


OGRDBstats Report









Contents








1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	11
1.5	CDR3 length distribution, in assignments to novel alleles	12
2	Variation from germline, in assignments to each allele	14
3	Allele usage in potential haplotype anchor genes	22
4	Haplotype plots	23
5	Configuration settings	24

1 Novel sequence analysis


1.1 End-nucleotide composition























1.2 Per-nucleotide consensus where previous nucleotides match the consensus


















1.3 Whole-sequence composition of each assigned read



















1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele


















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_047/M64_047/M64_047/M64_047/40/8b312bf55789d7d40
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_047/M64_047/M64_047/M64_047/40/8b312bf55
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_047/M64_047/M64_047/M64_047/40/8b312bf55789d7d
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_2_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_2_02_G279C_C291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_46_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_46_01_G117T_C172T_A190G_G197C_G202C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_9_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_9_01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with
##
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_03_T288C: replacing with gap
```



```

##
##
## Unexpected N in reference sequence IGHV3 30 18: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 18_T288C_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_T279C_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 02_03_C300T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 31 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 31 03_T285C_C300T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 31 03_T196A_G207C_T228C_T249C_T285C_C288T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap

```

```
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_T288C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_T288C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_A237C_C300T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
```