


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	4
1.4	Final three nucleotides: frequency of each observed triplet	5
1.5	CDR3 length distribution, in assignments to novel alleles	5
2	Variation from germline, in assignments to each allele	7
3	Allele usage in potential haplotype anchor genes	14
4	Haplotype plots	15
5	Configuration settings	16

1 Novel sequence analysis


1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus




1.3 Whole-sequence composition of each assigned read





1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele








































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 004/M64 004/M64 004/M64 004/a2/2ece11dea8a6787062079b
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 004/M64 004/M64 004/M64 004/a2/2ece11dea8a678
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 004/M64 004/M64 004/M64 004/a2/2ece11dea8a678706207
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_G291A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 02_A291G_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV5 51 01_03: replacing with gap
```


##

##

Unexpected N in novel sequence IGHV5 51 01_03_C230A: replacing with gap