


OGRDBstats Report









Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	8
1.5	CDR3 length distribution, in assignments to novel alleles	9
2	Variation from germline, in assignments to each allele	11
3	Allele usage in potential haplotype anchor genes	19
4	Haplotype plots	20
5	Configuration settings	21

1 Novel sequence analysis


1.1 End-nucleotide composition

















1.2 Per-nucleotide consensus where previous nucleotides match the consensus













1.3 Whole-sequence composition of each assigned read





















1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles






























2 Variation from germline, in assignments to each allele

















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_052/M64_052/M64_052/fc/765a13d68afdd2c93f
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_052/M64_052/M64_052/fc/765a13d68afdd2c93f
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_052/M64_052/M64_052/fc/765a13d68afdd2c93f
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_18_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_18_04_C291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_9_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_9_01_T78G_G103A_G129A_A175G_A176G_T186C_G188C_G197C_C258A_T279C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_04_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_33_06: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_08_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_48_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_48_03_T303G: replacing with gap
```


Unexpected N in reference sequence IGHV3 53 01_02: replacing with gap

Unexpected N in novel sequence IGHV3 53 01_02_G241C: replacing with gap

Unexpected N in novel sequence IGHV3 53 05_T267G_C300T: replacing with gap

Unexpected N in reference sequence IGHV3 74 01: replacing with gap

Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap

Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap

Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 59 01: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A_T288C_G291A: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_A237C_C300T: replacing with gap