


OGRDBstats Report









Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	8
1.5	CDR3 length distribution, in assignments to novel alleles	9
2	Variation from germline, in assignments to each allele	11
3	Allele usage in potential haplotype anchor genes	19
4	Haplotype plots	20
5	Configuration settings	21

1 Novel sequence analysis







1.1 End-nucleotide composition

















1.2 Per-nucleotide consensus where previous nucleotides match the consensus
















1.3 Whole-sequence composition of each assigned read




















1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele



















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_062/M64_062/M64_062/6d/778dadb17a44845b7
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_062/M64_062/M64_062/6d/778dadb17
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_062/M64_062/M64_062/6d/778dadb17a44845
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_06_C288T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_33_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_53_01_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_53_01_02_T267G_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_66_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_66_02_A81G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_74_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_74_01_A315G: replacing with gap
```


Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap

Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap

Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap

Unexpected N in reference sequence IGHV4 34 01: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_G291A_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 02: replacing with gap

Unexpected N in novel sequence IGHV4 61 02_A291G_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 61 02_C288T_A291G: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_A237C_C300T: replacing with gap