


OGRDBstats Report








Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	8
1.5	CDR3 length distribution, in assignments to novel alleles	9
2	Variation from germline, in assignments to each allele	11
3	Allele usage in potential haplotype anchor genes	19
4	Haplotype plots	20
5	Configuration settings	21


1 Novel sequence analysis








1.1 End-nucleotide composition












1.2 Per-nucleotide consensus where previous nucleotides match the consensus






1.3 Whole-sequence composition of each assigned read









1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele













































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 067/M64 067/M64 067/M64 067/be/03517f3b252b9869647d28:
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 067/M64 067/M64 067/M64 067/be/03517f3b252b98:
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 067/M64 067/M64 067/M64 067/be/03517f3b252b9869647d:
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 2 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 2 02_G279C_C291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 9 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 9 01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with
##
##
## Unexpected N in reference sequence IGHV3 11 04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 11 04_G240A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 18: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 18_T288C_T300C_G303A: replacing with gap
```


Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap

Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap

Unexpected N in reference sequence IGHV3 33 01: replacing with gap

Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap

Unexpected N in reference sequence IGHV3 48 03: replacing with gap

Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap

Unexpected N in novel sequence IGHV3 48 03_A240G_T300C_T303G: replacing with gap

Unexpected N in reference sequence IGHV4 34 01: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 38 2 01: replacing with gap

Unexpected N in novel sequence IGHV4 38 2 01_A291G_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap