


OGRDBstats Report


Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	5
1.4	Final three nucleotides: frequency of each observed triplet	6
1.5	CDR3 length distribution, in assignments to novel alleles	7
2	Variation from germline, in assignments to each allele	8
3	Allele usage in potential haplotype anchor genes	15
4	Haplotype plots	16
5	Configuration settings	17


1 Novel sequence analysis









1.1 End-nucleotide composition







1.2 Per-nucleotide consensus where previous nucleotides match the consensus






1.3 Whole-sequence composition of each assigned read







1.4 Final three nucleotides: frequency of each observed triplet



























1.5 CDR3 length distribution, in assignments to novel alleles



























2 Variation from germline, in assignments to each allele





































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 069/M64 069/M64 069/M64 069/36/ff76aa00c42554d7435ced
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 069/M64 069/M64 069/M64 069/36/ff76aa00c42554
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 069/M64 069/M64 069/M64 069/36/ff76aa00c42554d7435c
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 69 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 69 04_09_A81T_G82T_G83A_C90T_G104C_C113G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 9 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 20 04_A104G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 04_C203T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 06: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 08_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
```

```
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 38 2 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 02_A291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 02_A291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 8 02: replacing with gap
```