


OGRDBstats Report









Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	8
1.5	CDR3 length distribution, in assignments to novel alleles	9
2	Variation from germline, in assignments to each allele	11
3	Allele usage in potential haplotype anchor genes	19
4	Haplotype plots	20
5	Configuration settings	21

1 Novel sequence analysis







1.1 End-nucleotide composition

















1.2 Per-nucleotide consensus where previous nucleotides match the consensus














1.3 Whole-sequence composition of each assigned read




















1.4 Final three nucleotides: frequency of each observed triplet


















1.5 CDR3 length distribution, in assignments to novel alleles






























2 Variation from germline, in assignments to each allele




































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64_073/M64_073/M64_073/M64_073/91/ce26f16141dc463a8037e1
##
## Germline reference file: /work/jenkins/PRJNA491287/M64_073/M64_073/M64_073/M64_073/91/ce26f16141dc463
##
## Novel allele file: /work/jenkins/PRJNA491287/M64_073/M64_073/M64_073/M64_073/91/ce26f16141dc463a8037
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 2 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 2 02_G279C_C291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 7 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 7 01_G144A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C288T_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 18: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 04_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 01_C288T: replacing with gap
```

```

##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 38 2 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 02_A291G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 02_A291G_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap

```