


OGRDBstats Report









Contents









1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	11
1.5	CDR3 length distribution, in assignments to novel alleles	13
2	Variation from germline, in assignments to each allele	16
3	Allele usage in potential haplotype anchor genes	24
4	Haplotype plots	25
5	Configuration settings	26



1 Novel sequence analysis

1.1 End-nucleotide composition
































1.2 Per-nucleotide consensus where previous nucleotides match the consensus








































1.3 Whole-sequence composition of each assigned read

























1.5 CDR3 length distribution, in assignments to novel alleles























































2 Variation from germline, in assignments to each allele






















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64_078/M64_078/M64_078/M64_078/90/754eea97b0e76823149e2c
##
## Germline reference file: /work/jenkins/PRJNA491287/M64_078/M64_078/M64_078/M64_078/90/754eea97b0e768
##
## Novel allele file: /work/jenkins/PRJNA491287/M64_078/M64_078/M64_078/M64_078/90/754eea97b0e76823149e
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291C_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_9_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_9_01_C258A_T279C_T288C_C300T_T301G_G303T_A315G_A317G: replacing
##
##
## Unexpected N in novel sequence IGHV3_9_01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with
##
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_3_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_3_01_T288C_T300C_G303A_G317A: replacing with gap
```

```

##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_T279C_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A256T_G258A_T279C_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_T285C_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_T285C_C288T_A291G_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

```

```
##
##
## Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_G291A_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 38 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 01_A291G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 39 07_A103G_A106G_G118A_A163G_G164A_T165A_T169A_T172C_G189A_T19
##
##
## Unexpected N in novel sequence IGHV4 39 07_A103G_G118A_A163G_G164A_T165A_T169A_T172C_G189A_T196A_C30
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
```