


OGRDBstats Report








Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	8
1.5	CDR3 length distribution, in assignments to novel alleles	9
2	Variation from germline, in assignments to each allele	11
3	Allele usage in potential haplotype anchor genes	19
4	Haplotype plots	20
5	Configuration settings	21


1 Novel sequence analysis








1.1 End-nucleotide composition










1.2 Per-nucleotide consensus where previous nucleotides match the consensus






1.3 Whole-sequence composition of each assigned read









1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles






























2 Variation from germline, in assignments to each allele












































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_088/M64_088/M64_088/db/6b780104814df137e
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_088/M64_088/M64_088/db/6b7801048
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_088/M64_088/M64_088/db/6b780104814df13
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_11_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_11_04_G240A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_04_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_33_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_48_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_48_03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_74_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_74_01_A81G_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_74_01_A81G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_74_01_A315G: replacing with gap
```


Unexpected N in reference sequence IGHV4 34 01: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_T288C_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap

Unexpected N in reference sequence IGHV4 59 01: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in reference sequence IGHV5 10 1 01_03: replacing with gap

Unexpected N in novel sequence IGHV5 10 1 01_03_T258C: replacing with gap