


OGRDBstats Report









Contents









1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	11
1.5	CDR3 length distribution, in assignments to novel alleles	12
2	Variation from germline, in assignments to each allele	14
3	Allele usage in potential haplotype anchor genes	23
4	Haplotype plots	24
5	Configuration settings	25

1 Novel sequence analysis


1.1 End-nucleotide composition
























1.2 Per-nucleotide consensus where previous nucleotides match the consensus





















1.3 Whole-sequence composition of each assigned read




















1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele


















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64_089/M64_089/M64_089/M64_089/1c/fc1f99a2896ec7508d8e09
##
## Germline reference file: /work/jenkins/PRJNA491287/M64_089/M64_089/M64_089/M64_089/1c/fc1f99a2896ec7
##
## Novel allele file: /work/jenkins/PRJNA491287/M64_089/M64_089/M64_089/M64_089/1c/fc1f99a2896ec7508d8e
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_2_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_2_02_G279C_C291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_18: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_18_T288C_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_3_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_3_01_T288C: replacing with gap
```

```

##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 01_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_T82C_G107A_C108A_C118T_T168C_A169G_T177C_A195G_G197A_C198
##
##
## Unexpected N in novel sequence IGHV3 74 01_T82C_G107A_C108A_C118T_T168C_A169G_T177C_A195G_G197A_C198
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_T285C_A291G_C300T_C315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_T228C_T285C_A291G_C300T_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 01_A138G: replacing with gap

```


Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_T288C_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap

Unexpected N in reference sequence IGHV4 31 03: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_A106G_G129C_C134A_A147C_T165C: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap