


OGRDBstats Report









Contents








1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	8
1.4	Final three nucleotides: frequency of each observed triplet	11
1.5	CDR3 length distribution, in assignments to novel alleles	12
2	Variation from germline, in assignments to each allele	14
3	Allele usage in potential haplotype anchor genes	22
4	Haplotype plots	23
5	Configuration settings	24

1 Novel sequence analysis


1.1 End-nucleotide composition























1.2 Per-nucleotide consensus where previous nucleotides match the consensus





















1.3 Whole-sequence composition of each assigned read



















1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele










































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 091/M64 091/M64 091/M64 091/a0/2c2d1a2a7f050f172
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 091/M64 091/M64 091/M64 091/a0/2c2d1a2a7
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 091/M64 091/M64 091/M64 091/a0/2c2d1a2a7f050f1
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291C_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 13 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 13 01_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T246C_T247G_A256T_G258A_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
```

```

##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 53 01_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 53 01_02_T267G_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 66 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 53 05_T267G_C300T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 66 02_T267G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_T279C_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_C246T_G247T_T279C_C288T_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

```

```
##
##
## Unexpected N in reference sequence IGHV4 38 2 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 01_C288T_A291G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 38 2 01_A291G_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 31 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_A106G_G129C_C134A_A147C_T165C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV5 10 1 01_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV5 10 1 01_03_T258C: replacing with gap
```