


OGRDBstats Report









Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	7
1.4	Final three nucleotides: frequency of each observed triplet	9
1.5	CDR3 length distribution, in assignments to novel alleles	10
2	Variation from germline, in assignments to each allele	13
3	Allele usage in potential haplotype anchor genes	22
4	Haplotype plots	23
5	Configuration settings	24

1 Novel sequence analysis


1.1 End-nucleotide composition
























1.2 Per-nucleotide consensus where previous nucleotides match the consensus















1.3 Whole-sequence composition of each assigned read





















1.4 Final three nucleotides: frequency of each observed triplet








1.5 CDR3 length distribution, in assignments to novel alleles























































2 Variation from germline, in assignments to each allele














































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64 092/M64 092/M64 092/M64 092/dc/b8c2bc6042b9a080e9f5b3
##
## Germline reference file: /work/jenkins/PRJNA491287/M64 092/M64 092/M64 092/M64 092/dc/b8c2bc6042b9a0
##
## Novel allele file: /work/jenkins/PRJNA491287/M64 092/M64 092/M64 092/M64 092/dc/b8c2bc6042b9a080e9f5
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_A303G_A317G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 i02_T201C_T288C_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 4 02_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 02_03_A245C_C300T: replacing with gap
```


Unexpected N in novel sequence IGHV4 4 02_03_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 34 01: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_G291A: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_G291A_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 39 01_08: replacing with gap

Unexpected N in novel sequence IGHV4 39 01_08_A291G: replacing with gap

Unexpected N in novel sequence IGHV4 39 01_08_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C207G_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 61 02: replacing with gap

Unexpected N in novel sequence IGHV4 61 02_A291G_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 61 02_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in reference sequence IGHV1 8 02: replacing with gap