


OGRDBstats Report









Contents

1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	4
1.3	Whole-sequence composition of each assigned read	6
1.4	Final three nucleotides: frequency of each observed triplet	8
1.5	CDR3 length distribution, in assignments to novel alleles	9
2	Variation from germline, in assignments to each allele	11
3	Allele usage in potential haplotype anchor genes	19
4	Haplotype plots	20
5	Configuration settings	21


1 Novel sequence analysis









1.1 End-nucleotide composition












1.2 Per-nucleotide consensus where previous nucleotides match the consensus






1.3 Whole-sequence composition of each assigned read










1.4 Final three nucleotides: frequency of each observed triplet
















1.5 CDR3 length distribution, in assignments to novel alleles









































2 Variation from germline, in assignments to each allele



















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64_093/M64_093/M64_093/68/9ed9f00634f40375c
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64_093/M64_093/M64_093/68/9ed9f0063
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64_093/M64_093/M64_093/68/9ed9f00634f4037
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_3_01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_3_01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_23_01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_23_01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_30_3_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_30_3_01_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_33_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_01_C288T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_53_01_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_53_01_02_T267G_G303A_G317A: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_53_05_T267G_C300T: replacing with gap
```


Unexpected N in reference sequence IGHV3 74 01: replacing with gap

Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap

Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap

Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap

Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap

Unexpected N in novel sequence IGHV4 30 4 01_C315G: replacing with gap

Unexpected N in reference sequence IGHV4 34 01: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 59 01: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap