


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	3
1.3	Whole-sequence composition of each assigned read	4
1.4	Final three nucleotides: frequency of each observed triplet	4
1.5	CDR3 length distribution, in assignments to novel alleles	5
2	Variation from germline, in assignments to each allele	6
3	Allele usage in potential haplotype anchor genes	12
4	Haplotype plots	13
5	Configuration settings	14

1 Novel sequence analysis


1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus




1.3 Whole-sequence composition of each assigned read




1.4 Final three nucleotides: frequency of each observed triplet



























1.5 CDR3 length distribution, in assignments to novel alleles



























2 Variation from germline, in assignments to each allele
























3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJNA491287/M64_096/M64_096/M64_096/93/29b38957c2eb71aa7a1def
##
## Germline reference file: /work/jenkins/PRJNA491287/M64_096/M64_096/M64_096/93/29b38957c2eb71
##
## Novel allele file: /work/jenkins/PRJNA491287/M64_096/M64_096/M64_096/93/29b38957c2eb71aa7a1d
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1_24_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1_24_01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_33_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_33_06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3_48_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3_48_03_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_4_02_03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_4_02_03_A245C_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4_59_01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4_59_12_C300T: replacing with gap
```