


OGRDBstats Report









Contents









1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	5
1.3	Whole-sequence composition of each assigned read	9
1.4	Final three nucleotides: frequency of each observed triplet	12
1.5	CDR3 length distribution, in assignments to novel alleles	14
2	Variation from germline, in assignments to each allele	17
3	Allele usage in potential haplotype anchor genes	25
4	Haplotype plots	26
5	Configuration settings	27


1 Novel sequence analysis

1.1 End-nucleotide composition

































1.2 Per-nucleotide consensus where previous nucleotides match the consensus



















1.3 Whole-sequence composition of each assigned read






































1.4 Final three nucleotides: frequency of each observed triplet









1.5 CDR3 length distribution, in assignments to novel alleles























































2 Variation from germline, in assignments to each allele



















































3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 009/M64 009/M64 009/M64 009/d0/a3a20eb68e22d7016
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 009/M64 009/M64 009/M64 009/d0/a3a20eb68e22d7016
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 009/M64 009/M64 009/M64 009/d0/a3a20eb68e22d7016
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 3 01_05: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 3 01_05_A291G_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 9 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 9 01_A315G_A317G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 9 01_C258A_T279C_T288C_C300T_T301G_G303T_A315G_A317G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 9 01_C258A_T279C_T288C_C300T_T301G_A315G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C288T_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 i02_T201C_T288C_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
```

```

##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 01_C288T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 06_T300C_G303A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 48 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T303G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 48 03_T300C_T303G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 66 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 66 02_T267G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 08_T163C_A164G_C237A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 31 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 4 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 30 4 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap

```


Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap

Unexpected N in novel sequence IGHV4 34 01_G291A_T300C: replacing with gap

Unexpected N in reference sequence IGHV4 59 12: replacing with gap

Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap

Unexpected N in reference sequence IGHV4 59 01: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap

Unexpected N in novel sequence IGHV4 61 01_i04_G88A_T288C_G291A: replacing with gap

Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap

Unexpected N in novel sequence IGHV4 NL1 01_A237C_C300T: replacing with gap