


OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	2
1.3	Whole-sequence composition of each assigned read	2
1.4	Final three nucleotides: frequency of each observed triplet	2
1.5	CDR3 length distribution, in assignments to novel alleles	3
2	Variation from germline, in assignments to each allele	4
3	Allele usage in potential haplotype anchor genes	11
4	Haplotype plots	12
5	Configuration settings	13

1 Novel sequence analysis


1.1 End-nucleotide composition




1.2 Per-nucleotide consensus where previous nucleotides match the consensus




1.3 Whole-sequence composition of each assigned read




1.4 Final three nucleotides: frequency of each observed triplet



























1.5 CDR3 length distribution, in assignments to novel alleles



























2 Variation from germline, in assignments to each allele



























IGHV7-4-1*02

1065 sequences assigned
112 (10.5%) exact matches, in which:
99 unique CDR3
5 unique J



3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA300878/TW04B/TW04B/TW04B/TW04B/5f/435904f8de7a90f1f4ef34548
##
## Germline reference file: /misc/work/jenkins/PRJNA300878/TW04B/TW04B/TW04B/TW04B/5f/435904f8de7a90f1f
##
## Novel allele file: /misc/work/jenkins/PRJNA300878/TW04B/TW04B/TW04B/TW04B/5f/435904f8de7a90f1f4ef345
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
```