


OGRDBstats Report


Contents













1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	2
1.3	Whole-sequence composition of each assigned read	2
1.4	Final three nucleotides: frequency of each observed triplet	2
1.5	CDR3 length distribution, in assignments to novel alleles	3
2	Variation from germline, in assignments to each allele	4
3	Allele usage in potential haplotype anchor genes	7
4	Haplotype plots	8
5	Configuration settings	9













1.5 CDR3 length distribution, in assignments to novel alleles




2 Variation from germline, in assignments to each allele








3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJEB26509/S14/S14/14_IGK/14_IGK/21/e4c253540240b8294ccb42eb7244  
##  
## Germline reference file: /misc/work/jenkins/PRJEB26509/S14/S14/14_IGK/14_IGK/21/e4c253540240b8294ccb  
##  
## Novel allele file: /misc/work/jenkins/PRJEB26509/S14/S14/14_IGK/14_IGK/21/e4c253540240b8294ccb42eb72  
##  
## Species: Homosapiens  
##  
## Chain: IGKV  
##  
## Segment: V
```