


OGRDBstats Report


Contents













1	Novel sequence analysis	2
1.1	End-nucleotide composition	2
1.2	Per-nucleotide consensus where previous nucleotides match the consensus	2
1.3	Whole-sequence composition of each assigned read	2
1.4	Final three nucleotides: frequency of each observed triplet	2
1.5	CDR3 length distribution, in assignments to novel alleles	3
2	Variation from germline, in assignments to each allele	4
3	Allele usage in potential haplotype anchor genes	8
4	Haplotype plots	9
5	Configuration settings	10













1.5 CDR3 length distribution, in assignments to novel alleles





2 Variation from germline, in assignments to each allele











3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJEB26509/S74/S74/74_IGK/74_IGK/18/c7163b24ead1157f38b7a68e71d2
##
## Germline reference file: /misc/work/jenkins/PRJEB26509/S74/S74/74_IGK/74_IGK/18/c7163b24ead1157f38b7
##
## Novel allele file: /misc/work/jenkins/PRJEB26509/S74/S74/74_IGK/74_IGK/18/c7163b24ead1157f38b7a68e71
##
## Species: Homosapiens
##
## Chain: IGKV
##
## Segment: V
```