

OGRDBstats Report

Contents


1	Novel sequence analysis	2
1.1	CDR3 length distribution, in assignments to novel alleles	2
2	Variation from germline, in assignments to each allele	3
3	Allele usage in potential haplotype anchor genes	4
4	Haplotype plots	5
5	Configuration settings	6

1 Novel sequence analysis


1.1 CDR3 length distribution, in assignments to novel alleles

2 Variation from germline, in assignments to each allele


IGHV1-GNLD*01
50 sequences assigned
45 (90%) exact matches, in which:
45 unique CDR3
6 unique J




IGHV1-GNLD*02
91 sequences assigned
79 (86.8%) exact matches, in which:
79 unique CDR3
9 unique J




IGHV3-37F2*02
15 sequences assigned
10 (66.7%) exact matches, in which:
10 unique CDR3
3 unique J



3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /work/jenkins/ogrdbstats_RM/RYS15_PRJNA1207082_IGH/1a/c37cb33386b72ab0150c53a527af1
##
## Germline reference file: /work/jenkins/ogrdbstats_RM/RYS15_PRJNA1207082_IGH/c1/398fb9d3abda656fbd248
##
## Novel allele file:
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Warning: sequence(s) for allele(s) IGHV4 2ZSG 19, IGHV4 53JX 06, IGHV4 2BVG 10, IGHV4 2DK6 05, IGHV4
##
##
## Warning    no inferred sequences found.
```