```
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03
$ git init
Initialized empty Git repository in C:/Users/DELL/OneDrive/Desktop/GIT_ASS_03/.git/
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ git 1s-files
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ 1s -a
         .git/
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ touch a.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ touch b.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ touch c.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ 1s -a
        .git/ a.txt b.txt c.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ mkdir clone
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ cd clone
PBKS - CSK
Game score
                                            🛬 🔳 🐠 🤴 🧑 🛅 💁 👂 刘 🦁 🦠 👰
                                                                                                  ^ ☐ ENG 중 ○00 🔄 11:21
09:04-2025
                            Q Search
```

```
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ cd clone
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ git clone
fatal: You must specify a repository to clone.
usage: git clone [<options>] [--] <repo> [<dir>]
            -v, --[no-]verbose
-q, --[no-]quiet
--[no-]progress
                                                                                        be more verbose
                                                                                        be more quiet
                                                                                         force progress reporting
             --[no-]reject-shallow don't clone shallow repository
-n, --no-checkout don't create a checkout
             -n, --no-checkout
--checkout
                                                                                        opposite of --no-checkout
            --[no-]bare
--[no-]mirror
-1, --[no-]local
--no-hardlinks
                                                                                        create a bare repository
                                                                                        create a mirror repository (implies --bare) to clone from a local repository
                                                                                        don't use local hardlinks, always copy
            --no-nard fines opposite of composite of com
            number of submodules cloned in parallel
                                                                                        directory from which templates will be used
             --[no-]reference <repo>
                                                                                         reference repository
             --[no-]reference-if-able <repo>
                                                                                                                                                   🛬 💷 🐠 🤴 🤨 🛅 💁 🕑 刘 🦁 💿 🚱
                                                                                                                                                                                                                                                                                                                                       Q Search
```

```
any cloned submodules will use their remote-tracking branch
      --[no-]sparse ii
--[no-]bundle-uri <uri>
                                         initialize sparse-checkout file to include only files at root
                                         a URI for downloading bundles before fetching from origin remote
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ git clone https://github.com/soumansu/Wipro_Fork.git
Cloning into 'Wipro_Fork'...
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 10 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (10/10), 16.75 KiB | 1.52 MiB/s, done.
Resolving deltas: 100% (1/1), done.
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ git status
on branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 31°C
Mostly sunny
                                                                     🛬 📮 🐠 🦸 🤁 🧰 💁 🚱 🔫 🖁
                                                                                                                                                        Q Search
```

```
MINGW64:/c/Users/DELL/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141
nothing added to commit but untracked files present (use "git add" to track)
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ 1s -a
./ ../ wipro_Fork/
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ cd Wipro-Fork
bash: cd: wipro-Fork: No such file or directory
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ cd Wipro_Fork
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone/Wipro_Fork (main)
$ 1s -a
        .git/ Cloud-Computing-Basics.avif README.md hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone/wipro_Fork (main)
$ cd 2141014141
bash: cd: 2141014141: No such file or directory
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone/wipro_Fork (main)
$ cd ..
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone (master)
$ cd ..
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ mkdir clone1
 31°C
Mostly sunn
                                             🔙 💷 🐠 🏂 🧔 🛅 💁 🕒 刘 🦁 🧿 🚱 🛝
                             Q Search
```

```
Smkdir clone1

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03 (master)
$ cd clone1/

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1 (master)
$ git clone https://github.com/soumansu/wipro_Fork.git

Cloning into 'wipro_Fork'...

remote: enumerating objects: 100% (3/3), done.

remote: counting objects: 100% (3/3), done.

remote: counting objects: 100% (2/2), done.

remote: contract of the counting objects: 100% (2/2), done.

remote: contract of the counting objects: 100% (2/2), done.

Receiving objects: 100% (14/14), 17.66 KiB | 623.00 KiB/s, done.

Receiving objects: 100% (2/2), done.

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1 (master)
$ git ls-files

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1 (master)
$ cd wipro_Fork

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1 (master)
$ git ls-files

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork (main)

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork (main)

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork (main)

DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/
```

re/Desktop/GIT_ASS_03/done1/Wipro_Fork/2141014141

```
hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork (main)
$ 1s
2141014141/ Cloud-Computing-Basics.avif README.md hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork (main)
$ ls -a
_/ _./ _git/ 2141014141/ Cloud-Computing-Basics.avif README.md hello
         .git/ 2141014141/ Cloud-Computing-Basics.avif README.md hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork (main)
$ cd 2141014141/
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ ls
Git-ASS-03
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ 1s -a
        Git-ASS-03
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main) $ rm hello.txt
rm: cannot remove 'hello.txt': No such file or directory
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ rm Git-Ass-03
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork/2141014141 (main)
$ 1s -a
31°C
Mostly
                             🚆 Q Search 💹 🚇 🍿 🐧 🥷 🥞 🧐 🔞 🕦 🔻
```

```
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ touch hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ 1s -a
         hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork/2141014141 (main)
$ rm hello.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ 1s
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ 1s
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ 1s -a
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ git status
on branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:

(use "git add/rm <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

deleted: Git-ASS-03
 21°C
Mostly sunny
                                                🛌 💷 🐠 😘 🩋 🚞 💁 👂 刘 🦁 🧑 🚱 📭
                                                                                                           ^ ☐ ENG ♀ ♥() 🗁 11:27
                               Q Search
```

```
MINGW64/c/Users/DELL/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141
no changes added to commit (use "git add" and/or "git commit -a")
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ git commit -m "hello.txt deleted"
on branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:

(use "git add/rm <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

deleted: Git-ASS-03
no changes added to commit (use "git add" and/or "git commit -a")
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ touch file.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ echo wipro_Fork >> file.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ git add file.txt
warning: in the working copy of '2141014141/file.txt', LF will be replaced by CRLF the next time Git touches it
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/wipro_Fork/2141014141 (main)
$ git commit -m "updated"
[main faba2ff] updated
  1 file changed, 1 insertion(+)
  create mode 100644 2141014141/file.txt
 Ø 31°C
                                                     🛼 🔳 🐠 🤞 🧑 🐂 🚳 🕟 刘 🦁 🐧 🙉 🙉
                                                                                                                      Q Search
```

```
create mode 100644 2141014141/file.txt
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ git status
on branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
Changes not staged for commit:

(use "git add/rm <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

deleted: Git-ASS-03
no changes added to commit (use "git add" and/or "git commit -a")
DELL@ADFGVA MINGW64 ~/OneDrive/Desktop/GIT_ASS_03/clone1/Wipro_Fork/2141014141 (main)
$ git log
commit faba2ff9022db63c74d9b2fea80f8333f544fe69 (HEAD -> main)
Author: Soumansu sekhar nayak <ssn.soumansusekharnayak@gmail.com>
         Wed Apr 9 11:12:14 2025 +0530
Date:
    updated
commit 945ff13c7b5da6f2eca18fc5bb674dd5df5123a3 (origin/main, origin/HEAD)
Author: soumansu <soumansusekharnayak.4141@gmail.com>
         wed Apr 9 10:48:27 2025 +0530
Date:
    Create Git-ASS-03
commit 0c9f4850952e3fb57a59705872d959be5690f6bc
Author: soumansu <soumansusekharnayak.4141@gmail.com>
                                                       🛬 💷 🐠 🤴 🤨 🖺
                                                                                                                         Q Search
```

