

ASSIGNMENT 3

```
MINGW64/C:/Users/HP/Desktop/Assignment3
HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/Assignment3/.git/

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git clone https://github.com/Arushipriya/wipro-Fork.git
Cloning into 'wipro-Fork'...
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (2/2), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 10 (delta 1), reused 0 (delta 0), pack-reused 8 (from 1)
Receiving objects: 100% (10/10), 20.45 KiB | 747.00 KiB/s, done.
Resolving deltas: 100% (1/1), done.

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git remote -v
HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git remote upstream https://github.com/Arushipriya/wipro-Fork.git
error: unknown subcommand: 'upstream'
usage: git remote [-v] [--verbose]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags] [--no-tags] [--m
[rron=<fetch|push>] <name> <url>
or: git remote rename [--[no-]progress] <old> <new>
or: git remote remove <name>
or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
or: git remote [-v] [--verbose] show [-n] <name>
or: git remote prune [-n | --dry-run] <name>
or: git remote [-v] [--verbose] update [-p | --prune] [[<group> | <remote>]..
]
or: git remote set-branches [--add] <name> <branch>...
or: git remote get-url [--push] [--all] <name>
or: git remote set-url [--push] <name> <newurl> [<oldurl>]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags] [--no-tags] [--m
[rron=<fetch|push>] <name> <url>
or: git remote rename [--[no-]progress] <old> <new>
or: git remote remove <name>
-v, --[no-]verbose be verbose; must be placed before a subcommand

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git remote and upstream https://github.com/Arushipriya/wipro-Fork.git
error: unknown subcommand: 'and'
usage: git remote [-v] [--verbose]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags] [--no-tags] [--m
[rron=<fetch|push>] <name> <url>
or: git remote rename [--[no-]progress] <old> <new>
or: git remote remove <name>
```

```
HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git remote and upstream https://github.com/Arushipriya/wipro-Fork.git
error: unknown subcommand: 'and'
usage: git remote [-v] [--verbose]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags] [--no-tags] [--m
[rron=<fetch|push>] <name> <url>
or: git remote rename [--[no-]progress] <old> <new>
or: git remote remove <name>
or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
or: git remote [-v] [--verbose] show [-n] <name>
or: git remote prune [-n | --dry-run] <name>
or: git remote [-v] [--verbose] update [-p | --prune] [[<group> | <remote>]..
]
or: git remote set-branches [--add] <name> <branch>...
or: git remote get-url [--push] [--all] <name>
or: git remote set-url [--push] <name> <newurl> [<oldurl>]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags] [--no-tags] [--m
[rron=<fetch|push>] <name> <url>
or: git remote rename [--[no-]progress] <old> <new>
or: git remote remove <name>
-v, --[no-]verbose be verbose; must be placed before a subcommand

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git remove
git: 'remove' is not a git command. See 'git --help'.

The most similar command is
remote

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git remote -v
HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ echo "adding READ.md" > READ.md
adding READ.md READ.md

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git add READ.md
fatal: pathspec 'READ.md' did not match any files

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ echo "adding READ.md" > READ.md

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ ls
READ.md wipro-Fork/

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git add READ.md
warning: in the working copy of 'READ.md', LF will be replaced by CRLF the next time git touches it

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git commit -m "Add READ.md"
[master (root-commit) 63108ea] Add READ.md
1 file changed, 1 insertion(+)
create mode 100644 READ.md

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git push origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git fresh upstream
git: 'fresh' is not a git command. See 'git --help'.

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git fetch upstream
fatal: 'upstream' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git merge upstream/main
merge: upstream/main - not something we can merge

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git merge upstream/master
merge: upstream/master - not something we can merge

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$
```

```
MINGW64/C:/Users/HP/Desktop/Assignment3
HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ echo "adding READ.md" > READ.md

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ ls
READ.md wipro-Fork/

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git add READ.md
warning: in the working copy of 'READ.md', LF will be replaced by CRLF the next time git touches it

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git commit -m "Add READ.md"
[master (root-commit) 63108ea] Add READ.md
1 file changed, 1 insertion(+)
create mode 100644 READ.md

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git push origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git fresh upstream
git: 'fresh' is not a git command. See 'git --help'.




HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git fetch upstream
fatal: 'upstream' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git merge upstream/main
merge: upstream/main - not something we can merge

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$ git merge upstream/master
merge: upstream/master - not something we can merge

HPDESKTOP-LEBHANG MINGW64 ~/Desktop/Assignment3 (master)
$
```



github.com/Arushipriya/Wipro-Fork1

Arushipriya / Wipro-Fork1

Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

Wipro-Fork1 Public

forked from mihir841/Wipro-Fork

main 1 Branch 0 Tags

Go to file

Add file

Code

About

No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

This branch is 1 commit ahead of mihir841/Wipro-Fork:main

Contribute

Sync fork

Arushipriya Add files via upload

9f5dc6 · now 2 Commits

README.md Initial commit 2 days ago

cloudcomputingimage.png Add files via upload now

README

Wipro Fork

Wipro/214100001 at main · Arushipriya/Wipro-Fork1

github.com/Arushipriya/Wipro-Fork1/pulls

Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

Filters is:pr is:open

Labels 9

Milestones 0

New pull request

Welcome to pull requests!

Pull requests help you collaborate on code with other people. As pull requests are created, they'll appear here in a searchable and filterable list. To get started, you should [create a pull request](#).

ProTip! Click a checkbox on the left to edit multiple issues at once.

mihir841 / Wipro-Fork

Type to search

Code Issues Pull requests Actions Projects Wiki Security Insights

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base repository: mihir841/Wipro-Fork base: main head repository: Arushipriya/Wipro-Fork1 compare: main

✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

1 commit 1 file changed 1 contributor



Commits on Apr 9, 2025


Add files via upload

Arushipriya authored 1 minute ago

Verified

f9f5dc6





NAME: ARUSHI PRIYA

REGD NO:2141016384