VERTEX CHEMICAL
YOUR PARTNER FOR QUALITY CHEMICALS, GLOBALLY

Phone: +91 8866335159
Web: vertexchemical.in

QUOTATION

Bill To	Global Trading Co	**Quotation No**	AC/001/26/02
GST No	N/A	**Quotation Date**	26/02/2026
Address	123 Industrial Area, Mumbai 400001, India	**Buyer Reference No**	N/A
Ship To	Global Trading Co		
Address	123 Industrial Area, Mumbai 400001, India		

Delivery	6 days after order confirmation	**Account Name**	Acme Chemicals Ltd
Transport Mode	Sea	**Account No**	1234567890
Port of Loading	Mundra	**Bank Name**	State Bank of India
Port of Discharge	Dubai	**Branch**	Mumbai Main Branch
Country of Origin	India	**IFSC Code**	SBIN0000123
Terms of Delivery	CIF Dubai		
Currency	USD		

No.	Description of Goods	Quantity	Unit Price	Unit Amount
1	Sodium Sulphate Anhydrous Make: Vertex Chemical Corporation HSN: 28331100	50 MT	185.00	9,250.00
2	Urea Fertilizer Grade Make: Vertex Chemical Corporation HSN: 31021000	50 MT	350.00	17,500.00
3	Sodium Carbonate Make: Vertex Chemical Corporation HSN: 28361000	50 MT	220.00	11,000.00

Total Amount	**37,750.00**
Amount in Words	Thirty-Seven Thousand Seven Hundred Fifty US Dollars Only
NOTE	

TERMS & CONDITIONS:

1. Prices are quoted in USD/INR as mentioned and based on Incoterms 2020.
2. Offer validity is 3-7 days from the date of quotation.
3. Prices are subject to change without prior notice after validity expiry.
4. Domestic payment: 100% advance or 50% advance & balance before dispatch.
5. Export payment: 30% advance & 70% before shipment OR Irrevocable LC at sight.
6. All bank charges outside India are to buyer's account.
7. Delivery period: 2-6 weeks from receipt of confirmed payment/LC.
8. Partial shipment and transshipment allowed unless otherwise agreed.
9. Packing: Standard export-worthy packing as specified in quotation.
10. Third-party inspection, if required, shall be at buyer's cost.

Phone: +91 8866335159
Web: vertexchemical.in

11. Seller's COA shall be final for quality reference.
12. Insurance covered only for CIF shipments; otherwise buyer's responsibility.
13. Claims must be reported within 7 days of receipt of goods.
14. Seller not liable for delay due to Force Majeure circumstances.
15. All disputes subject to Gujarat, India jurisdiction.

AUTHORIZED SIGNATORY:
Place & Date: Mumbai, 26/02/2026

Phone: +91 8866335159
Web: vertexchemical.in

TECHNICAL DATA SHEET (TDS) - Sodium Sulphate Anhydrous

Sodium Sulphate Anhydrous (Na2SO4) – Full Technical Data Sheet (TDS)

1. Product Identification

- Product Name: Sodium Sulphate Anhydrous
- Chemical Formula: Na2SO4
- Molecular Weight: 142.04 g/mol
- CAS No.: 7757-82-6 (Anhydrous)
- HSN Code (India): 28331100
- EINECS No.: 231-820-9
- Appearance: White crystalline powder or granules
- Odor: Odorless
- Origin: India

2. Typical Physical & Chemical Properties (Anhydrous Grade)

Parameter	Specification	Test Method
Purity (Na2SO4)	≥ 99.0%	Titration
Moisture	≤ 0.5%	Oven Dry
Water Insoluble Matter	≤ 0.05%	Gravimetric
pH (5% Solution)	6.0 – 8.0	pH Meter
Chloride (as NaCl)	≤ 0.35%	Argentometric
Iron (Fe)	≤ 0.002%	Spectrophotometry
Calcium + Magnesium	≤ 0.15%	EDTA Method
Heavy Metals (Pb)	≤ 0.002%	ICP
Bulk Density	1.4 – 1.6 g/cm^3	—
Solubility in Water	19.5 g/100g @ 20°C	—

3. Physical Data

- Melting Point: 884°C (Anhydrous)
- Boiling Point: Decomposes
- Specific Gravity: 2.66
- Flash Point: Not Applicable
- Solubility: Soluble in water, insoluble in ethanol
- Hygroscopic Nature: Slightly hygroscopic

4. Applications

- Detergent & washing powder manufacturing
- Glass industry (fluxing agent)
- Textile dyeing & printing

Phone: +91 8866335159
Web: vertexchemical.in

- Kraft pulp process
- Water treatment
- Chemical intermediates
- Pharmaceutical excipient (Glauber's salt)
- Laboratory reagent

5. Packaging Options

- 25 Kg HDPE laminated woven bags
- 50 Kg PP bags
- 1000 Kg Jumbo bags (FIBC)
- Bulk supply (on request)

Container Loading:

- 25 MT per 20' FCL (without pallet)
- 20 MT per 20' FCL (with pallet)

6. Storage & Handling

- Store in cool, dry, ventilated area
- Protect from moisture
- Keep bags tightly closed
- Avoid dust generation during handling
- Use PPE (mask, gloves) in industrial use

7. Shelf Life

- 24 months from manufacturing date under proper storage conditions

8. Regulatory & Safety

- Non-hazardous as per GHS
- Not classified as dangerous goods
- No UN Number required
- REACH compliant where applicable

Phone: +91 8866335159
Web: vertexchemical.in

TECHNICAL DATA SHEET (TDS) - Urea Fertilizer Grade

Urea Fertilizer Grade (CH4N2O) – Full Technical Data Sheet (TDS)

1. Product Identification

- Product Name: Urea Fertilizer Grade
- Chemical Formula: CH4N2O
- Molecular Weight: 60.06 g/mol
- CAS No.: 57-13-6 (Anhydrous)
- HSN Code (India): 31021000
- EINECS No.: 200-315-5
- Appearance: White crystalline powder or granules
- Odor: Odorless
- Origin: India

2. Typical Physical & Chemical Properties (Anhydrous Grade)

Parameter	Specification	Test Method
Purity (CH4N2O)	≥ 99.0%	Titration
Moisture	≤ 0.5%	Oven Dry
Water Insoluble Matter	≤ 0.1%	Gravimetric
pH (5% Solution)	6.5 – 8.0	pH Meter
Nitrogen Content (N)	≥ 46.0%	Kjeldahl
Biuret	≤ 1.0%	Spectrophotometry
Iron (Fe)	≤ 0.005%	Spectrophotometry
Calcium + Magnesium	≤ 0.1%	EDTA Method
Heavy Metals (Pb)	≤ 0.002%	ICP
Bulk Density	0.75 – 0.85 g/cm^3	—
Solubility in Water	Highly soluble	—

3. Physical Data

- Melting Point: 132.7°C (Decomposes)
- Boiling Point: Sublimes
- Specific Gravity: 1.32
- Flash Point: Not Applicable
- Solubility: Highly soluble in water
- Hygroscopic Nature: Slightly hygroscopic

4. Applications

- Nitrogen fertilizer in agriculture
- Raw material for chemical synthesis

Phone: +91 8866335159
Web: vertexchemical.in

- Animal feed additive
- Laboratory reagent

5. Packaging Options

- 25 Kg HDPE laminated woven bags
- 50 Kg PP bags
- Bulk supply (on request)

Container Loading:

- 20 MT per 20' FCL (without pallet)
- 18 MT per 20' FCL (with pallet)

6. Storage & Handling

- Store in cool, dry, ventilated area
- Protect from moisture and caking
- Keep bags tightly closed
- Avoid dust generation during handling
- Use PPE (mask, gloves) in industrial use

7. Shelf Life

- 24 months from manufacturing date under proper storage conditions

8. Regulatory & Safety

- Non-hazardous as per GHS
- Not classified as dangerous goods
- No UN Number required
- REACH compliant where applicable

Phone: +91 8866335159
Web: vertexchemical.in

TECHNICAL DATA SHEET (TDS) - Sodium Carbonate

Sodium Carbonate (Na2CO3) – Full Technical Data Sheet (TDS)

1. Product Identification

- Product Name: Sodium Carbonate
- Chemical Formula: Na2CO3
- Molecular Weight: 105.99 g/mol
- CAS No.: 497-19-8 (Anhydrous)
- HSN Code (India): 28361000
- EINECS No.: 207-838-8
- Appearance: White crystalline powder or granules
- Odor: Odorless
- Origin: India

2. Typical Physical & Chemical Properties (Anhydrous Grade)

Parameter	Specification	Test Method
Purity (Na2CO3)	≥ 99.0%	Titration
Moisture	≤ 0.5%	Oven Dry
Water Insoluble Matter	≤ 0.05%	Gravimetric
pH (5% Solution)	11.0 – 11.5	pH Meter
Chloride (as NaCl)	≤ 0.05%	Argentometric
Iron (Fe)	≤ 0.002%	Spectrophotometry
Calcium + Magnesium	≤ 0.05%	EDTA Method
Heavy Metals (Pb)	≤ 0.002%	ICP
Bulk Density	1.0 – 1.2 g/cm^3	—
Solubility in Water	21.5 g/100g @ 20°C	—

3. Physical Data

- Melting Point: 851°C (Decomposes)
- Boiling Point: Sublimes
- Specific Gravity: 2.54
- Flash Point: Not Applicable
- Solubility: Soluble in water, insoluble in ethanol
- Hygroscopic Nature: Slightly hygroscopic

4. Applications

- Glass manufacturing
- Detergent industry
- Water softening

Phone: +91 8866335159
Web: vertexchemical.in

- Chemical manufacturing
- Food additive
- Laboratory reagent

5. Packaging Options

- 25 Kg HDPE laminated woven bags
- 50 Kg PP bags
- 1000 Kg Jumbo bags (FIBC)
- Bulk supply (on request)

Container Loading:

- 25 MT per 20' FCL (without pallet)
- 20 MT per 20' FCL (with pallet)

6. Storage & Handling

- Store in cool, dry, ventilated area
- Protect from moisture
- Keep bags tightly closed
- Avoid dust generation during handling
- Use PPE (mask, gloves) in industrial use

7. Shelf Life

- 24 months from manufacturing date under proper storage conditions

8. Regulatory & Safety

- Non-hazardous as per GHS
- Not classified as dangerous goods
- No UN Number required
- REACH compliant where applicable

Phone: +91 8866335159
Web: vertexchemical.in

CERTIFICATE OF ANALYSIS (COA) - Sodium Sulphate Anhydrous

Sodium Sulphate Anhydrous (Anhydrous) – Certificate of Analysis (COA)

Product Name: Sodium Sulphate Anhydrous

Chemical Formula: Na2SO4

CAS No.: 7757-82-6

HSN Code: 28331100

Batch No.: PROD-2602-001

Mfg. Date: 01/02/2026

Expiry Date: 01/02/2028

Grade: Industrial Grade

Packing: 25 Kg HDPE Laminated Bags

Certificate of Analysis (15 Test Parameters)

Sr. No.	Test Parameter	Specification	Result	Test Method
1	Assay (Na2SO4)	≥ 99.0 %	99.2 %	Titration
2	Appearance	White crystalline powder	Complies	Visual
3	Moisture	≤ 0.50 %	0.30 %	Oven Dry
4	Water Insoluble Matter	≤ 0.05 %	0.02 %	Gravimetric
5	pH (5% Solution)	6.0 – 8.0	7.2	pH Meter
6	Chloride (as NaCl)	≤ 0.35 %	0.10 %	Argentometric
7	Iron (Fe)	≤ 0.002 %	0.001 %	Spectrophotometer
8	Calcium (Ca)	≤ 0.10 %	0.05 %	EDTA
9	Magnesium (Mg)	≤ 0.05 %	0.02 %	EDTA
10	Heavy Metals (Pb)	≤ 0.002 %	0.001 %	ICP
11	Sulphate (SO_4)	≥ 69.0 %	70.5 %	Gravimetric
12	Bulk Density	1.4 – 1.6 g/cm^3	1.5 g/cm^3	—
13	Particle Size	95% passing 100 mesh	Complies	Sieve
14	Loss on Drying	≤ 0.5 %	0.3 %	Drying Method
15	Color	White	Complies	Visual

Conclusion:

The above material complies with the Industrial Grade Sodium Sulphate Anhydrous specification.

For: Acme Chemicals Ltd

Quality Control Department

Authorized Signatory

Phone: +91 8866335159
Web: vertexchemical.in

CERTIFICATE OF ANALYSIS (COA) - Urea Fertilizer Grade

Urea Fertilizer Grade (Anhydrous) – Certificate of Analysis (COA)

Product Name: Urea Fertilizer Grade

Chemical Formula: CH_4N_2O

CAS No.: 57-13-6

HSN Code: 31021000

Batch No.: PROD-2602-002

Mfg. Date: 01/02/2026

Expiry Date: 01/02/2028

Grade: Fertilizer Grade

Packing: 25 Kg HDPE Laminated Bags

Certificate of Analysis (15 Test Parameters)

Sr. No.	Test Parameter	Specification	Result	Test Method
1	Assay (CH_4N_2O)	≥ 99.0 %	99.3 %	Titration
2	Appearance	White crystalline powder	Complies	Visual
3	Moisture	≤ 0.50 %	0.40 %	Oven Dry
4	Water Insoluble Matter	≤ 0.10 %	0.05 %	Gravimetric
5	pH (5% Solution)	6.5 – 8.0	7.1	pH Meter
6	Nitrogen Content (N)	≥ 46.0 %	46.2 %	Kjeldahl
7	Biuret	≤ 1.0 %	0.8 %	Spectrophotometer
8	Iron (Fe)	≤ 0.005 %	0.003 %	Spectrophotometer
9	Calcium (Ca)	≤ 0.05 %	0.02 %	EDTA
10	Magnesium (Mg)	≤ 0.05 %	0.01 %	EDTA
11	Heavy Metals (Pb)	≤ 0.002 %	0.001 %	ICP
12	Bulk Density	0.75 – 0.85 g/cm^3	0.80 g/cm^3	—
13	Particle Size	95% passing 100 mesh	Complies	Sieve
14	Loss on Drying	≤ 0.5 %	0.4 %	Drying Method
15	Color	White	Complies	Visual

Conclusion:

The above material complies with the Fertilizer Grade Urea specification.

For: Acme Chemicals Ltd

Quality Control Department

Authorized Signatory

Phone: +91 8866335159
Web: vertexchemical.in

CERTIFICATE OF ANALYSIS (COA) - Sodium Carbonate

Sodium Carbonate (Anhydrous) – Certificate of Analysis (COA)

Product Name: Sodium Carbonate

Chemical Formula: Na2CO3

CAS No.: 497-19-8

HSN Code: 28361000

Batch No.: PROD-2602-003

Mfg. Date: 01/02/2026

Expiry Date: 01/02/2028

Grade: Industrial Grade

Packing: 25 Kg HDPE Laminated Bags

Certificate of Analysis (15 Test Parameters)

Sr. No.	Test Parameter	Specification	Result	Test Method
1	Assay (Na2CO3)	≥ 99.0 %	99.1 %	Titration
2	Appearance	White crystalline powder	Complies	Visual
3	Moisture	≤ 0.50 %	0.35 %	Oven Dry
4	Water Insoluble Matter	≤ 0.05 %	0.03 %	Gravimetric
5	pH (5% Solution)	11.0 – 11.5	11.3	pH Meter
6	Chloride (as NaCl)	≤ 0.05 %	0.02 %	Argentometric
7	Iron (Fe)	≤ 0.002 %	0.001 %	Spectrophotometer
8	Calcium (Ca)	≤ 0.03 %	0.01 %	EDTA
9	Magnesium (Mg)	≤ 0.02 %	0.01 %	EDTA
10	Heavy Metals (Pb)	≤ 0.002 %	0.001 %	ICP
11	Carbonate (CO3)	≥ 43.5 %	44.0 %	Gravimetric
12	Bulk Density	1.0 – 1.2 g/cm^3	1.1 g/cm^3	—
13	Particle Size	95% passing 100 mesh	Complies	Sieve
14	Loss on Drying	≤ 0.5 %	0.3 %	Drying Method
15	Color	White	Complies	Visual

Conclusion:

The above material complies with the Industrial Grade Sodium Carbonate specification.

For: Acme Chemicals Ltd

Quality Control Department

Authorized Signatory

Phone: +91 8866335159
Web: vertexchemical.in

MATERIAL SAFETY DATA SHEET (MSDS) - Sodium Sulphate Anhydrous

Material Safety Data Sheet (MSDS)

Sodium Sulphate Anhydrous (Anhydrous)

Section 1: Identification of the Substance

- Product Name: Sodium Sulphate Anhydrous
- Chemical Formula: Na2SO4
- CAS No.: 7757-82-6
- HSN Code: 28331100
- Molecular Weight: 142.04 g/mol
- Recommended Use: Detergents, Glass, Textile, Chemical Manufacturing
- Supplier: Acme Chemicals Ltd
- Emergency Contact: +91-22-12345678

Section 2: Hazard Identification

- GHS Classification: Not classified as hazardous
- Signal Word: None
- Hazard Statements: Not hazardous under normal industrial use
- Precautionary Statements:
- Avoid excessive dust inhalation
- Use PPE during handling

Section 3: Composition / Information on Ingredients

Component	CAS No.	Concentration
Sodium Sulphate Anhydrous (Na2SO4)	7757-82-6	≥ 99%

Section 4: First Aid Measures

- Inhalation: Move to fresh air. Seek medical attention if irritation persists.
- Skin Contact: Wash with soap and water.
- Eye Contact: Rinse with clean water for 15 minutes.
- Ingestion: Rinse mouth, drink water. Seek medical advice if discomfort occurs.

Section 5: Fire Fighting Measures

- Flammability: Non-flammable
- Suitable Extinguishing Media: Water spray, foam, dry chemical
- Special Hazards: May decompose at very high temperature
- Protective Equipment: Standard firefighting PPE

Section 6: Accidental Release Measures

- Avoid dust formation
- Use vacuum or sweep carefully
- Dispose as per local regulations
- Prevent entry into water bodies

Phone: +91 8866335159
Web: vertexchemical.in

Section 7: Handling and Storage

- Store in dry, well-ventilated area
- Protect from moisture
- Keep container tightly closed
- Avoid contact with incompatible substances

Section 8: Exposure Controls / Personal Protection

- Engineering Controls: Local exhaust ventilation
- Respiratory Protection: Dust mask (if dust generated)
- Hand Protection: Chemical resistant gloves
- Eye Protection: Safety goggles
- Skin Protection: Protective clothing

Section 9: Physical and Chemical Properties

- Appearance: White crystalline powder
- Odor: Odorless
- pH (5% solution): 6.0 – 8.0
- Melting Point: 884°C
- Density: 2.66 g/cm^3
- Bulk Density: 1.4 – 1.6 g/cm^3
- Solubility: Soluble in water
- Flash Point: Not applicable
- Boiling Point: Decomposes

Section 10: Stability and Reactivity

- Stable under normal conditions
- Avoid strong acids and aluminum at high temperature
- No hazardous polymerization

Section 11: Toxicological Information

- Low acute toxicity
- Not classified as carcinogenic
- May cause mild eye irritation
- Oral LD50 (rat): > 5000 mg/kg

Section 12: Ecological Information

- Low environmental toxicity
- Not bioaccumulative
- Water soluble

Section 13: Disposal Considerations

- Dispose according to local regulations
- Non-hazardous waste

Section 14: Transport Information

- UN Number: Not regulated
- Hazard Class: Not classified

Phone: +91 8866335159
Web: vertexchemical.in

- Packing Group: Not applicable
- Not dangerous goods under ADR, IMDG, IATA

Section 15: Regulatory Information

- Not classified as hazardous
- Complies with general chemical safety regulations
- REACH compliant where applicable

Section 16: Other Information

- Shelf Life: 24 months
- Storage: Keep dry and sealed
- Issue Date: Feb 2026
- Revision: 01

Phone: +91 8866335159
Web: vertexchemical.in

MATERIAL SAFETY DATA SHEET (MSDS) - Urea Fertilizer Grade

Material Safety Data Sheet (MSDS)

Urea Fertilizer Grade (Anhydrous)

Section 1: Identification of the Substance

- Product Name: Urea Fertilizer Grade
- Chemical Formula: CH4N2O
- CAS No.: 57-13-6
- HSN Code: 31021000
- Molecular Weight: 60.06 g/mol
- Recommended Use: Fertilizer, Chemical Manufacturing
- Supplier: Acme Chemicals Ltd
- Emergency Contact: +91-22-12345678

Section 2: Hazard Identification

- GHS Classification: Not classified as hazardous
- Signal Word: None
- Hazard Statements: Not hazardous under normal industrial use
- Precautionary Statements:
- Avoid excessive dust inhalation
- Use PPE during handling

Section 3: Composition / Information on Ingredients

Component	CAS No.	Concentration
Urea Fertilizer Grade (CH4N2O)	57-13-6	≥ 99%

Section 4: First Aid Measures

- Inhalation: Move to fresh air. Seek medical attention if irritation persists.
- Skin Contact: Wash with soap and water.
- Eye Contact: Rinse with clean water for 15 minutes.
- Ingestion: Rinse mouth, drink water. Seek medical advice if discomfort occurs.

Section 5: Fire Fighting Measures

- Flammability: Non-flammable
- Suitable Extinguishing Media: Water spray, foam, dry chemical
- Special Hazards: May decompose at very high temperature
- Protective Equipment: Standard firefighting PPE

Section 6: Accidental Release Measures

- Avoid dust formation
- Use vacuum or sweep carefully
- Dispose as per local regulations
- Prevent entry into water bodies

Phone: +91 8866335159
Web: vertexchemical.in

Section 7: Handling and Storage

- Store in dry, well-ventilated area
- Protect from moisture and caking
- Keep container tightly closed
- Avoid contact with incompatible substances

Section 8: Exposure Controls / Personal Protection

- Engineering Controls: Local exhaust ventilation
- Respiratory Protection: Dust mask (if dust generated)
- Hand Protection: Chemical resistant gloves
- Eye Protection: Safety goggles
- Skin Protection: Protective clothing

Section 9: Physical and Chemical Properties

- Appearance: White crystalline powder
- Odor: Odorless
- pH (5% solution): 6.5 – 8.0
- Melting Point: 132.7°C (Decomposes)
- Density: 1.32 g/cm^3
- Bulk Density: 0.75 – 0.85 g/cm^3
- Solubility: Highly soluble in water
- Flash Point: Not applicable
- Boiling Point: Sublimes

Section 10: Stability and Reactivity

- Stable under normal conditions
- Avoid strong acids and oxidizers
- No hazardous polymerization

Section 11: Toxicological Information

- Low acute toxicity
- Not classified as carcinogenic
- May cause mild eye irritation
- Oral LD50 (rat): 14,300 mg/kg

Section 12: Ecological Information

- Low environmental toxicity
- Not bioaccumulative
- Water soluble

Section 13: Disposal Considerations

- Dispose according to local regulations
- Non-hazardous waste

Section 14: Transport Information

- UN Number: Not regulated
- Hazard Class: Not classified

Phone: +91 8866335159
Web: vertexchemical.in

- Packing Group: Not applicable
- Not dangerous goods under ADR, IMDG, IATA

Section 15: Regulatory Information

- Not classified as hazardous
- Complies with general chemical safety regulations
- REACH compliant where applicable

Section 16: Other Information

- Shelf Life: 24 months
- Storage: Keep dry and sealed
- Issue Date: Feb 2026
- Revision: 01

Phone: +91 8866335159
Web: vertexchemical.in

MATERIAL SAFETY DATA SHEET (MSDS) - Sodium Carbonate

Material Safety Data Sheet (MSDS)

Sodium Carbonate (Anhydrous)

Section 1: Identification of the Substance

- Product Name: Sodium Carbonate
- Chemical Formula: Na2CO3
- CAS No.: 497-19-8
- HSN Code: 28361000
- Molecular Weight: 105.99 g/mol
- Recommended Use: Glass, Detergent, Chemical Manufacturing
- Supplier: Acme Chemicals Ltd
- Emergency Contact: +91-22-12345678

Section 2: Hazard Identification

- GHS Classification: Not classified as hazardous
- Signal Word: None
- Hazard Statements: Not hazardous under normal industrial use
- Precautionary Statements:
- Avoid excessive dust inhalation
- Use PPE during handling

Section 3: Composition / Information on Ingredients

Component	CAS No.	Concentration
Sodium Carbonate (Na2CO3)	497-19-8	≥ 99%

Section 4: First Aid Measures

- Inhalation: Move to fresh air. Seek medical attention if irritation persists.
- Skin Contact: Wash with soap and water.
- Eye Contact: Rinse with clean water for 15 minutes.
- Ingestion: Rinse mouth, drink water. Seek medical advice if discomfort occurs.

Section 5: Fire Fighting Measures

- Flammability: Non-flammable
- Suitable Extinguishing Media: Water spray, foam, dry chemical
- Special Hazards: May decompose at very high temperature
- Protective Equipment: Standard firefighting PPE

Section 6: Accidental Release Measures

- Avoid dust formation
- Use vacuum or sweep carefully
- Dispose as per local regulations
- Prevent entry into water bodies

Phone: +91 8866335159
Web: vertexchemical.in

Section 7: Handling and Storage

- Store in dry, well-ventilated area
- Protect from moisture
- Keep container tightly closed
- Avoid contact with incompatible substances

Section 8: Exposure Controls / Personal Protection

- Engineering Controls: Local exhaust ventilation
- Respiratory Protection: Dust mask (if dust generated)
- Hand Protection: Chemical resistant gloves
- Eye Protection: Safety goggles
- Skin Protection: Protective clothing

Section 9: Physical and Chemical Properties

- Appearance: White crystalline powder
- Odor: Odorless
- pH (5% solution): 11.0 – 11.5
- Melting Point: 851°C (Decomposes)
- Density: 2.54 g/cm^3
- Bulk Density: 1.0 – 1.2 g/cm^3
- Solubility: Soluble in water
- Flash Point: Not applicable
- Boiling Point: Sublimes

Section 10: Stability and Reactivity

- Stable under normal conditions
- Avoid strong acids and moisture
- No hazardous polymerization

Section 11: Toxicological Information

- Low acute toxicity
- Not classified as carcinogenic
- May cause mild eye irritation
- Oral LD50 (rat): 4,090 mg/kg

Section 12: Ecological Information

- Low environmental toxicity
- Not bioaccumulative
- Water soluble

Section 13: Disposal Considerations

- Dispose according to local regulations
- Non-hazardous waste

Section 14: Transport Information

- UN Number: Not regulated
- Hazard Class: Not classified

Phone: +91 8866335159
Web: vertexchemical.in

- Packing Group: Not applicable
- Not dangerous goods under ADR, IMDG, IATA

Section 15: Regulatory Information

- Not classified as hazardous
- Complies with general chemical safety regulations
- REACH compliant where applicable

Section 16: Other Information

- Shelf Life: 24 months
- Storage: Keep dry and sealed
- Issue Date: Feb 2026
- Revision: 01