

WEEK 2 — DATABASE & CRUD

DAY 6 — Migrations & Database Configuration

1. Database:

A **database** is a system used to store and manage data in an organized way.

Example:

- Students
- Courses
- Teachers
- Marks

2. Database Configuration:

Database configuration means connecting the Laravel application with a database by providing the database name, username, password and other connection details.

Create Database:


Databases

Create database ?

Create

☐ Check all

 Drop



Check Database Connection:

```
C:\Users\Pakistan 1st>cd C:\xampp\htdocs\internship  
C:\xampp\htdocs\internship>php artisan config:clear  
INFO Configuration cache cleared successfully.
```

3. Migration:

A **migration** is a Laravel file used to create and modify database tables using PHP code.

For example, In Student table:

- id
- name
- email
- course
- created_at
- updated_at

Create Students Migration:

```
C:\xampp\htdocs\internship>php artisan make:migration create_students_table  
INFO Migration [C:\xampp\htdocs\internship\database\Migrations\2026_08_17_120202_create_students_table.php] created successfully.
```

Write Migration Code:

```
database > migrations > 2026_08_17_120202_create_students_table.php > class >
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      /**
10       * Run the migrations.
11       */
12     public function up(): void
13     {
14         Schema::create('students', function (Blueprint $table) {
15             $table->id();
16             $table->string('name');
17             $table->string('email')->unique();
18             $table->string('course');
19             $table->timestamps();
20         });
21     }
22     /**
23      * Reverse the migrations.
24      */
25     public function down(): void
26     {
27         Schema::dropIfExists('students');
28     }
29 };
30
```

Run Migration:

```
PS C:\xampp\htdocs\internship> php artisan migrate


INFO Preparing database.

Creating migration table ..... 22.21ms DONE

INFO Running migrations.

0001_01_01_000000_create_users_table ..... 66.73ms DONE
0001_01_01_000001_create_cache_table ..... 45.35ms DONE
0001_01_01_000002_create_jobs_table ..... 59.26ms DONE
2026_08_17_120202_create_students_table ..... 22.69ms DONE
```

Check Table in phpMyAdmin:



Check Migration Status:

```
C:\xampp\htdocs\internship>php artisan migrate:status

Migration name ..... Batch / Status
0001_01_01_000000_create_users_table ..... [1] Ran
0001_01_01_000001_create_cache_table ..... [1] Ran
0001_01_01_000002_create_jobs_table ..... [1] Ran
2026_08_17_120202_create_students_table ..... [1] Ran
```

DAY 7 — Models & Eloquent ORM

1. Model:

A Model is a PHP class that represents a database table and is used to interact with that table.

Example:

Student Model



students table

2. Eloquent ORM:

Eloquent ORM is Laravel's built-in system for interacting with database tables using PHP models instead of writing SQL queries directly.

Example:

Student::all();

Create Student Model:

```
PS C:\xampp\htdocs\internship> php artisan make:model Student

INFO Model [C:\xampp\htdocs\internship\app\Models\Student.php] created successfully.

PS C:\xampp\htdocs\internship> 
```

Open Student Model:

```
app > Models > Student.php > Student

1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class Student extends Model
8  {
9      protected $fillable = [
10         'name',
11         'email',
12         'course'
13     ];
14 }
```

Eloquent Model Table Connection:

Model: Student



Table: students

Insert Data — Controller Create:

```
PS C:\xampp\htdocs\internship> php artisan make:controller StudentController
```

```
INFO Controller [C:\xampp\htdocs\internship\app\Http\Controllers\StudentController.php] created successfully.
```

```
PS C:\xampp\htdocs\internship> █
```

Insert Method in StudentController:

```
op > Http > Controllers > StudentController.php > StudentController
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Student;
6
7  class StudentController extends Controller
8  {
9      public function insert()
10     {
11         Student::create([
12             'name' => 'Ayesha',
13             'email' => 'ayesha@example.com',
14             'course' => 'Software Engineering'
15         ]);
16
17         return 'Student inserted successfully';
18     }
19 }
```

Create Insert Route:

```
routes > web.php > ...
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4  use App\Http\Controllers\StudentController;
5
6  Route::get('/', function () {
7      return 'Welcome to Student Website';
8  });
9
10 Route::get('/insert-student', [StudentController::class, 'insert']);
```

Insert Student:



Check Data in phpMyAdmin:

Extra options						
	id	name	email	course	created_at	updated_at
☐	1	Ayesha	ayesha@example.com	Software Engineering	2026-08-17 12:39:47	2026-08-17 12:39:47

Fetch Data — Eloquent:

StudentController.php:

```
pp > Http > Controllers > StudentController.php > StudentController
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Student;
6
7  class StudentController extends Controller
8  {
9      public function insert()
10     {
11         Student::create([
12             'name' => 'Ayesha',
13             'email' => 'ayesha@example.com',
14             'course' => 'Software Engineering'
15         ]);
16
17         return 'Student inserted successfully';
18     }
19
20     public function students()
21     {
22         $students = Student::all();
23
24         return view('students', compact('students'));
25     }
26 }
```

students.blade.php

```
resources > views > 🐘 students.blade.php > 📄 html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Students</title>
5  </head>
6  <body>
7
8      <h1>Student List</h1>
9
10     @foreach($students as $student)
11
12         <p>
13         |   Name: {{ $student->name }}
14         </p>
15
16         <p>
17         |   Email: {{ $student->email }}
18         </p>
19
20         <p>
21         |   Course: {{ $student->course }}
22         </p>
23
24         <hr>
25
26     @endforeach
27
28 </body>
29 </html>
```

Routes:

```
routes > 🐘 web.php > ...
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4  use App\Http\Controllers\StudentController;
5
6  Route::get('/', function () {
7  |   return 'Welcome to Student Website';
8  });
9
10 Route::get('/insert-student', [StudentController::class, 'insert']);
11
12 Route::get('/students', [StudentController::class, 'students']);|
```

Fetch Students:



Student List

Name: Ayesha

Email: ayesha@example.com

Course: Software Engineering

Add More Students:

Controller:

```

pp > Http > Controllers > StudentController.php > StudentController > insert
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Student;
6
7  class StudentController extends Controller
8  {
9      public function insert()
10     {
11         Student::create([
12             'name' => 'Ayesha',
13             'email' => 'ayesha@example.com',
14             'course' => 'Software Engineering'
15         ]);
16
17
18         return 'Student inserted successfully';
19     }
20
21     public function insertMore()
22     {
23         Student::create([
24             'name' => 'Ali',
25             'email' => 'ali@example.com',
26             'course' => 'Computer Science'
27         ]);
28

```

```

28
29         Student::create([
30             'name' => 'Sara',
31             'email' => 'sara@example.com',
32             'course' => 'Information Technology'
33         ]);
34
35         return 'Students inserted successfully';
36     }
37
38     public function students()
39     {
40         $students = Student::all();
41
42         return view('students', compact('students'));
43     }
44

```

Routes:

```

10 Route::get('/insert-student', [StudentController::class, 'insert']);
11
12 Route::get('/students', [StudentController::class, 'students']);
13 Route::get('/insert-more', [StudentController::class, 'insertMore']);

```

			id	name	email	course	created_at	updated_at	
☐	 Edit	 Copy	 Delete	1	Ayesha	ayesha@example.com	Software Engineering	2026-08-17 12:39:47	2026-08-17 12:39:47
☐	 Edit	 Copy	 Delete	2	Ali	ali@example.com	Computer Science	2026-08-17 12:54:45	2026-08-17 12:54:45
☐	 Edit	 Copy	 Delete	3	Sara	sara@example.com	Information Technology	2026-08-17 12:54:45	2026-08-17 12:54:45

Output:

← → ↻ ⓘ 127.0.0.1:8000/insert-more

Students inserted successfully

← → ↻ ⓘ 127.0.0.1:8000/students

Student List

Name: Ayesha

Email: ayesha@example.com

Course: Software Engineering

Name: Ali

Email: ali@example.com

Course: Computer Science


Name: Sara

Email: sara@example.com

Course: Information Technology

Students.blade.php

```
resources > views > 🐘 students.blade.php > 📁 html > 📁 body > 📁 table > 📁  
1 <!DOCTYPE html>  
2 <html>  
3 <head>  
4 | <title>Students</title>  
5 </head>  
6 <body>  
7  
8 <h1>Student List</h1>  
9  
10 <table border="1" cellpadding="10">  
11 |  
12 | <tr>  
13 | | <th>ID</th>  
14 | | <th>Name</th>  
15 | | <th>Email</th>  
16 | | <th>Course</th>  
17 | </tr>  
18 | @foreach($students as $student)  
19 |  
20 | <tr>  
21 | | <td>{{ $student->id }}</td>  
22 | | <td>{{ $student->name }}</td>  
23 | | <td>{{ $student->email }}</td>  
24 | | <td>{{ $student->course }}</td>  
25 | </tr>  
26 | @endforeach  
27 </table>  
28 </body>  
29 </html>
```



Student List

ID	Name	Email	Course
1	Ayesha	ayesha@example.com	Software Engineering
2	Ali	ali@example.com	Computer Science
3	Sara	sara@example.com	Information Technology

Day 8 — (Forms,Validations,Requests)

PART 1 —Theory

1. Form:

A form is a webpage interface used to collect information from the user.

Example:

Name
Email
Course
[Register]

2. Request:

A request is the data sent by the browser to the Laravel application.

Example:

```
$request->name  
$request->email
```

3. Validation:

Validation checks whether the data entered by the user is correct and follows the required rules.

Example:

'name' => 'required'

This means the name cannot be empty.

PART 2 — Create Registration Form

Register.blade.php:

```
resources > views > register.blade.php > html > body > form
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Student Registration</title>
5  </head>
6  <body>
7  |
8  |   <h1>Student Registration Form</h1>
9  |
10 |   <form action="/register" method="POST">
11 |       @csrf
12 |
13 |       <label>Name:</label>
14 |       <input type="text" name="name">
15 |       <br><br>
16 |
17 |       <label>Email:</label>
18 |       <input type="email" name="email">
19 |       <br><br>
20 |
21 |       <label>Course:</label>
22 |       <input type="text" name="course">
23 |       <br><br>
24 |
25 |       <button type="submit">Register</button>
26 |   </form>
27 |
28 </body>
29 </html>
```

PART 3 — GET Route:

Web.php:

```
Route::get('/register', [StudentController::class, 'showRegister']);
```

PART 4 — Controller Method:

StudentController.php:


```
app > Http > Controllers > 🐞 StudentController.php > ...
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Student;
6
7  class StudentController extends Controller
8  {
9      public function insert()
10     {
11         Student::create([
12             'name' => 'Ayesha',
13             'email' => 'ayesha@example.com',
14             'course' => 'Software Engineering'
15         ]);
16
17
18         return 'Student inserted successfully';
19     }
20
21     public function insertMore()
22     {
23         Student::create([
24             'name' => 'Ali',
25             'email' => 'ali@example.com',
26             'course' => 'Computer Science'
27         ]);
28     }
```

```

28
29     Student::create([
30         'name' => 'Sara',
31         'email' => 'sara@example.com',
32         'course' => 'Information Technology'
33     ]);
34
35     return 'Students inserted successfully';
36 }
37
38 public function students()
39 {
40     $students = Student::all();
41
42     return view('students', compact('students'));
43 }
44 public function showRegister()
45 {
46     return view('register');
47 }

```

PART 5 — Open Form:



Student Registration Form

Name:

Email:

Course:

PART 6 — POST Request:

```

18 Route::post('/register', [StudentController::class, 'register']);

```

```

use Illuminate\Http\Request;

```

```
public function register(Request $request)
{
    //
}
```

PART 7 — Validation:

```
public function register(Request $request)
{
    $request->validate([
        'name' => 'required',
        'email' => 'required|email',
        'course' => 'required'
    ]);

    Student::create([
        'name' => $request->name,
        'email' => $request->email,
        'course' => $request->course
    ]);

    return 'Student registered successfully';
}
```

PART 8 — Complete Controller:

app > Http > Controllers > 🐞 StudentController.php > 🐞 StudentController

```
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Student;
6  use Illuminate\Http\Request;
7
8  class StudentController extends Controller
9  {
10     public function insert()
11     {
12         Student::create([
13             'name' => 'Ayesha',
14             'email' => 'ayesha@example.com',
15             'course' => 'Software Engineering'
16         ]);
17
18         return 'Student inserted successfully';
19     }
20
21     public function students()
22     {
23         $students = Student::all();
24
25         return view('students', compact('students'));
26     }
27
28     public function showRegister()
29     {
```

```

28     public function showRegister()
29     {
30         return view('register');
31     }
32
33     public function register(Request $request)
34     {
35         $request->validate([
36             'name' => 'required',
37             'email' => 'required|email',
38             'course' => 'required'
39         ]);
40
41         Student::create([
42             'name' => $request->name,
43             'email' => $request->email,
44             'course' => $request->course
45         ]);
46
47         return 'Student registered successfully';
48     }
49 }

```

PART 9 — Test Valid Data:



Student Registration Form

Name:

Email:

Course:



Student registered successfully

PART 10 — Test Validation:

Student Registration Form

Validation Errors:

- The name field is required.
- The email field is required.
- The course field is required.

Name:

Email:

Course:

PART 11 — Test Invalid Email:

Student Registration Form

Validation Errors:

- Please enter a valid email address.

Name:

Email:

Course:

PART 12 — Check Database:

Browse	Structure	SQL	Search	Insert	Export	Import	Privileges	Operations	Triggers
Showing rows 0 - 6 (7 total, Query took 0.0005 seconds.)									
SELECT * FROM `students`									
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]									
Show all Number of rows: 25 Filter rows: Search this table Sort by key: None									
Extra options									
		id	name	email	course	created_at	updated_at		
☐	Edit		1	Ayesha	ayesha@example.com	Software Engineering	2026-08-17 12:39:47	2026-08-17 12:39:47	
☐	Edit		2	Ali	ali@example.com	Computer Science	2026-08-17 12:54:45	2026-08-17 12:54:45	
☐	Edit		3	Sara	sara@example.com	Information Technology	2026-08-17 12:54:45	2026-08-17 12:54:45	
☐	Edit		4	Ayesha	ayesha2@example.com	Software Engineering	2026-08-17 15:53:23	2026-08-17 15:53:23	
☐	Edit		6	aiza	aizu1@gmail.com	IT	2026-08-17 15:55:37	2026-08-17 15:55:37	
☐	Edit		7	Ayesha	ashu@gmail.com	Software Engineering	2026-08-17 15:59:50	2026-08-17 15:59:50	
☐	Edit		9	Ayesha	abc@gmail.com	Software Engineering	2026-08-17 16:02:22	2026-08-17 16:02:22	

DAY 9 — Complete CRUD Operations

CRUD:

CRUD stands for **Create, Read, Update, and Delete**. These are the four basic operations performed on data in a database.

Operation	Meaning
Create	Add a new record
Read	Display/fetch records
Update	Modify an existing record
Delete	Remove a record

PART 1 — CREATE:

```

Student::create([
    'name' => $request->name,
    'email' => $request->email,
    'course' => $request->course
]);

```

PART 2 — READ:

```
public function students()
{
    $students = Student::all();

    return view('students', compact('students'));
}
```

```
Route::get('/students', [StudentController::class, 'students']);
```

← → ↻ ⓘ 127.0.0.1:8000/students

Student List

ID	Name	Email	Course
1	Ayesha	ayesha@example.com	Software Engineering
2	Ali	ali@example.com	Computer Science
3	Sara	sara@example.com	Information Technology
4	Ayesha	ayesha2@example.com	Software Engineering
6	aiza	aizul@gmail.com	IT
7	Ayesha	ashu@gmail.com	Software Engineering
9	Ayesha	abc@gmail.com	Software Engineering

PART 3 — UPDATE:

Step 1 — Add Edit Method:

```

    }
    public function edit($id)
    {
        $student = Student::findOrFail($id);

        return view('edit-student', compact('student'));
    }

```

Step 2 — Add Update Method:

```

public function update(Request $request, $id)
{
    $request->validate([
        'name' => 'required',
        'email' => 'required|email',
        'course' => 'required'
    ]);

    $student = Student::findOrFail($id);

    $student->update([
        'name' => $request->name,
        'email' => $request->email,
        'course' => $request->course
    ]);

    return redirect('/students');
}

```

PART 4 — UPDATE ROUTES:

```

Route::get('/students/{id}/edit', [StudentController::class, 'edit']);

Route::put('/students/{id}', [StudentController::class, 'update']);

```

PART 5 — Create Edit Form:

```

sources > views > edit-student.blade.php > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Edit Student</title>
5  </head>
6  <body>
7
8      <h1>Edit Student</h1>
9
10     @if ($errors->any())
11     |   <ul>
12     |   |   @foreach ($errors->all() as $error)
13     |   |   |   <li>{{ $error }}</li>
14     |   |   @endforeach
15     |   </ul>
16     @endif
17
18     <form action="/students/{{ $student->id }}" method="POST">
19
20         @csrf
21         @method('PUT')
22
23         <label>Name:</label>
24         <input type="text" name="name" value="{{ $student->name }}">
25         <br><br>
26
27         <label>Email:</label>
28         <input type="text" name="email" value="{{ $student->email }}">
29         <br><br>

```

```

29         <br><br>
30
31         <label>Course:</label>
32         <input type="text" name="course" value="{{ $student->course }}">
33         <br><br>
34
35         <button type="submit">Update Student</button>
36
37     </form>
38
39 </body>
40 </html>

```

PART 6 — Add Edit Button:

```
web.php X edit-student.blade.php students.blade.php X .env
resources > views > students.blade.php > table
1 <table border="1" cellpadding="10">
2
3     <tr>
4         <th>ID</th>
5         <th>Name</th>
6         <th>Email</th>
7         <th>Course</th>
8         <th>Action</th>
9     </tr>
10
11     @foreach($students as $student)
12
13         <tr>
14             <td>{{ $student->id }}</td>
15             <td>{{ $student->name }}</td>
16             <td>{{ $student->email }}</td>
17             <td>{{ $student->course }}</td>
18
19             <td>
20                 <a href="/students/{{ $student->id }}/edit">
21                     Edit
22                 </a>
23             </td>
24         </tr>
25
26     @endforeach
27
28 </table>
```

PART 7 — Test UPDATE:

ID	Name	Email	Course	Action
1	Ayesha	ayesha@example.com	Software Engineering	Edit
2	Ali	ali@example.com	Computer Science	Edit
3	Sara	sara@example.com	Information Technology	Edit
4	Ayesha	ayesha2@example.com	Software Engineering	Edit
6	aiza	aizu1@gmail.com	IT	Edit
7	Ayesha	ashu@gmail.com	Software Engineering	Edit
9	Ayesha	abc@gmail.com	Software Engineering	Edit

Edit Student

Name:

Email:

Course:

ID 1 is Updated.

ID	Name	Email	Course	Action
1	Ayesha	ayesha@example.com	Computer Science	Edit

PART 8 — DELETE:

Step 1 — Add Delete Method

```
public function delete($id)
{
    $student = Student::findOrFail($id);

    $student->delete();

    return redirect('/students');
}
```

PART 9 — Delete Route:

```
Route::delete('/students/{id}', [StudentController::class, 'delete']);
```

PART 10 — Add Delete Button:

```
18
19 <td>
20 <a href="/students/{{ $student->id }}/edit">
21     Edit
22 </a>
23
24 <form action="/students/{{ $student->id }}" method="POST" style="display:inline;">
25
26     @csrf
27     @method('DELETE')
28
29     <button type="submit">Delete</button>
30
31 </form>
32 </td>
33 </tr>
34
35 @endforeach
36
37 table>
```

PART 11 — Test DELETE:

ID	Name	Email	Course	Action
1	Ayesha	ayesha@example.com	Computer Science	Edit <button>Delete</button>
2	Ali	ali@example.com	Computer Science	Edit <button>Delete</button>
3	Sara	sara@example.com	Information Technology	Edit <button>Delete</button>
4	Ayesha	ayesha2@example.com	Software Engineering	Edit <button>Delete</button>
6	aiza	aizu1@gmail.com	IT	Edit <button>Delete</button>
7	Ayesha	ashu@gmail.com	Software Engineering	Edit <button>Delete</button>
9	Ayesha	abc@gmail.com	Software Engineering	Edit <button>Delete</button>

ID	Name	Email	Course	Action
1	Ayesha	ayesha@example.com	Computer Science	Edit <button>Delete</button>
2	Ali	ali@example.com	Computer Science	Edit <button>Delete</button>
4	Ayesha	ayesha2@example.com	Software Engineering	Edit <button>Delete</button>
6	aiza	aizu1@gmail.com	IT	Edit <button>Delete</button>
7	Ayesha	ashu@gmail.com	Software Engineering	Edit <button>Delete</button>
9	Ayesha	abc@gmail.com	Software Engineering	Edit <button>Delete</button>

← →			id	name	email	course	created_at	updated_at	
☐	 Edit	 Copy	 Delete	1	Ayesha	ayesha@example.com	Computer Science	2026-08-17 12:39:47	2026-08-17 16:32:28
☐	 Edit	 Copy	 Delete	2	Ali	ali@example.com	Computer Science	2026-08-17 12:54:45	2026-08-17 12:54:45
☐	 Edit	 Copy	 Delete	4	Ayesha	ayesha2@example.com	Software Engineering	2026-08-17 15:53:23	2026-08-17 15:53:23
☐	 Edit	 Copy	 Delete	6	aiza	aizu1@gmail.com	IT	2026-08-17 15:55:37	2026-08-17 15:55:37
☐	 Edit	 Copy	 Delete	7	Ayesha	ashu@gmail.com	Software Engineering	2026-08-17 15:59:50	2026-08-17 15:59:50
☐	 Edit	 Copy	 Delete	9	Ayesha	abc@gmail.com	Software Engineering	2026-08-17 16:02:22	2026-08-17 16:02:22

DAY 10 — Blade Layouts, Components & Bootstrap

PART 1 — Create Main Blade Layout

```
resources > views > layouts > app.blade.php > html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8      <title>@yield('title', 'Student Management System')</title>
9
10     <link
11         href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
12         rel="stylesheet">
13 </head>
14
15 <body>
16
17     <!-- Navbar -->
18
19     <nav class="navbar navbar-dark bg-primary">
20         <div class="container">
21
22             <a class="navbar-brand" href="/students">
23                 Student Management System
24             </a>
25
26             <div>
27                 <a href="/students" class="btn btn-light">
28                     Students
29                 </a>
```

```
30
31                 <a href="/register" class="btn btn-warning">
32                     Register Student
33                 </a>
34             </div>
35         </div>
36     </nav>
37     <!-- Main Content -->
38
39     <div class="container mt-4">
40
41         @yield('content')
42     </div>
43
44
45
46     <!-- Bootstrap JS -->
47
48     <script
49         src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js">
50     </script>
51
52 </body>
53 </html>
```

PART 2 —Students Page:

```
resources > views > 🐞 students.blade.php > ...
1  @extends('layouts.app')
2
3  @section('title', 'Students')
4
5  @section('content')
6
7  <div class="d-flex justify-content-between align-items-center mb-4">
8
9      <h2>Students List</h2>
10
11      <a href="/register" class="btn btn-primary">
12          + Add Student
13      </a>
14
15  </div>
16
17
18  <div class="card shadow">
19
20      <div class="card-header bg-primary text-white">
21          <h5 class="mb-0">Registered Students</h5>
22      </div>
23
24      <div class="card-body">
25
26          <table class="table table-bordered table-hover">
27
28              <thead class="table-dark">
```

```

30     <tr>
31         <th>ID</th>
32         <th>Name</th>
33         <th>Email</th>
34         <th>Course</th>
35         <th>Actions</th>
36     </tr>
37
38 </thead>
39
40 <tbody>
41
42     @foreach($students as $student)
43
44         <tr>
45
46             <td>{{ $student->id }}</td>
47
48             <td>{{ $student->name }}</td>
49
50             <td>{{ $student->email }}</td>
51
52             <td>{{ $student->course }}</td>
53
54             <td>

```

```

56         <a
57             href="/students/{{ $student->id }}/edit"
58             class="btn btn-sm btn-warning">
59             Edit
60         </a>
61
62
63         <form
64             action="/students/{{ $student->id }}"
65             method="POST"
66             style="display:inline;">
67
68             @csrf
69
70             @method('DELETE')
71
72             <button
73                 type="submit"
74                 class="btn btn-sm btn-danger">
75                 Delete
76             </button>
77
78         </form>

```

```

75         Delete
76         </button>
77
78     </form>
79
80 </td>
81
82 </tr>
83
84 @endforeach
85
86 </tbody>
87
88 </table>
89
90 </div>
91
92 </div>
93
94 @endsection

```

PART 3 — Test Students Page:

The screenshot shows a web browser at the address 127.0.0.1:8000/students. The page title is "Student Management System". There are two buttons in the top right: "Students" and "Register Student". Below the header, the main heading is "Students List" with a "+ Add Student" button. The main content area is titled "Registered Students" and contains a table with the following data:

ID	Name	Email	Course	Actions
1	Ayesha	ayesha@example.com	Computer Science	Edit Delete
2	Ali	ali@example.com	Computer Science	Edit Delete
4	Ayesha	ayesha2@example.com	Software Engineering	Edit Delete
6	aiza	aizu1@gmail.com	IT	Edit Delete
7	Ayesha	ashu@gmail.com	Software Engineering	Edit Delete
9	Ayesha	abc@gmail.com	Software Engineering	Edit Delete

PART 4 — Update Registration Form

[illegible]

```
30
31         @endforeach
32
33     </ul>
34
35 </div>
36
37 @endif
38
39
40 <form action="/register" method="POST">
41
42     @csrf
43
44     <div class="mb-3">
45
46         <label class="form-label">
47             Name
48         </label>
49
50         <input
51             type="text"
52             name="name"
53             value="{{ old('name') }}"
```

```
52         name="name"
53         value="{{ old('name') }}"
54         class="form-control">
55
56     </div>
57
58
59     <div class="mb-3">
60
61         <label class="form-label">
62             Email
63         </label>
64
65         <input
66             type="text"
67             name="email"
68             value="{{ old('email') }}"
69             class="form-control">
70
71     </div>
72
73
74     <div class="mb-3">
75
```

```

76     <label class="form-label">
77         Course
78     </label>
79
80     <input
81         type="text"
82         name="course"
83         value="{{ old('course') }}"
84         class="form-control">
85
86     </div>
87
88
89     <button
90         type="submit"
91         class="btn btn-primary">
92         Register Student
93     </button>
94
95     <a
96         href="/students"
97         class="btn btn-secondary">
98         Back
99     </a>

```

```

100
101     </form>
102
103     </div>
104
105     </div>
106
107     </div>
108
109 </div>
110
111 @endsection

```

PART 5 — Test Registration Page:

Student Registration

Name

Email

Course

Register Student Back

Student Registration

Name

Email

Course

Register Student Back

Student registered successfully

PART 6 — Test Validation UI:

Student Registration

Please fix the following errors:

- Please enter a valid email address.

Name

Ayesha

Email

abc

Course

Software Engineering

Register Student

Back

PART 7 — Update Edit Page:

resources > views > edit-student.blade.php > ...

```
1  @extends('layouts.app')
2
3  @section('title', 'Edit Student')
4
5  @section('content')
6
7  <div class="row justify-content-center">
8
9      <div class="col-md-6">
10
11          <div class="card shadow">
12
13              <div class="card-header bg-warning">
14
15                  <h4 class="mb-0">
16                      Edit Student
17                  </h4>
18              </div>
19
20              <div class="card-body">
21
22                  @if ($errors->any())
23
24                      <div class="alert alert-danger">
25
26                          <ul class="mb-0">
```

```
30         @foreach ($errors->all() as $error)
31         |
32         <li>{{ $error }}</li>
33         |
34         @endforeach
35     |
36     </ul>
37 |
38 </div>
39 |
40 @endif
41 |
42 |
43 <form
44     action="/students/{{ $student->id }}"
45     method="POST">
46 |
47     @csrf
48 |
49     @method('PUT')
50 |
51 |
52     <div class="mb-3">
```

```
53
54     <label class="form-label">
55         Name
56     </label>
57
58     <input
59         type="text"
60         name="name"
61         value="{{ $student->name }}"
62         class="form-control">
63
64 </div>
65
66
67 <div class="mb-3">
68
69     <label class="form-label">
70         Email
71     </label>
72
73     <input
74         type="text"
75         name="email"
76         value="{{ $student->email }}"
```

```

76         value="{{ $student->email }}"
77         class="form-control">
78
79     </div>
80
81
82     <div class="mb-3">
83
84         <label class="form-label">
85             Course
86         </label>
87
88         <input
89             type="text"
90             name="course"
91             value="{{ $student->course }}"
92             class="form-control">
93
94     </div>
95
96
97     <button
98         type="submit"
99         class="btn btn-success">
100         Update Student

```

```

100         Update Student
101     </button>
102
103
104     <a
105         href="/students"
106         class="btn btn-secondary">
107         Cancel
108     </a>
109
110 </form>
111
112 </div>
113
114 </div>
115
116 </div>
117
118 </div>
119
120 @endsection

```

PART 8 — Blade Component:

```
resources > views > components > alert.blade.php > ...  
1  @if(session('success'))  
2  
3      <div class="alert alert-success">  
4          {{ session('success') }}  
5      </div>  
6  
7  @endif
```

```
</nav>  
<!-- Main Content -->  
  
<div class="container mt-4">  
    <x-alert />  
  
    @yield('content')
```

PART 9 — Improve Success Message:

```
Student::create([  
    'name' => $request->name,  
    'email' => $request->email,  
    'course' => $request->course  
]);  
  
return redirect('/students')  
->with('success', 'Student registered successfully!');
```

```
$student->update([  
    'name' => $request->name,  
    'email' => $request->email,  
    'course' => $request->course  
]);  
  
return redirect('/students')  
->with('success', 'Student updated successfully!');
```


```

public function delete($id)
{
    $student = Student::findOrFail($id);

    $student->delete();

    return redirect('/students')
        ->with('success', 'Student deleted successfully!');
}

```



Student Website

Welcome to our Laravel Student Management System

Students

View all registered students.

[View Students](#)

Register

Register a new student.

[Register Student](#)

Contact

Contact us for more information.

[Contact Us](#)

Students [Register Student](#)

Students List [+ Add Student](#)

Registered Students				
ID	Name	Email	Course	Actions
1	Ayesha	ayesha@example.com	Computer Science	Edit Delete
2	Ali	ali@example.com	Computer Science	Edit Delete
4	Ayesha	ayesha2@example.com	Software Engineering	Edit Delete
6	aiza	aizu1@gmail.com	IT	Edit Delete
7	Ayesha	ashu@gmail.com	Software Engineering	Edit Delete
9	Ayesha	abc@gmail.com	Software Engineering	Edit Delete
11	Bakhtawar	bakh1@gmail.com	CS	Edit Delete

Student Registration

Name

Email

Course

Register Student

Back