


Task 1: Interface + Form + Table Lead Intake System

Scenario

A company needs a simple lead-capture system for its sales team. A Zapier Interface collects lead submissions through a form, and every submitted lead is automatically scored, categorised, and stored in a Zapier Table — with the sales team notified immediately whenever a high-priority lead comes in.

1. Interface — Sales Lead Intake Form

The form below collects nine fields from the prospective client: Full Name, Email, Phone, Company, Industry, Budget, Lead Source (dropdown), Requirement, and Urgency (dropdown). Every field is marked required so the scoring logic downstream always has complete data to work with.



The image shows a screenshot of a Zapier Interface form titled "Sales Lead Intake". The form is set against a light blue background. On the right side of the form, there are three buttons: "Edit" (with a pencil icon), "Add field" (with a plus icon), and "Automate form" (with a lightning bolt icon). The form itself contains nine fields, each labeled as "required":

- Full Name (required)**: A text input field with the placeholder "Enter your full name".
- Email (required)**: A text input field with the placeholder "your@email.com".
- Phone (required)**: A text input field with a US flag icon and the placeholder "Enter your phone number".
- Company (required)**: A text input field with the placeholder "Company name".
- Industry (required)**: A text input field with the placeholder "e.g., Technology, Finance, Healthcare".
- Budget (required)**: A text input field with a dollar sign icon and the placeholder "Enter budget amount".
- Lead Source (required)**: A dropdown menu.
- Requirement (required)**: A text area with the placeholder "Describe your requirements" and a small icon in the bottom right corner.
- Urgency (required)**: A dropdown menu.

Figure 1 — Sales Lead Intake form built as a Zapier Interface page.

2. Zapier Table — Leads

Every submission is ultimately written to a table called Leads. The table holds the raw submission fields plus three values generated by the automation itself: a unique Lead ID, a Calculated Score, and a derived Priority/Status.

	Lead ID	Name	Email	Phone	Company	Industry	Score
1	LEAD-2026-236001936	Ahmad	ahmad@abccompany.com	+92327118823	ABC Company	Technology	75

Figure 2 — Leads table, left columns: Lead ID, Name, Email, Phone, Company, Industry.

	Lead Source	Requirement	Urgency	Status	Created At	Calculated Score	Priority
1	LinkedIn	Need a complete automation solutio...	High	New	08/24/26	75	1

Figure 3 — Leads table, right columns: Lead Source, Requirement, Urgency, Status, Created At, Calculated Score.

3. Workflow / Automation Steps

The Zap is triggered directly by the form submission (rather than by a new table row), which keeps the automation logic in one place: a seven-step chain from intake to notification.




Figure 4 — Full Zap: Form Submission → 3 Code steps → Create Record → Filter → Email.

Step-by-step breakdown

- **Step 1 — Trigger:** Zapier Forms, "Form Submission Created". Fires the moment a lead fills the Sales Lead Intake form.
- **Step 2 — Code by Zapier (Run JavaScript):** Calculates the numeric Lead Score from urgency, budget, and lead source.
- **Step 3 — Code by Zapier (Run JavaScript):** Converts the numeric score into a Priority label — Hot, Warm, or Cold.
- **Step 4 — Code by Zapier (Run JavaScript):** Generates a unique Lead ID using the current timestamp.
- **Step 5 — Create Record (Zapier Tables):** Writes the original form fields together with the score, priority, and Lead ID into the Leads table.
- **Step 6 — Filter by Zapier:** Only allows the Zap to continue if Priority equals "Hot".

- **Step 7 — Email by Zapier:** Sends an outbound notification email to the sales team for that high-priority lead.

4. Configuration — Code by Zapier Steps

Step 2 — Lead Score calculation

```
const urgency = String(inputData.urgency || '').trim();
const budget = parseFloat(String(inputData.budget || '0').replace(/^[^0-9.-]/g, ''));
const source = String(inputData.source || '').trim();

let score = 0;

if (urgency.toLowerCase() === 'high') { score += 30; }
else if (urgency.toLowerCase() === 'medium') { score += 20; }
else if (urgency.toLowerCase() === 'low') { score += 10; }

if (budget > 5000) { score += 30; }
else if (budget >= 1000 && budget <= 5000) { score += 20; }
else if (budget < 1000 && budget > 0) { score += 10; }

const sourceLower = source.toLowerCase();
if (sourceLower === 'referral') { score += 20; }
else if (sourceLower === 'linkedin') { score += 15; }

return { score };
```

Step 3 — Priority classification

```
const leadScore = parseFloat(inputData.lead_score || '0');

let priority;
if (leadScore >= 70) { priority = 'Hot'; }
else if (leadScore >= 40) { priority = 'Warm'; }
else { priority = 'Cold'; }

return { priority };
```

Step 4 — Unique Lead ID generation

```
const now = new Date();
const year = now.getFullYear();

const startOfYear = new Date(year, 0, 0);
const diff = now - startOfYear;
const oneDay = 1000 * 60 * 60 * 24;
const dayOfYear = Math.floor(diff / oneDay);
const dddPadded = String(dayOfYear).padStart(3, '0');

const hours = String(now.getHours()).padStart(2, '0');
const minutes = String(now.getMinutes()).padStart(2, '0');
const seconds = String(now.getSeconds()).padStart(2, '0');

const leadId = `LEAD-${year}-${dddPadded}${hours}${minutes}${seconds}`;
return { lead_id: leadId };
```

Note on Lead ID format: the task's example used a simple incrementing format (LEAD-2026-001). A timestamp-based ID was used instead, because Code by Zapier steps are stateless — they cannot reliably remember the last number used across separate runs without an additional Storage step. The timestamp approach still guarantees a unique, readable ID for every lead without that extra dependency.

5. Test Input and Output

Test input submitted through the form

Full Name: Ahmad
Company: ABC Company
Budget: 8000
Lead Source: LinkedIn
Urgency: High

Actual output recorded in the Leads table

- Lead ID: LEAD-2026-236001936
- Lead Source: LinkedIn, Urgency: High, Status: New
- Calculated Score: 75
- Scoring breakdown: High urgency (+30) + Budget above \$5,000 (+30) + LinkedIn source (+15) = 75
- Since 75 is ≥ 70 , Priority resolved to "Hot" — matching the expected result from the task brief.

This confirms the automation reproduces the task's worked example exactly: a \$8,000 LinkedIn lead marked High urgency is scored 75 and classified Hot.

6. How the Automation Works — Summary

When a prospect submits the Sales Lead Intake form, the Zap first calculates a numeric Lead Score from three weighted factors — how urgent the enquiry is, how large the stated budget is, and which channel the lead came through. That score is then converted into a simple Hot / Warm / Cold priority label, and a unique Lead ID is generated from the current timestamp. All of this — the original form answers plus the three generated values — is written as one new row in the Leads table with a default status of "New". Finally, a filter step checks whether the lead was classified Hot; only those leads trigger an outbound email to the sales team, so the team is alerted immediately for high-value opportunities without being notified for every single submission.