



Assignment 1

BY

AYESHA MAQSOOD
DEPARTMENT OF SOFTWARE ENGINEERING

Reg No. : FA24B1-SE-042
Submitted to : Sir Waqas Salim
Subject : Cloud Computing

Getting Started:

CC / Assignments / Assignment01 / screenshots / 

 ayeshamaqsood158 Create .gitkeep	
Name	Last commit message
 ..	
 .gitkeep	Create .gitkeep

```
ayeshamaqsood158@ubuntu:~$ git --version
git version 2.53.0
ayeshamaqsood158@ubuntu:~$ git lfs version
git-lfs/3.7.1 (GitHub; linux amd64; go 1.25.0)
ayeshamaqsood158@ubuntu:~$
```

Task 1: Install Gitea and Push a Repository from the Ubuntu Server

Step 1.1: Install and Run Gitea on the Ubuntu Server

```
ayeshamaqsood158@ubuntu:~$ git --version
git version 2.53.0
ayeshamaqsood158@ubuntu:~$ docker --version
Docker version 29.1.3, build 29.1.3-0ubuntu4.1
ayeshamaqsood158@ubuntu:~$ docker compose version
Docker Compose version v5.6.0
ayeshamaqsood158@ubuntu:~$ _
ayeshamaqsood158@ubuntu:~/Gitea$ docker compose up -d
[+] up 12/12
  V Image gitea/gitea:latest Pulled
  V Network webnet Created
  V Volume gitea_postgres Created
  V Volume gitea Created
  V Container gitea Started
  V Container gitea_db Started
ayeshamaqsood158@ubuntu:~/Gitea$ _
ayeshamaqsood158@ubuntu:~/Gitea$ docker compose ps
NAME          IMAGE          COMMAND                  SERVICE    CREATED      STATUS      PORTS
gitea         gitea/gitea:latest "/usr/bin/entrypoint..." gitea      13 minutes ago Up 13 minutes 22/tcp, 0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp
gitea_db      postgres:17-alpine "docker-entrypoint.s..." db         13 minutes ago Up 13 minutes 5432/tcp
ayeshamaqsood158@ubuntu:~/Gitea$ _
ayeshamaqsood158@ubuntu:~/Gitea$ curl -sS -o /dev/null -w "Gitea HTTP status: %{http_code}#n" http://127.0.0.1:3000/
Gitea HTTP status: 200#ayeshamaqsood158@ubuntu:~/Gitea$
```

Initial Configuration

If you run Gitea inside Docker, please read the [documentation](#) before changing any settings.

Database Settings

Gitea requires MySQL, PostgreSQL, MSSQL, SQLite3 or TiDB (MySQL protocol).

Database Type *

PostgreSQL

Host *

db:5432

Username *

gitea

Password *

.....

Database Name *

gitea


SSL *

Disable

Schema

Leave blank for database default ("public").

General Settings



```
Powered by Gitea Version: 28.1.0 Page: 82ms Template: 47ms
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$ docker compose ps
NAME          IMAGE          COMMAND          SERVICE  CREATED   STATUS    PORTS
gitea         gitea/gitea:latest  "/usr/bin/entrypoint..."  gitea    2 hours ago  Up 2 hours  22/tcp, 0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp
gitea_db      postgres:17-alpine  "docker-entrypoint.s..."  db       2 hours ago  Up 2 hours  5432/tcp
ayeshamaqsood158@ubuntu:~/Gitea$ curl -sS -o /dev/null -w "Gitea HTTP status: %{http_code}#n" http://127.0.0.1:3000/
Gitea HTTP status: 200#ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
ayeshamaqsood158@ubuntu:~/Gitea$
```

Step 1.2: Create and Push the Initial Repository

New Repository

A repository contains all project files, including revision history. Already hosting one elsewhere? [Migrate repository.](#)

Owner *

 admin

Some organizations may not show up in the dropdown due to a maximum repository count limit.

Repository Name *

Assignment01

Good repository names use short, memorable and unique keywords. A repository named ".profile" or ".profile-private" could be used to add a README.md for the user/organization profile.

Visibility

☐ Make repository private

Only the owner or the organization members if they have rights, will be able to see it.

Description

Enter short description (optional)

.gitignore

Select .gitignore templates.

Choose which files not to track from a list of templates for common languages. Typical artifacts generated by each language's build tools are included on .gitignore by default.

License

Select a license file.

A license governs what others can and can't do with your code. Not sure which one is right for your project? See [Choose a license](#).

README

Default

This is the place where you can write a complete description for your project.

☐ Initialize Repository (Adds .gitignore, License and README)

Default Branch

main

The default branch is the base branch for pull requests and code commits.

Object Format

sha1

Object format of the repository. Cannot be changed later. SHA1 is most compatible.

Template

☐ Make repository a template

Create Repository

```
ayeshamaqsood158@ubuntu:~/Gitea$ cd ~
ayeshamaqsood158@ubuntu:~$ mkdir Assignment01
ayeshamaqsood158@ubuntu:~$ cd Assignment01
ayeshamaqsood158@ubuntu:~/Assignment01$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to "main" in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:   git config --global init.defaultBranch <name>
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:   git branch -m <name>
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/ayeshamaqsood158/Assignment01/.git/
ayeshamaqsood158@ubuntu:~/Assignment01$ git branch -M main
ayeshamaqsood158@ubuntu:~/Assignment01$
ayeshamaqsood158@ubuntu:~/Assignment01$ git add README.md
ayeshamaqsood158@ubuntu:~/Assignment01$ git commit -m "Add student information"
[main (root-commit) c6c179c] Add student information
 1 file changed, 3 insertions(+)
 create mode 100644 README.md
ayeshamaqsood158@ubuntu:~/Assignment01$
```

Manage Access Tokens

These tokens grant access to your account using the Gitea API.

▼ Generate New Token

Token Name

ubuntu-server-token

Repository and Organization Access

☐ Public only

☒ All (public, private, and limited)

Selected token permissions limit authorization only to the corresponding API routes. Read the [documentation](#) for more information.

activitypub	☒ No Access	☐ Read	☐ Read and Write
admin	☒ No Access	☐ Read	☐ Read and Write
issue	☒ No Access	☐ Read	☐ Read and Write
misc	☒ No Access	☐ Read	☐ Read and Write
notification	☒ No Access	☐ Read	☐ Read and Write
organization	☒ No Access	☐ Read	☐ Read and Write
package	☒ No Access	☐ Read	☐ Read and Write
repository	☐ No Access	☐ Read	☒ Read and Write
user	☒ No Access	☐ Read	☐ Read and Write


Generate Token

```

ayeshamaqsood158@ubuntu:~/Assignment01$ git remote add gitea http://ayeshamaqsood158@127.0.0.1:3000/ayeshamaqsood158/Assignment01.git
ayeshamaqsood158@ubuntu:~/Assignment01$ git remote -v
gitea  http://ayeshamaqsood158@127.0.0.1:3000/ayeshamaqsood158/Assignment01.git (fetch)
gitea  http://ayeshamaqsood158@127.0.0.1:3000/ayeshamaqsood158/Assignment01.git (push)
ayeshamaqsood158@ubuntu:~/Assignment01$
ayeshamaqsood158@ubuntu:~/Assignment01$ git push -u gitea main
Password for 'http://admin@192.168.83.129:3000':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 255 bytes | 63.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To http://192.168.83.129:3000/admin/Assignment01.git
 * [new branch]      main -> main
branch 'main' set up to track 'gitea/main'.
ayeshamaqsood158@ubuntu:~/Assignment01$

```

Step 1.3: Verify the Gitea Repository



Task 2: Push the Same Repository to GitHub

Step 1.2: Create and Push the Initial Repository

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk ().*

1 General

Owner *

ayeshamaqsood158

Repository name *

Assignment01

Assignment01 is available.

Great repository names are short and memorable. How about [urban-winner](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository


Step 2.1: Create the GitHub Repository and Verify Both Remotes

```
ayeshamaqsood158@ubuntu:~$ cd Assignment01
ayeshamaqsood158@ubuntu:~/Assignment01$ git remote add github https://github.com/ayeshamaqsood158/Assignment01.git
ayeshamaqsood158@ubuntu:~/Assignment01$ git remote -v
gitea    http://admin@192.168.83.129:3000/admin/Assignment01.git (fetch)
gitea    http://admin@192.168.83.129:3000/admin/Assignment01.git (push)
github   https://github.com/ayeshamaqsood158/Assignment01.git (fetch)
github   https://github.com/ayeshamaqsood158/Assignment01.git (push)
ayeshamaqsood158@ubuntu:~/Assignment01$ _
```

Step 2.2: Push to GitHub

```
ayeshamaqsood158@ubuntu:~/Assignment01$ git push -u github main
Username for 'https://github.com': ayeshamaqsood158
Password for 'https://ayeshamaqsood158@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 255 bytes | 36.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ayeshamaqsood158/Assignment01.git
 * [new branch]      main -> main
branch 'main' set up to track 'github/main'.
ayeshamaqsood158@ubuntu:~/Assignment01$ _
```

Step 2.3: Verify the GitHub Repository



Task 3: Track Three Large Files with Git LFS

Step 3.1: Configure Git LFS

```
ayeshamaqsood158@ubuntu:~$
ayeshamaqsood158@ubuntu:~$
ayeshamaqsood158@ubuntu:~$ cd ~/Assignment01
ayeshamaqsood158@ubuntu:~/Assignment01$ git lfs install
Updated Git hooks.
Git LFS initialized.
ayeshamaqsood158@ubuntu:~/Assignment01$ git lfs version
git-lfs/3.7.1 (GitHub; linux amd64; go 1.25.0)
ayeshamaqsood158@ubuntu:~/Assignment01$ git lfs track "*.bin"
Tracking "*.bin"
ayeshamaqsood158@ubuntu:~/Assignment01$ cat .gitattributes
*.bin filter=lfs diff=lfs merge=lfs -text
ayeshamaqsood158@ubuntu:~/Assignment01$ _
```

Step 3.2: Create and Verify Three LFS Files

```
ayeshamaqsood158@ubuntu:~/Assignment01$ truncate -s 101M large-file-1.bin
ayeshamaqsood158@ubuntu:~/Assignment01$ truncate -s 102M large-file-2.bin
ayeshamaqsood158@ubuntu:~/Assignment01$ truncate -s 103M large-file-3.bin
ayeshamaqsood158@ubuntu:~/Assignment01$ git add .gitattributes large-file-1.bin large-file-2.bin large-file-3.bin
ayeshamaqsood158@ubuntu:~/Assignment01$ git lfs ls-files --size
f1753a034b * large-file-1.bin (106 MB)
2338a970c0 * large-file-2.bin (107 MB)
cb91d5908e * large-file-3.bin (108 MB)
ayeshamaqsood158@ubuntu:~/Assignment01$ _
```

Step 3.3: Commit and Push the LFS Files

```
ayeshamaqsood158@ubuntu:~/Assignment01$ git push github main
Username for 'https://github.com': ayeshamaqsood158
Password for 'https://ayeshamaqsood158@github.com':
Username for 'https://github.com': ayeshamaqsood158
Password for 'https://ayeshamaqsood158@github.com':
Uploading LFS objects: 100% (3/3), 321 MB | 472 KB/s, done.
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 2 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 800 bytes | 133.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ayeshamaqsood158/Assignment01.git
 c6c179c..f279756 main -> main
ayeshamaqsood158@ubuntu:~/Assignment01$
```

Task 4: Create a Portfolio or CV with GitHub Pages

Step 4.1: Create and Push the Portfolio Repository

The screenshot shows the GitHub web interface for the repository 'ayeshamaqsood158 / ayeshamaqsood158.github.io'. The repository is public and has a 'main' branch with 1 branch and 0 tags. The commit history shows an 'Initial commit for portfolio' made 3 minutes ago, which includes files 'index.html' and 'styles.css'. Below the commit list, there is a 'README' section with a prompt to 'Add a README' to help people understand the project. The interface includes navigation links for Code, Issues, Pull requests, Agents, Actions, Projects, Wiki, Security and quality, Insights, and Settings.

Step 4.2: Publish with GitHub Pages

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Your site is live at <https://ayeshamaqsood158.github.io/>
Last deployed by  ayeshamaqsood158 7 minutes ago

[Visit site](#)[Unpublish site](#)

Build and deployment

Source

Deploy from a branch

Branch

Your GitHub Pages site is currently being built from the main branch. [Learn more about configuring the publishing source for your site.](#)

 main  / (root) [Save](#)

Learn how to [add a Jekyll theme](#) to your site.

Your site was last deployed to the [github-pages](#) environment by the [pages build and deployment](#) workflow.
[Learn more about deploying to GitHub Pages using custom workflows](#)

Step 4.3: Verify the Live Portfolio

ayeshamaqsood158.github.io

apps kam

Ayesha Maqsood

Software Engineering Student ~ Web Developer

About MeEducationSkillsProjects

About Me

Hello! I am a passionate software engineering student with a strong interest in web development and cloud computing. I enjoy solving complex problems and building useful applications.

Education

- Bachelor of Science in Software Engineering** - Fatima Jinnah Women University (2024 - Present)
- Intermediate in Computer Science** - Milestone College of Institutions (2022 - 2024)

About MeEducationSkillsProjects

Skills

- HTML5 & CSS3
- JavaScript (Basic)
- Git & GitHub
- Docker & Gitea
- Linux (Ubuntu)

Projects

- Gitea Server Setup:** Installed and configured a self-hosted Gitea server using Docker on Ubuntu.
- Portfolio Website:** Created and deployed this responsive portfolio using GitHub Pages.
- Git LFS Implementation:** Configured Git Large File Storage to track and push large binary files.

© 2026 [Your Name]. All rights reserved.