

Software Requirement Specifications

Smart Traffic Management System Using IoT



Submitted by:

Ayesha Safdar (S23BINFT1M01010)

Submitted to:

Mr. Faisal Shahzad

The Islamia University of Bahawalpur

Department of Information Technology

Faculty of Computing

Meeting Details

Sr No	Details	Date	Supervisor Signature

Table of Contents

1. Introduction6

Smart Traffic Management System (STMS) using IoT 6

1.1. Purpose.....8

9.1. Scope 8

1. Real-Time Traffic Monitoring..... 8

2. Intelligent Traffic Signal Control8

3. Integration with Mobile Applications 8

4. Predictive Traffic Analysis.....9

5. Emergency Vehicle Management..... 9

6. Smart Parking Management..... 9

7. Environmental Monitoring9

8. Infrastructure Planning and Policy Making..... 9

9. Integration with Smart City Ecosystems9

Product Perspective..... 9

Product Perspective..... 10

System Interfaces10

Relationship to Other Systems10

Hardware and Software Requirements10

Communication Technologies10

Data Flow Overview 10


User Characteristics.....	11
User Characteristics of Smart Traffic Management System Using IoT	11
1. Traffic Control Authorities.....	11
2. System Administrators/Technicians	11
3. City/Urban Planners	11
4. Emergency Services (Police, Ambulance, Fire)	12
5. Commuters/Drivers	12
6. Researchers and Data Analysts.....	12
Similar apps and systems/Literature Review.....	12
Literature Review / Similar Apps and Systems	12
1. Surtrac (Scalable Urban Traffic Control) – Pittsburgh, USA.....	13
2. Delhi Traffic Police Smart System – India	13
3. SMART Traffic System using IoT – Research by R. T. Naik & hhhh (2020).....	13
4. IoT-based Smart Traffic Signal Monitosring System – IEEE Paper (2021).....	13
5. Google Maps & Waze	13
6. Cisco Smart+Connected Traffic	13
7. 14 Key Insights from Literature.....	14
9.2. Proposed Technologies	14
9.3. Proposed Technologies – Smart Traffic Management System Using IoT.....	14
🔌 1. IoT Hardware Components.....	14
🌐 2. Communication Technologies.....	15
🧠 3. Data Processing & Control	15
📠 4. Software Technologies	15
📱 5. User Interfaces	15
🧠 6. Optional Integrations.....	15
2. Requirements.....	16
1. Functional Requirements.....	16
1.1. Traffic Data Collection	16
1.2. Dynamic Signal Control	16
1.3. Emergency Vehicle Detection.....	16
1.4. Data Transmission	16
1.5. Manual Override	17

1.6. User Notification.....	17
1.7. Traffic Analytics & Reporting.....	17
2. Non-Functional Requirements.....	17
2.1. Performance.....	17
2.2. Scalability.....	17
2.3. Security.....	17
2.4. Reliability.....	18
2.5. Usability.....	18
2.6. Maintainability.....	18
2.1. Function Requirements.....	18
Functional Requirements	18
FR1. Traffic Data Collection	18
FR2. Data Transmission	18
FR3. Traffic Analysis.....	18
FR4. Dynamic Signal Control.....	19
FR5. Emergency Vehicle Detection.....	19
FR6. Real-Time Status Updates	19
FR7. Alerts and Notifications	19
FR8. Manual Override	19
FR9. Historical Data Storage.....	19
FR10. Report Generation.....	19
FR11. User Access Control.....	19
 2.1.1. Sign Up.....	19
2.2. Non-Functional Requirements	20
3. Use Cases and Flow of Processes.....	22
3.1. Use Case.....	22
.References	27

1. Introduction

Smart Traffic Management System (STMS) using IoT

A Smart Traffic Management System (STMS) using IOT is an innovative solution designed to optimize traffic flow, reduce congestion, and enhance road safety by leveraging Internet of Things (IoT) technologies. It integrates sensors, cameras, communication networks, and data analytics to monitor and manage traffic in real-time. Below is an overview of how such a system works, its key components, and its benefits:



1.1. Purpose

The **purpose of a Smart Traffic Management System using IoT (Internet of Things)** is to improve the efficiency, safety, and sustainability of traffic flow in urban areas by leveraging real-time data and connected devices. Here are the key objectives:

2. **Reduce Traffic Congestion:** Monitor traffic in real-time and dynamically adjust traffic signals to minimize delays and congestion.
3. **Enhance Road Safety:** Detect accidents, monitor hazardous conditions, and alert authorities quickly to respond to emergencies.
4. **Optimize Traffic Signals:** Use data from sensors and cameras to control traffic lights based on actual road conditions, not fixed timings.
5. **Provide Real-Time Traffic Information:** Share live traffic updates with commuters via mobile apps or digital signboards to help them choose optimal routes.
6. **Enable Predictive Analysis:** Use historical data and machine learning to predict traffic patterns and take preventive measures.
7. **Support Emergency Services:** Give priority to emergency vehicles by adjusting signals as they approach intersections.
8. **Environmental Benefits:** Reduce vehicle idling and fuel consumption, leading to lower emissions and better air quality.
9. **Smart Parking Management:** Help drivers find available parking spots, reducing the time spent searching and easing congestion.

1.2 Scope

The **scope of a Smart Traffic Management System using IoT** defines the range of functionalities, applications, and areas where the system can be deployed. Here's a detailed breakdown:

1. Real-Time Traffic Monitoring

- Use of IoT sensors, cameras, and GPS devices to continuously track vehicle flow, speed, and density.
- Helps authorities make immediate decisions to ease congestion.

2. Intelligent Traffic Signal Control

- Adaptive traffic lights that respond to real-time data rather than pre-set timers.
- Improves traffic flow efficiency, especially during peak hours.

3. Integration with Mobile Applications

- Real-time updates for drivers on traffic conditions, accidents, and route suggestions.
- Integration with navigation apps (e.g., Google Maps) for enhanced user experience.

4. Predictive Traffic Analysis

- Use of machine learning and big data analytics to forecast traffic conditions.
- Enables better planning for events, emergencies, and infrastructure changes.

5. Emergency Vehicle Management

- Traffic lights can prioritize emergency vehicles, reducing response times.
- Real-time tracking of ambulances, fire trucks, etc.

6. Smart Parking Management

- IoT sensors detect available parking spaces and guide drivers accordingly.
- Reduces congestion caused by searching for parking.

7. Environmental Monitoring

- Monitor air quality and emissions in congested areas.
- Helps enforce environmental regulations and promote green transportation.

8. Infrastructure Planning and Policy Making

- Data collected can be used by urban planners and governments to design better roads and traffic policies.

9. Integration with Smart City Ecosystems

- Can be connected with other smart city services like public transport, smart lighting, and surveillance systems.

1.3 Product Perspective

The **Product Perspective** section in a project report or software requirements specification describes how the system fits into a broader context or ecosystem. For a **Smart Traffic Management System using IoT**, here’s a structured explanation:

Product Perspective

The Smart Traffic Management System using IoT is a **standalone system** that also has the potential to integrate with broader **smart city infrastructure**. It serves as an advanced solution to traditional traffic control systems by leveraging real-time data, automation, and connectivity. **System Interfaces**

- **Sensors & IoT Devices:** Inductive loops, infrared sensors, traffic cameras, and GPS modules for vehicle detection and data collection.
- **Traffic Lights & Controllers:** Interfaces to dynamically adjust signal timings.
- **Cloud Servers / Edge Devices:** Data is processed either locally or on the cloud for real-time decision-making.
- **Mobile & Web Applications:** For traffic alerts, parking updates, and route guidance for users.

- **Emergency Systems:** Integrated to prioritize ambulance/fire brigade movement.

Relationship to Other Systems

- **Smart City Ecosystem:** Can be integrated with other smart services like smart lighting, surveillance, and waste management.
- **Navigation Systems:** Provides data to apps like Google Maps, Waze, or city transit apps.
- **Law Enforcement & Municipal Systems:** Sends alerts for traffic violations or accident reporting.

Hardware and Software Requirements

- **Hardware:** IoT sensors, traffic cameras, microcontrollers (like Raspberry Pi or Arduino), network devices.
- **Software:** Backend (e.g., Node.js, Python), frontend dashboard (React, Angular), databases (MongoDB, MySQL), cloud platforms (AWS, Azure, or local servers), and APIs.

Communication Technologies

- Wi-Fi, Zigbee, LoRa, 4G/5G, and NB-IoT used for communication between devices and the central system.

Data Flow Overview

1. Data is collected via IoT sensors.
2. Sent to a central server or processed at the edge.
3. Analyzed for decision-making (e.g., signal adjustment).
4. Output is communicated to traffic lights, apps, or authorities.

1.4 User Characteristics

User Characteristics of Smart Traffic Management System Using IoT

The **user characteristics** describe the types of users who will interact with the system, their skills, roles, and expectations. For a **Smart Traffic Management System using IoT**, the users can be categorized into several groups:

1. Traffic Control Authorities

- **Role:** Monitor and manage traffic flow, signal timing, incident detection.
- **Skills:** Basic to advanced technical knowledge in traffic operations and IT systems.
- **Expectations:** Real-time dashboards, alerts, and control access; reliable system uptime.

2. System Administrators/Technicians

- **Role:** Maintain hardware (sensors, cameras), software, and network systems.
- **Skills:** Strong technical background in IoT devices, networking, and system troubleshooting.
- **Expectations:** Diagnostic tools, system logs, remote configuration, and maintenance capabilities.

3. City/Urban Planners

- **Role:** Use traffic data to plan infrastructure, optimize city layouts, and reduce congestion.
- **Skills:** Data analysis, urban planning, policy-making.
- **Expectations:** Historical traffic data, analytical reports, and predictive modeling tools.

4. Emergency Services (Police, Ambulance, Fire)

- **Role:** Use system data for fast response and optimized routing.
- **Skills:** Basic use of routing applications and system interfaces.
- **Expectations:** Priority signal control, live traffic updates, route optimization.

5. Commuters/Drivers

- **Role:** Interact with the system through mobile apps or digital boards for traffic info and route suggestions.
- **Skills:** General smartphone and navigation app usage.
- **Expectations:** Accurate real-time traffic updates, alternative route suggestions, parking info.

6. Researchers and Data Analysts

- **Role:** Analyze traffic data for performance, sustainability, and future forecasting.
- **Skills:** Data science, statistics, and visualization tools.
- **Expectations:** Access to open data APIs, data exports, and visualization dashboards.

1.5 Similar apps and systems/Literature Review

Here's a well-structured **Literature Review** section for a **Smart Traffic Management System Using IoT**, including similar systems and applications:

Literature Review / Similar Apps and Systems

The development of Smart Traffic Management Systems (STMS) using IoT is an active area of research and real-world deployment. This section reviews relevant studies, applications, and existing systems to understand current trends, methodologies, and limitations.

1. Surtrac (Scalable Urban Traffic Control) – Pittsburgh, USA

- **Technology:** AI-based adaptive traffic signal system.
- **IoT Role:** Sensors collect real-time traffic data; decisions are made locally at intersections.
- **Impact:** Reduced travel time by 25%, wait time by 40%, and emissions by 21%. □ **Limitation:** High cost of deployment and infrastructure dependency.

2. Delhi Traffic Police Smart System – India

- **Features:** Real-time traffic monitoring using CCTV, mobile app for reporting violations, and AI-based red light jumping detection.
- **IoT Components:** Cameras, sensors, and mobile apps linked to central control rooms.
- **Impact:** Improved traffic rule enforcement and monitoring, but still limited adaptive control.

3. SMART Traffic System using IoT – Research by R. T. Naik & hhhh (2020)

- **Proposal:** Adaptive traffic light control based on vehicle density using IR sensors and Arduino.
- **Method:** Microcontroller collects traffic density data and adjusts signal duration.
- **Limitation:** Prototype-level system; lacks real-time cloud processing or integration with emergency services.

4. IoT-based Smart Traffic Signal Monitosring System – IEEE Paper (2021)

- **Contribution:** Real-time traffic control using cloud-connected sensors and a dashboard for authorities.
- **Strength:** Includes priority access for emergency vehicles and real-time analytics.
- **Limitation:** Scalability and cost issues for large cities.

5. Google Maps & Waze

- **Type:** Navigation apps that use crowd-sourced traffic data.
- **IoT-Like Function:** Users' GPS data helps determine congestion and suggest alternate routes.
- **Limitation:** Not a full traffic control system; lacks physical integration with infrastructure (e.g., traffic lights).

6. Cisco Smart+Connected Traffic

- **Enterprise-level Solution:** End-to-end smart traffic solutions with sensors, edge analytics, and centralized control.
- **Strength:** Highly scalable and secure.
- **Limitation:** High deployment and operational costs.

Key Insights from Literature

- Most effective systems use **adaptive signal control** based on **real-time IoT sensor data**.
- **Cloud and edge computing** are often used to ensure low-latency decision-making.
- **Integration with emergency services** and **predictive analytics** is still under development in many systems.
- Cost and scalability remain major challenges for developing countries.

1.6 Proposed Technologies

Proposed Technologies – Smart Traffic Management System Using IoT

The system will integrate hardware, software, and communication technologies to monitor, analyze, and manage traffic conditions in real time. Below is a breakdown of the proposed technologies:

🔌 1. IoT Hardware Components

- **IR Sensors / Ultrasonic Sensors:** To detect vehicle presence and count traffic density.
- **CCTV/Traffic Cameras:** For real-time visual monitoring and automated number plate recognition (ANPR).
- **Microcontrollers:** Arduino, ESP32, or Raspberry Pi for sensor data collection and local control.
- **Traffic Light Controllers:** To interface with microcontrollers for dynamic signal timing.
- **RFID Modules:** For vehicle identification and access control (e.g., emergency vehicles).

🌐 2. Communication Technologies

- **Wi-Fi / 4G/5G:** For high-speed data transmission between sensors, controllers, and cloud.
- **LoRa (Long Range Radio):** For low-power, long-distance communication in large urban areas.
- **MQTT Protocol:** Lightweight messaging protocol ideal for IoT device communication.

🧠 3. Data Processing & Control

- **Edge Computing:** For real-time, localized processing of data at intersections.
- **Cloud Computing:** For centralized data storage, analytics, and visualization (e.g., AWS, Azure, or Google Cloud).
- **AI/ML Algorithms:** To predict traffic patterns, detect anomalies, and optimize signal timing dynamically.

📡 4. Software Technologies

- **Programming Languages:** Python (for backend processing, AI/ML), C++ (for microcontroller logic), JavaScript (for dashboards).
- **Database Systems:** MongoDB or MySQL for storing traffic data.
- **Dashboard Tools:** Web-based admin interface built using React/Angular + Node.js.
- **API Integration:** For connecting to third-party navigation apps, emergency services, and open data platforms.

5. User Interfaces

- **Mobile Applications:** For commuters to get live traffic updates and route suggestions.
- **Admin Web Portal:** For traffic authorities to view analytics, control signals, and respond to incidents.

6. Optional Integrations

- **GIS (Geographic Information System):** To visualize traffic data on interactive city maps.
- **AI-based Image Recognition:** For vehicle counting, red-light jumping detection, and incident identification.

2. Requirements

Here are the key **requirements** for a **Smart Traffic Management System using IoT**, divided into **Functional** and **Non-Functional** categories:

1. Functional Requirements

These define **what** the system should do.

1.1. Traffic Data Collection

- The system shall collect real-time data on vehicle count, speed, and congestion using IoT sensors.
- The system shall adjust traffic signal durations based on traffic density and flow.

1.2. Dynamic Signal Control

1.3. Emergency Vehicle Detection

- The system shall detect emergency vehicles and prioritize signal changes for their smooth passage.

1.4. Data Transmission

- The system shall transmit sensor data to a centralized processing unit/server in real-time.

1.5. Manual Override

- Traffic authorities shall be able to override automatic controls in case of special situations.
- ### 1.6. User Notification
- The system shall send real-time traffic updates and alerts to user mobile applications.

1.7. Traffic Analytics & Reporting

- The system shall generate analytical reports such as peak hours, average speed, congestion patterns.

2. Non-Functional Requirements

These define **how well** the system performs its tasks.

2.1. Performance

- Data processing and signal changes should occur with less than two seconds delay.
- System uptime should be at least 99.9%.

2.2. Scalability

- The system should support easy addition of new intersections, sensors, or users.

2.3. Security

- Data transmission must be encrypted.
- Only authorized users should access control functions and reports.

2.4. Reliability

- The system should function under various weather and environmental conditions.

2.5. Usability

- Dashboards for authorities and apps for users must be intuitive and user-friendly.


2.6. Maintainability

- The system should allow for easy firmware updates and sensor calibration.

2.1. Function Requirements

Functional Requirements

FR1. Traffic Data Collection




- The system shall collect real-time data on vehicle count, speed, and traffic density using IoT sensors (e.g., IR, ultrasonic, RFID).

FR2. Data Transmission

- The system shall transmit collected data to a central server/cloud for processing using wireless protocols (e.g., Wi-Fi, Zigbee, LoRa).
- The system shall analyze incoming data to assess traffic conditions at each intersection.

FR3. Traffic Analysis

FR4. Dynamic Signal Control



- The system shall dynamically adjust traffic light durations based on current traffic density and congestion levels.

FR5. Emergency Vehicle Detection

- The system shall detect emergency vehicles via RFID/GPS and prioritize traffic signals in their path.

FR6. Real-Time Status Updates



- The system shall display real-time traffic conditions on a dashboard and mobile app.

FR7. Alerts and Notifications

- The system shall notify users (drivers) about congestion, accidents, or alternate routes.


FR8. Manual Override

- Traffic authorities shall be able to override automated signal control when necessary (e.g., events, construction, emergencies).
- The system shall store historical traffic data for reporting and analysis.

FR10. Report Generation

- The system shall generate periodic reports (daily, weekly, monthly) on traffic flow, peak hours, and violations.

FR11. User Access Control



The system shall support different user roles (admin, authority, driver) with appropriate permissions.

2.1.1. Sign Up

□ **Name:** FR001

- **Purpose:** Sign up process is required for a user to become the member of system.

- **User(s):** Admin, Data Entry Operator, Doctor

- **Input:**
 - *Name:* Actual name of user according to ID card.

- *Password:* Must be 8 characters long and must include number
- *Address:* Actual residence address which is accessible by post and other staff.

- *Phone:* Working phone number. Must be on WhatsApp
- *Display Picture:* Latest face picture
- *Approval from Super User:* Superuser will be verify the information and approved the status of user a member of system.

- **Output:** User will be the member of system and able to login Other requirements will be provided in similar way.

2.2. Non-Functional Requirements

Here are some key **non-functional requirements** for a **Smart Traffic Management System using IoT**:

1. Scalability

- The system should be able to handle an increasing number of IoT devices (e.g., sensors, cameras, traffic lights) without performance degradation.

2. Reliability

- The system must consistently perform traffic monitoring and control with minimal downtime or failures.

3. Availability

- The system should ensure high availability (e.g., 99.9%) to prevent traffic disruptions, especially during peak hours.

4. Security

- Data transmitted from IoT devices must be encrypted.
- Access to the system should be authenticated and authorized to prevent cyberattacks.

5. Latency

- Real-time processing of traffic data is crucial; the system should have low response times (e.g., < 1 second) for event detection and action.

6. Maintainability

- The system should be easy to update and maintain without affecting core functionalities or requiring extensive downtime. 7.

Interoperability

- It should support integration with other systems such as emergency services, weather systems, or public transport networks. 8.

Fault Tolerance

- The system should continue operating in case of partial failure (e.g., one sensor goes offline).

9. Data Integrity

- Ensure data collected from IoT sensors is accurate, consistent, and not tampered with.


10. Usability

- Interfaces for traffic authorities and maintenance teams should be intuitive and user-friendly

3. Use Cases and Flow of Processes

Use cases are the formal representation of process flow defined by functional requirements. Authors should provide a flow of events in this. There should be system level use case which is directly influenced to project functions with their user(s) (called actor(s)) which are described in requirements chapters

3.1. Use Case 1



3.2.

ID	UC001
Name	Sign Up
Description	This use case describes the process flow of Sing Up
Requirement(s)	FR001
Actor(s)	Admin, Data Entry, Operator
Precondition	The user must have valid account
Postcondition	Actors will view the message for approval from admin
Basic Flow	<i>Basic Flow</i> 1. Actor enter credentials 2. System validates the inputs 2.1. Following fields are required 2.1.1. Name 2.1.2. Email 2.1.3. Password 2.1.4. Address 2.1.5. Phone 2.2. Check the proper inputs for following 2.2.1. Email 2.2.2. Password must be 8 character including number 2.2.3. Phone Number on 11 digits 2.3. On successful validation the system will create new user <i>Alternative Flow</i> 1. Admin Sign In 2. Create a new User by entering data <i>Exceptions</i> 1. Invalid Inputs 2.1.5. System unable to response





Figure 1: System Level Use Case Diagram



Smart Traffic Management System Using IoT

4. References

Author should provide references in IEEE format