


1. **Create one VPC, with 1 public subnet and 1 private subnet**










1. Go to VPC → Subnets → Create subnet.
2. Select VPC.
3. Create Public Subnet:
    - Name: Public-Subnet
    - CIDR: 10.0.0.0/25
4. Click Add new subnet.
5. Create Private Subnet:
    - Name: Private-Subnet
    - CIDR: 10.0.0.128/25
6. Click Create subnet.

## 2. Enable VPC peering for cross-region


VPC > Your VPCs > vpc-0fad3018e9d8b88dc
VPC dashboard
Filter by VPC:
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only Internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
You successfully created vpc-0fad3018e9d8b88dc / VPC-1
vpc-0fad3018e9d8b88dc / VPC-1
Actions
Details Info
VPC ID
vpc-0fad3018e9d8b88dc
State
Available
Block Public Access
Off
DNS hostnames
Disabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0787689d1df52dbd0
Main route table
rtb-09f17b88a99c81b59
Main network ACL
acl-0b2e0163dc00c01c8
Default VPC
No
IPv4 CIDR
10.0.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
058832728718
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details



VPC > Your VPCs > vpc-0c347f5004d2b1885
VPC dashboard
Filter by VPC:
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only Internet gateways
Carrier gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
You successfully created vpc-0c347f5004d2b1885 / VPC-2
vpc-0c347f5004d2b1885 / VPC-2
Actions
Details Q help
VPC ID
vpc-0c347f5004d2b1885
State
Available
Block Public Access
Off
DNS hostnames
Disabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-090e44d17f90f310b
Main route table
rtb-0d15650676a52f92c
Main network ACL
acl-0c6d9eb06585a3ab6
Default VPC
No
IPv4 CIDR
10.1.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
058832728718
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Q help
Show all details



VPC > Peering connections > pcx-07cfd1e4976933d08
VPC dashboard
Filter by VPC:
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only Internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
A VPC peering connection pcx-07cfd1e4976933d08 / VPC1-VPC2 Connection has been requested.
Remember to change your region to us-east-1 to accept the peering connection.
pcx-07cfd1e4976933d08 / VPC1-VPC2 Connection
Actions
Details Info
Requester owner ID
058832728718
Accepter owner ID
058832728718
VPC Peering connection ARN
arn:aws:ec2:ap-southeast-2:058832728718:vpc-peering-connection/pcx-07cfd1e4976933d08
Peering connection ID
pcx-07cfd1e4976933d08
Requester VPC
vpc-0fad3018e9d8b88dc / VPC-1
Accepter VPC
vpc-0c347f5004d2b1885
Status
Initiating Request to 058832728718
Requester CIDRs
10.0.0.0/16
Accepter CIDRs
–
Expiration time
Monday, 9 November 2026 at 15:12:18 GMT+5:30
Requester Region
Sydney (ap-southeast-2)
Accepter Region
N. Virginia (us-east-1)
DNS
Route tables
Tags
DNS settings
Edit DNS settings
Requester VPC (vpc-0fad3018e9d8b88dc / VPC-1) Info




1. I changed the AWS Region to the Region where VPC-1 was created.
2. I opened VPC → Peering connections.
3. I clicked Create peering connection.
4. I entered the name VPC1-VPC2-Peering.
5. I selected VPC-1 as the requester VPC.
6. I selected My account.
7. I selected Another Region.
8. I selected the Region where VPC-2 was created.
9. I selected VPC-2 as the accepter VPC.
10. I clicked Create peering connection.
11. I changed the AWS Region to the Region where VPC-2 was created.
12. I opened VPC → Peering connections.
13. I selected the pending peering request.
14. I selected Actions → Accept request.
15. I opened the Route Table associated with VPC-1.
16. I added a route to the VPC-2 CIDR with the Peering Connection as the target.
17. I opened the Route Table associated with VPC-2.
18. I added a route to the VPC-1 CIDR with the Peering Connection as the target.
19. I updated the Security Groups to allow the required traffic between the two VPCs.
20. I verified that the VPC peering connection status was Active.

## 3, Enable VPC peering for cross-account (you can collaborate with your friend to do this task).





1. I got my friend's **AWS Account ID**.
2. I got my friend's **VPC ID, VPC CIDR, and Region**.
3. I verified that our VPC CIDRs **do not overlap**.
4. I opened **VPC → Peering connections**.
5. I clicked **Create peering connection**.
6. I entered the name **Cross-Account-Peering**.
7. I selected **my VPC** as the **Requester VPC**.
8. I selected **Another account**.
9. I entered my friend's **AWS Account ID**.
10. I selected my friend's **Region**.
11. I entered/selected my friend's **VPC ID** as the **Accepter VPC**.
12. I clicked **Create peering connection**. AWS Documentation


13. I asked my friend to open **VPC → Peering connections** in their account.
14. My friend selected the **Pending acceptance** request.
15. My friend selected **Actions → Accept request**. AWS Documentation
16. I verified that the peering connection became **Active**.
17. I opened **Route Tables** in my VPC.
18. I added a route with the **friend's VPC CIDR** as the destination and the **VPC Peering Connection** as the target.


## 4. Set up a VPC Transit Gateway


















1. I created VPC-1 in the Sydney (ap-southeast-2) Region.
2. I created a Transit Gateway (My-TGW) in the Sydney Region.
3. I created a subnet in VPC-1.
4. I created a Transit Gateway VPC attachment for VPC-1 and selected the VPC-1 subnet.
5. I waited until the VPC-1 Transit Gateway attachment became Available.
6. I created VPC-2 in the N. Virginia (us-east-1) Region.
7. I created a private subnet inside VPC-2.
8. I created another Transit Gateway (My-TGW-US) in the N. Virginia Region.
9. I created a Transit Gateway VPC attachment for VPC-2 and selected the VPC-2 private subnet.
10. I waited until the VPC-2 Transit Gateway attachment became Available.
11. I created a Transit Gateway Peering attachment between the Sydney Transit Gateway and the N. Virginia Transit Gateway.
12. I accepted the Transit Gateway peering request from the accepter Region.
13. I added a static route for the VPC-2 CIDR (10.1.0.0/16) in the Sydney Transit Gateway route table and pointed it to the Transit Gateway peering attachment.
14. I added a static route for the VPC-1 CIDR (10.0.0.0/16) in the N. Virginia Transit Gateway route table and pointed it to the Transit Gateway peering attachment.
15. I added a route for VPC-2 (10.1.0.0/16) in the VPC-1 route table and pointed it to the Sydney Transit Gateway.
16. I added a route for VPC-1 (10.0.0.0/16) in the VPC-2 route table and pointed it to the N. Virginia Transit Gateway.
17. I verified that the Transit Gateway attachments and peering connection were in the Available state.

## 5. Set up a VPC Endpoint




1. I opened VPC → Endpoints.
2. I clicked Create endpoint.
3. I entered the name S3-VPC-Endpoint.
4. I selected AWS services.
5. I selected Amazon S3 with endpoint type Gateway.
6. I selected VPC-2.
7. I selected the private subnet's route table.
8. I selected Full access for the endpoint policy.
9. I clicked Create endpoint.