Numerical Methods
Lab 3 [Lagrange Interpolation]

i. Open the Colab file shared in BUX.

ii. Create a copy of that shared file.

iii. Rename the Colab filename using the format **Name-ID-Lab Section**

Lab Introduction

We know that, general form of an n degree Lagrange polynomial:

$$p_n(x) = \sum_{k=0}^{n} f(x_k) l_k(x) = \sum_{k=0}^{n} y_k l_k(x)$$

where,

$$l_k(x) = \prod_{j=0, j \neq k}^{n} \frac{x - x_j}{x_k - x_j}$$

Now, check out the Lagrange_Polynomial class in the given code.

1. The constructor __init__(self, data_x, data_y) is written for you. (No task here)

2. The _repr__(self) function has been written for you. (No task here)

3. Task 1 – 2 marks

You have to implement the l(self, k, x) function.

This method implements the Lagrange Basis to be used for interpolation using Lagrange Polynomials. This function would take k and x as inputs and calculate the Lagrange basis using the second Equation given above.

You will have to remove the “raise NotImplementedError()”

Hint: Set up a Loop to traverse through. Or you can use the vectorized method.

4. Task 2 – 2 marks

You have to implement the __call__(self, x_arr) function.

The function calculates the Lagrange polynomial from a set of given nodes using the first equation given above.

You will have to remove the “raise NotImplementedError()”

Hint: The method to make the object callable. 'x_arr' is a set of given points (a numpy array). You have to use self.data_x and self.data_y to find the interpolated output of the polynomial for all elements of 'x_arr'. Implement as you wish but your 'total' numpy array where the i'th element p_x_arr[i] represents the interpolated value of p(x_arr[i]). You can use nested for loop to complete this task.

5. Plotting the polynomial (No task here)

6. Daily Evaluation - 4 marks

Students have learned to represent and plot polynomial interpolation using the Lagrange method. They are now required to apply this understanding through a set of implementation exercises, which will be provided separately.